




GEORG-AUGUST-UNIVERSITÄT  
GÖTTINGEN / GERMANY

International Max Planck Research School

# Neurosciences

MSc/PhD/MD-PhD Program



YEARBOOK 2016 / 2017

# Yearbook 2016/2017

**MSc/PhD/MD-PhD  
Neuroscience Program**  
at the University of Göttingen

**International Max Planck  
Research School**

## Index / Imprint

Letter from the University .....	1
Letter from the Max Planck Society .....	2
Overview .....	3
Intensive Course Program (First Year) .....	4
Lectures and Tutorials .....	4
Methods Courses .....	5
Laboratory Rotations .....	5
Seminars .....	6
Examinations .....	6
PhD Program .....	6
Master's Program .....	7
Orientation, Language Courses, Social Activities .....	7
Application, Selection, and Admission 2015 .....	7
Students 2015/2016 .....	8
Faculty (Senior Faculty, Group Leaders, Lecturers) .....	19
Graduate Program Committee .....	75
Program Coordination .....	75
Imprint .....	76



## Letter from the President

Success for a comprehensive research university such as our Georg-August University of Göttingen is rooted in excellent science and its integration into an optimal learning environment to educate competent and critical young academics. I am very glad that our university in cooperation with the local Max-Planck Institutes and the German Primate Center has been able to establish conditions, which make top interdisciplinary science possible in an international setting enabling us all to feel the Göttingen Spirit.

The two international MSc/PhD programs in Neurosciences and Molecular Biology truly have contributed to our continued strive for excellence in science-oriented training both by integrating faculty members from university and non-university institutes across institutional borders and by providing comprehensive services especially for international students on the Göttingen Research Campus. Based on the proven concepts and the experience of these programs the Göttingen Graduate School for Neurosciences, Biophysics and Molecular Biosciences (GGNB) was established, which is continuously supported by the federal Excellence Initiative since 2007.

The Neuroscience and Molecular Biology programs remain unique within the Graduate School GGNB in offering integrated MSc/PhD curricula with a fast track option which allow excellent BSc graduates to directly enter the PhD phase after successfully absolving the initial 1<sup>st</sup> year training phase. For over a decade these international programs have been particularly successful in attracting high numbers of worldwide applicants of good academic quality providing the basis for the selection of the very best candidates. New ideas introduced by these programs have meanwhile been adopted by the Georg-August University School of Science (GAUSS) and other graduate schools for the benefit of the entire university.

While maintaining their successful structure the content and focus of the training curriculum of the programs has continuously been adapted to the changing research topics. Consequently, new faculty members are integrated to reflect novel developments in research. They will further ensure optimal individual supervision and up-to-date research-oriented training. Beyond academia both programs keep close contact with the relevant industries to enhance the opportunities of the graduates for a successful professional career in the private sector.

I would very much like to thank all colleagues and institutions for their committed support of these international programs and, last but not least, the German Academic Exchange Service (DAAD), the Lower Saxony Ministry of Science and Culture, and the various generous donors. The Georg-August University of Göttingen will continue to support these programs to promote international exchange at all levels and for further interaction with our partners worldwide.

Prof. Dr. Ulrike Beisiegel

(President of the Georg August University Göttingen)



## Letter from the Max Planck Society

The mission of the Max Planck Society is to conduct basic research in science and humanities at the highest level. More than 80 Max Planck Institutes are located on scientific campuses across Germany, most of them close to universities.

Scientific ties between Max Planck Institutes and universities are traditionally strong. In 1998, during the 50<sup>th</sup> year celebration of the Max Planck Society in Göttingen, the Max Planck Society, together with the Hochschulrektorenkonferenz, launched the International Max Planck Research Schools as a new joint program to further intensify cooperation.

The goals of the International Max Planck Research Schools are

- to attract excellent students from all around the world to intensive Ph.D. training programs in Germany, preparing them for careers in science,
- to integrate Max Planck scientists in top-level scientific training of junior scientists,
- to intensify the ties to the universities owing to the participation of internationally renowned Max Planck scientists in joint teaching activities, and
- to strengthen international relationships by providing individual support to each student and by exposing foreign students to German culture and the German language.

By now, 64 International Max Planck Research Schools have been established involving 72 Max Planck Institutes, 32 German universities and 26 universities abroad. About 3,050 PhD students from 120 countries are presently enrolled.

Since their foundation in the year 2000, the Göttingen International Max Planck Research Schools in Neurosciences and Molecular Biology have met with extraordinary success. Every year, the programs receive hundreds of applications, with the quality of the students consistently being very high. Most students graduated so far have moved on to postdoctoral positions, many at prestigious international institutions. In the past years, the Göttingen Schools received unanimous acclaim during external evaluations and won national awards. For instance they are the only Life Science Programs within Germany that were selected for the "Top Ten International Master's Degree Courses 2006". The Schools have also re-shaped the local scientific community, strengthening the ties between the participating institutions, and initiated new scientific collaborations that augment the international reputation of Göttingen as a center of scientific excellence. Furthermore, the Schools served as role models and founding members of the Göttingen Graduate School for Neurosciences, Biophysics, and Molecular Biosciences, thus being instrumental for the continued support by the German Excellence Initiative provided to the university. We hope that in the years to come the students of the International Max Planck Research Schools will be successful in their professional careers. We also hope that they will remember their training period in Göttingen as an exciting and stimulating phase in their lives.



Martin Stratmann  
President  
Max Planck Society

Gregor Eichele  
Dean of the IMPRS  
Neurosciences



## Overview

This yearbook is intended to provide information on the International MSc/PhD/MD-PhD Program for Neurosciences in Göttingen, Germany, which was established in 2000. In addition to general information on the program, the yearbook introduces the current year's students, the faculty members, the program committee, and the coordination team.


The program is a member of the Göttingen Graduate School for Neurosciences, Biophysics, and Molecular Biosciences (GGNB), which is funded by the Excellence Initiative of the German Federal and State Governments. It is offered by the University of Göttingen, the Max Planck Institute for Biophysical Chemistry (MPIbpc), the Max Planck Institute for Experimental Medicine (MPIem), the Max Planck Institute for Dynamics and Self-Organization (MPI ds), the German Primate Center (DPZ), and the European Neuroscience Institute (ENI). Further to their active participation in the Neuroscience Program, the above mentioned partners closely cooperate in the Cluster of Excellence and DFG Research Center Nanoscale Microscopy and Molecular Physiology of the Brain (CNMPB), the Göttingen Center for Molecular Biosciences (GZMB), the Center for Systems Neuroscience (ZNV), in several collaborative research centers (Sonderforschungsbereiche, SFB), and in interdisciplinary doctoral programs (Graduiertenkollegs, GK).

The International MSc/PhD/MD-PhD Neuroscience Program qualifies students for professional work in the neurosciences. The program is open to students from Germany and from abroad, who hold a Bachelor's degree (or equivalent) in the biosciences, medicine, psychology, physics, or related fields. All courses are held in English. Scholarships are available. The academic year starts in October and is preceded by a three week orientation program. Applications may be submitted until January 15 of the year of enrollment. To ensure a high standard of individual training, the number of participants is limited to 20 students per year.

All students initially participate in one year of intensive course work. This first segment of the program comprises lectures, tutorials, seminars, methods courses, and independent, individually supervised research projects (laboratory rotations). The traditional German structure of academic semesters is not followed. The condensed schedule allows students to accumulate 90 credits (ECTS) within one year, which would normally require three semesters.

Subsequently, two separate segments are offered:

- **PhD Program:** Good to excellent results after the first year qualify for direct admission to a three-year doctoral project in one of the participating research groups. The Master's thesis requirement is waived in this case. After successful defense of a doctoral thesis, the degree Doctor of Philosophy (Ph.D.) or the equivalent title Doctor rerum naturalium (Dr. rer. nat.) is conferred. Students who finished medical school can apply for an MD-Ph.D. title.
- **MSc Program:** Alternatively, students may conclude the program with a Master's thesis, based on six months of experimental scientific research. The degree Master of Science (M.Sc.) is awarded upon successful completion of the Master's thesis.



## **Intensive Course Program (First Year)**

Throughout the first year, current topics in the neurosciences are covered by

- lectures
- tutorials
- methods courses
- laboratory rotations
- seminars
- skills courses

### **Lectures and Tutorials**

A comprehensive lecture series is organized into a sequence of 4-6 week units. The following topics are taught on an advanced level throughout the first year (36 weeks, 4 hours per week):

- A. Neuroanatomy**
- B. Physiology and Basic Statistics**
- C. Modelling, Autonomous Nervous System, Pharmacology**
- D. Molecular Biology, Development, and Neurogenetics**
- E. Sensory and Motor Systems**
- F. Clinical Neurosciences and Higher Brain Functions**
- G. Specialization Seminars and Tutorials**

Each lecture is accompanied by a tutorial session, where students meet with a tutor in small groups. Tutorials involve exercises, review of lecture material, and discussion of related topics.

## Methods Courses

During the first months of the Neuroscience Program, students participate in a series of methods courses to introduce them to principles and practical aspects of basic scientific techniques and the handling of model organisms. The practical courses and tutorials comprise the following topics:

### I Neuroanatomy

- comparative development of the vertebrate brain
- cytology and ultrastructure of the human brain
- functional neuroanatomy of sensory and motor systems
- immunocytochemical techniques and single neuron recording
- development and neuroanatomy of invertebrate models

### II Physiology and Basic Statistics

- introduction to medical statistics and programming languages
- electrophysiological techniques
- membrane physiology / synaptic transmission
- FLIM / Ca-imaging / FCS techniques / confocal microscopy
- sensory and behavioral physiology

### III Modelling, Autonomous Nervous System, Pharmacology

- neuronal modelling
- behavioral analysis
- neuroendocrinology / neuropharmacology
- protein separation techniques

### IV Molecular Biology, Development, and Neurogenetics

- cell culture methods
- methods in molecular biology
- genetics of transgenic mouse models

## Laboratory Rotations

Starting in January, every student carries out three independent research projects (laboratory rotations) in participating laboratories. Each project is individually supervised and involves seven weeks of experimental work, followed by one week for data analysis and presentation. For each project, a report must be completed in the format of a scientific publication. The laboratory rotations must cover at least two different subjects.



## **Seminars**

Seminars start in March. The class meets weekly for two hours to discuss two or three student presentations. The presentations are research reports based on work from the laboratory rotations.

## **Examinations**

After the first year of intensive training, all students take one written and two oral Master's examinations. The Master's examinations explore the students' theoretical background in topics covered by lectures and tutorials. All candidates are examined both in the field of anatomy and physiology in two separate oral exams.

## **PhD Program**

Students who have passed the Master's examinations with good or excellent results qualify for direct admission to a three-year doctoral project in one of the participating research groups without being required to complete a Master's thesis first.

The PhD program emphasizes independent research on the part of the students. Doctoral students select three faculty members as their doctoral thesis committee which closely monitors progress and advises students in their research project. Laboratory work is accompanied by seminars and lecture series, a wide variety of advanced methods courses, training in scientific writing and oral presentation skills, courses in intercultural communication, bioethics and research ethics, elective courses, and participation in international conferences or workshops.

At the end of the PhD training program, a doctoral thesis is submitted either in the traditional format, or as a collection of scientific publications in internationally recognized journals along with a general introduction and a discussion of the results. The degree Ph.D. or, alternatively, Dr. rer. nat. will be awarded after the successful defense of the doctoral thesis. Having fulfilled all PhD degree requirements, medical students may apply for the degree of an MD-Ph.D. at the Medical Faculty.

## Master's Program

After the first year of intensive training, students may conclude the program with a six-month thesis project, leading to a Master of Science degree. The thesis project involves experimental work under the supervision of faculty members of the Neuroscience Program. Students have the opportunity to conduct their Master's thesis project at an affiliated research institution abroad.

## Orientation, Language Courses, Social Activities

A three-week orientation prior to the program provides assistance and advice for managing day-to-day life, including arrangements for bank account, health insurance, residence permit, housing, and enrollment. Students have the opportunity to meet faculty members and visit laboratories of the participating institutions. In addition, the orientation program informs students about computing and library facilities, the city and university of Göttingen, sports facilities, and cultural events.

An intensive basic language course in German is offered in cooperation with the *Lektorat Deutsch als Fremdsprache* to facilitate the start in Göttingen. Additional language courses and social activities accompany the program.

## Application, Selection, and Admission 2016

Applicants must hold a Bachelor's degree or equivalent in biology, medicine, psychology, physics, chemistry, or related fields. Applicants who are not native speakers of English should demonstrate adequate competence of the English language by acceptable results in an internationally recognized test.

In the year 2016, the coordination office received 581 applications from 81 countries.

Continent	Applications	Admissions *
<b>Europe (total)</b>	<b>125</b>	<b>9</b>
Germany	42	5
other West Europe / Middle Europe	35	3
East Europe	48	1
<b>America (total)</b>	<b>68</b>	<b>3</b>
North America	31	0
Central/South America	37	3
<b>Africa (total)</b>	<b>96</b>	<b>1</b>
North Africa	38	0
Central/South Africa	58	1
<b>Asia (total)</b>	<b>292</b>	<b>7</b>
Near East	79	4
Central Asia / Far East	213	3
<b>Australia</b>	<b>0</b>	<b>0</b>

\*Incl. 1 NEURASMUS students (from India).

## Students 2016/2017

Name		Home Country
Theocharis	Alvanos	Greece
Çağatay	Aydın	Turkey
Yunus Can	Erol	Turkey
Elisabeth	Fritsch	Germany
Danai	Katsere	Zimbabwe
Henry	Klemp	Germany
Ima	Mansori	Germany
Vasyl Petrovych	Mykytiuk	Ukraine
Juan Diego	Prieto	Colombia
Jenifer	Rachel *	India
Yasmine Rabah	Shorafa	Palestinian Territories
Elsa	Steinfath	Germany
Agnes	Steixner	Austria
Clara	Tepohl	Germany
Diana	Toscano Tejeida	Mexico
Juan Felipe	Vargas Fique	Colombia
Chrystalleni	Vassiliou	Cyprus
Deniz	Yüzak	Turkey
Yu	Zhao	P.R. China
Lin	Zhou	P.R. China

\* NEURASMUS student



Greece

## Theocharis Alvanos

### EDUCATION

#### College / University:

National and Kapodistrian University of Athens

#### Highest Degree:

B.Sc.

#### Major Subjects:

Biology

#### Lab Experience:

Cellular and molecular techniques (Western blot, DNA extraction, PCR, DNA electrophoresis), behavioural experiments (*D. melanogaster*, T-maze aversive pavlovian behavioural assays), confocal microscopy (basic training), electron microscopy (TEM)

#### Projects / Research:

2015 – 2016: Bachelor Thesis “Investigating the role of huntingtin in long term memory in *Drosophila melanogaster*”, E.M.C. Skoulakis lab (Laboratory of Molecular Cognitive Biology) at B.S.R.C. ‘Alexander Fleming’

2015: Lab Practical “Investigating hyperactivity phenotypes in *D. melanogaster* models of tauopathies”, E.M.C. Skoulakis lab (Laboratory of Molecular Cognitive Biology) at B.S.R.C. ‘Alexander Fleming’

#### Scholarships:

2016 – 2017: Stipend by the International Max Planck Research School



Turkey

## Çağatay Aydın

### EDUCATION

#### College / University:

Bogazici University

#### Highest Degree:

B.Sc.

#### Major Subjects:

Molecular Biology and Genetics

#### Lab Experience:

Breeding and maintenance of *D. melanogaster* and *C. elegans*, immunostaining, confocal microscopy, cell culture, gel electrophoresis, blotting, PCR, RNA-seq, electroretinogram. Python, Linux, Axoscope, Fiji/ImageJ

#### Projects / Research:

2013 – 2016: Axon guidance in *D. melanogaster* olfactory system development. Arzu Celik, PhD. Bogazici University

June – Aug 2015: sChanges in repetitive sequences during the development of *C. elegans*. Susan Mango, PhD. Harvard University

June – Aug 2014: Role of mitochondrial mutants in neurodegeneration. Hugo J. Bellen, PhD. Baylor College of Medicine.

#### Scholarships:

2016 – 2017: Stipend by the International Max Planck Research School

2015 / 2016: Undergraduate Research Grant / Research Scholarship, The Scientific and Technological Research Council of Turkey

2015: Scholarship for Abroad Studies, Saint Michel Education Foundation

2011 – 2016: Scholarship for Outstanding Success, Turkish Edu. Foundation



Turkey

## Yunus Can Erol

### EDUCATION

#### College / University:

Koç University

#### Highest Degree:

B.Sc.

#### Major Subjects:

Molecular Biology and Genetics

#### Lab Experience:

Cell culture, shRNA knockdown, Transfection, Western blot, PCR, Cryosectioning

#### Projects / Research:

2016: Independent study project in stem cell laboratory in Koç University

2015: Summer internship on neuronal translational control in ZMNH in Hamburg, Germany

2014: Summer internship on characterization of a novel glutamate transporter in BMC in Uppsala, Sweden

#### Scholarships:

2016 – 2017: Stipend by the International Max Planck Research School

Full merit scholarship at Koç University



Germany

## Elisabeth Fritsch

### EDUCATION

#### College / University:

Georg-August-University Göttingen

#### Highest Degree:

B.Sc. in Biochemistry

#### Major Subjects:

Biochemistry, Bioanalytics, Physical and Biomolecular Chemistry

#### Lab Experience:

Basic cellular, molecular and bioanalytical techniques, cell culturing and cloning, transformation, transfection (primary neurons), immunostaining, fluorescence microscopy (confocal, STORM), AFM, MS, NMR

#### Projects / Research:

March – June 2016: Investigations on lncRNA WST regarding its effect on neurite formation, elongation and  $Ca^{2+}$ -signaling

2016: Bachelor's thesis: 'Characterization of a novel brain-specific long non-coding RNA: Evaluation of its role in promoting synapse formation and synapse activity

#### Scholarships:

2016 – 2017: Stipend by the International Max Planck Research School



Zimbabwe

## Danai Katsere

### EDUCATION

#### College / University:

University of Cape Town

#### Highest Degree:

MedSc (Honours) in Physiology

#### Major Subjects:

Biochemistry, Human Physiology, Neuroscience Genetics

#### Lab Experience:

DNA and RNA extractions, DNA, RNA and protein gel electrophoresis, qPCR, spectrophotometry, neuroanatomy, EEG, ECG, light microscopy and tissue staining techniques

#### Projects / Research:

2014: Expression of key phytoalexin biosynthesis genes in Starmaize seedlings

2015: Brain Tumours in Children: Stabilizing molecular components from tissue specimen

#### Scholarships:

2016 – 2017: Stipend by the International Max Planck Research School



Germany

## Henry Klemp

### EDUCATION

#### College / University:

Georg-August-University Göttingen

#### Highest Degree:

B.Sc.

#### Major Subjects:

Molecular Medicine

#### Lab Experience:

Cell culture, immunohist/cyto-chemistry, basic techniques in mass spectrometry, ELISA, EMSA, western blotting, RT-QuIC, confocal and standard fluorescence microscopy, general techniques of a biochemical lab, basics techniques for working with radioisotopes

#### Projects / Research:

April – August 2016: Bachelor's thesis 'Alpha-Synuclein uptake and spreading *in vitro*', Prof. Dr. P. Lingor, University Medical Center Göttingen, Germany

January – February 2016: Internship 'Investigations on reactions of microglial cell lines to  $\beta$ -amyloid', Prof. M. Heneka, University Medical Center Bonn, Germany

July – August 2015: Internship, Dr. M. Tiburcy, University Medical Center Göttingen, Germany

#### Scholarships:

2016 – 2017: Stipend by the International Max Planck Research School





Germany

## Ima Mansori

### EDUCATION

**College / University:**

University of Osnabrück

**Highest Degree:**

M.Sc. in Cognitive Science

**Major Subjects:**

Linguistics, Cognitive Psychology, Neuroscience

**Lab Experience:**

Neuropsychology: Electroencephalography (application, measurement, artefact removal)

Neuroscience: Mouse transcardial perfusion and brain isolation, vibratome slicing, confocal laser scanning microscopy, algorithm-based image analysis (3DMA Neuron, Fiji, AutoQuant X3), genotyping from tail snip (PCR)

**Projects / Research:**

2014 – 2015: Institute of Cognitive Science, University of Osnabrück, M.Sc. student study project ‘EEG correlates of Bayesian decision making in a belief-updating task’

2015 – 2016: Department of Neurobiology, University of Osnabrück, research internship ‘Analyzing the effect of disease-modified tau on synaptic connectivity in transgenic mice’

2016: Department of Neurobiology, University of Osnabrück, Master thesis ‘Analyzing the structure of postsynaptic entities in tau knock out mice’, Dr. Lidia Bakota, Prof. Dr. Roland Brandt

**Scholarships:**

2016 – 2017: Stipend by the International Max Planck Research School

## Vasyl Mykytiuk

### EDUCATION

**College / University:**

Taras Shevchenko National University of Kyiv

**Highest Degree:**

B.Sc. in Biology

**Major Subjects:**

Molecular Biology, Biochemistry

**Lab Experience:**

Bacterial culture, mammalian cell culture, molecular biology basic techniques (PCR, western blot, molecular cloning), rodents optogenetics, rat behavior

**Projects / Research:**

July 2013 – June 2015: Interaction of ribosomal protein kinase S6K1 with phosphatases PHLPP and PP2A

June 2015 – December 2015: Persistent anxiety in a neurophatic pain model is driven by synaptic potentiation in the parabrachial-central amygdala pathway

February 2016 – May 2016: Depletion of PIP2 in plasma membrane of HEK 293 induced by voltage-sensitive phosphatase Dr-VSP

**Scholarships:**

2016 – 2017: Stipend by the International Max Planck Research School

2012 – 2016: Ukrainian State Scholarship for students with excellent studying achievements awarded after each semester

June – Dec 2015: The Austrian Exchange Service (OeAD-GmbH) 6 months scholarship for the research at IST Austria



Ukraine



Colombia

## Juan Diego Prieto Ramírez

### EDUCATION

#### College / University:

Universidad Nacional de Colombia

#### Highest Degree:

B.Sc. in Biology

#### Major Subjects:

Cellular Biology, Neurobiology, Biophysics

#### Lab Experience:

Techniques in immunochemistry - immunohistochemistry, western blot, co-immunoprecipitation-, cell dissociation, PCR, bacteria transformation, basic electrophysiology; Animal models: chick (*G. gallus domesticus*) and squid (*D. pealeii*)

#### Projects / Research:

2015: Assessment of chick (*Gallus gallus domesticus*) embryo neurons as a native system for the study of the inositol lipid-signaling pathway, Universidad Nacional de Colombia, Bogotá, Colombia

2015 – 2016: Assessment of the possible presence of a phototransduction macromolecular complex in the retina of the squid (*Dorytheuthis pealeii*), Universidad Nacional de Colombia, Bogotá, Colombia, Marine Biological Laboratory, Woods Hole, MA, USA

#### Scholarships:

2016 – 2017: Stipend by the international Max Planck Research School

2010, 2011, 2013, 2014: Top group GPA enrollment fee waiver

2010: 5<sup>th</sup> best admission exam enrollment fee waiver



India

## Jenifer Rachel

### EDUCATION

#### College / University:

SRM University

#### Highest Degree:

Bachelor in Technology (B. Tech)

#### Major Subjects:

Molecular Biology and Human Genetics

#### Lab Experience:

PCR, immunohistochemistry, *Drosophila* management and brain dissection, fluorescence microscopy, electrophoresis, feeding and starvation assays, plant and animal tissue culture

#### Projects / Research:

January – July 2015: Bachelor's thesis on 'Interactions between Allatostatin A and neuropeptide F in the *Drosophila melanogaster* feeding behavior regulation' under the guidance of Dr. Michael Williams, Department of Neuroscience. Uppsala University, Sweden

#### Scholarships:

2016 – 2018: Silver Neurasmus Excellence Scholarship (NExS)

2016 – 2017: International Max Planck Research School stipend



Palestine

## Yasmine Shorafa

### EDUCATION

**College / University:**

Islamic University of Gaza

**Highest Degree:**

Doctor of Medicine (M.D.)

**Major Subjects:**

Physiology, Statistics, Molecular Biology, Genetics and Neurology

**Lab Experience:**

Basic laboratory techniques

**Scholarships:**

2016 – 2017: German Academic Exchange Service ‘DAAD Scholarship’

2007 – 2013: President Scholarship for Top 10 Students



Germany

## Elsa Steinfath

### EDUCATION

**College / University:**

Albert-Ludwigs-Universität Freiburg, University of Auckland

**Highest Degree:**

B.Sc.

**Major Subjects:**

Molecular Medicine

**Lab Experience:**

RNA and protein extraction, PCR genotyping, RT-PCR and qPCR, western blot, ELISA, immunohistochemistry, primary mouse cell culture, handling of *C. elegans* and human brain tissue, vibratome sample sectioning, fluorescence microscopy

**Projects / Research:**

May 2016 – August 2016: ‘Characterization of LRRK2/Irk-1 mutants with Parkinson’s disease specific stress challenges in *Caenorhabditis elegans*’, Dept. of Bioinformatics and Molecular Genetics, Dr. Ekkehard Schulze, University of Freiburg

August 2014: TGFβ1 increases microgliamediated engulfment of apoptotic cells via upregulation of the milk fat globule-EGF factor 8. *Glia*, 63:142–153

February 2013 – July 2014: ‘The influence of IFNγ and inflammation-related stimuli on NLRP3 inflammasome activation in primary mouse microglia’, Dept. of Molecular Embryology, PD Dr. Björn Spittau, University of Freiburg, Germany

**Scholarships:**

2016 – 2017: Stipend by the International Max Planck Research School

2015 : Scholarship from Deutscher Akademischer Austauschdienst

Since 2013: Scholarship from Evangelisches Studienwerk Villigst



Austria

## Agnes Steixner

### EDUCATION

**College / University:**

Medical University Innsbruck & University of Innsbruck

**Highest Degree:**

Magister

**Major Subjects:**

Molecular Medicine, General and Applied Linguistics, Psychology

**Lab Experience:**

Basic molecular biology, qPCR, mRNA extraction, cell culturing (human embryonic stem cells and IPS cells), EEG and fNIRS, behavioral research, survey research

**Projects / Research:**

March – May 2016: ‘Characterization of stem-cell derived neurons from Friedrich ataxia patients and healthy controls’ Bachelor thesis, Neuroscience Department, Medical University of Innsbruck

October 2015 – January 2016: ‘Phonotactic processing of infants with and without familial risk for dyslexia’ internship, Lab for Cognitive Neuroscience, Medical University of Innsbruck

Summer 2014 and 2015: Design of a linguistic analysis tool with MATLAB, ‘Role of body representation in human time perception’ internship, Max Planck Institute for Humang Cognitive and Brain Sciences Leipzig, Dept. of Neurology

**Scholarships:**

2016 – 2017: Stipend by the International Max Planck Research School



Germany

## Clara Tepohl

### EDUCATION

**College / University:**

Heidelberg University

**Highest Degree:**

B.Sc.

**Major Subjects:**

Physics

**Lab Experience:**

Patch clamp, fluorescent microscopy, cryosectioning

**Projects / Research:**

November 2015 – March 2016: Bachelor thesis ‘Patch Clamp Measurements of Glutamate Receptor Antagonism by Novel Neuroprotective Small Molecule’ Interdisciplinary Center for Neurosciences, Prof. Hilmar Bading, Heidelberg University

**Scholarships:**

2016 – 2017: Stipend by the International Max Planck Research School

November 2014 – March 2015: Baden-Württemberg Stipend



Mexico

## Diana Toscano Tejeida

### EDUCATION

#### College / University:

Anahuac University

#### Highest Degree:

Doctor of Medicine (MD)

#### Lab Experience:

Microsurgery, histochemistry, behavioral analysis, basic molecular biology techniques

#### Projects / Research:

2012 – 2015: 'Inoculation of neural antigens into the anterior chamber of the eye as a neuroprotective strategy after spinal cord injury in rats' Anahuac University, Faculty of Health Sciences

2014 – 2015: 'A model of attention deficit disorder and hyperactivity induced by artificial food coloring in Wstar rats' Anahuac University, Faculty of Health Sciences

#### Scholarships:

2016 – 2017: Stipend by the International Max Planck Research School

2009 – 2015: Academic Excellence Scholarship, Anahuac University



Colombia

## Juan Felipe Vargas Fique

### EDUCATION

#### College / University:

Universidad de los Andes

#### Highest Degree:

B.Sc. Biology

#### Major Subjects:

Biology

#### Lab Experience:

Behavioral experiments, Insect neurophysiology and behavior, basic training in extracellular recordings and whole cell recording

#### Projects / Research:

2015: Research assistant: worked contributing to the design of an experimental procedure intended to measure chemoreceptive behavioral responses of *Drosophila melanogaster* using an olfactometer, Universidad de los Andes

2015: 'Behavioral experiments with an artificial magnetic field and search for magnetic material in *Drosophila melanogaster*', Bachelor thesis, Dept. of Biology, Universidad de los Andes (Supervisor: Dr. rer. nat. Jorge Molina)

#### Scholarships:

2016 – 2017: Stipend by the International Max Planck Research School

2010 – 2015: 'Quiero Estudiar' Scholarship, Universidad de los Andes



Cyprus

## Chrystalleni Vassiliou

### EDUCATION

**College / University:**

University of Edinburgh, UK

**Highest Degree:**

B.Sc. (Honours)

**Major Subjects:**

Biomedical Sciences

**Lab Experience:**

Basic *in vivo* and *in vitro* techniques: behavioural tasks, electrophysiology, cryo-sectioning, PCR, western blot, gel electrophoresis, plasmid extraction (bacterial cultures), DNA extraction, immunohistochemistry

**Projects / Research:**

January – May 2016: Investigating the role of the Medial Entorhinal Cortex and Layer II Stellate Cells in spatial memory and navigation, Memory and Space Lab, CCNS, Edinburgh, UK (Bachelor's Thesis)

**Scholarships:**

2016 – 2017: Stipend by the International Max Planck Research School



Turkey

## Deniz Yüzak

### EDUCATION

**College / University:**

Bogazici University

**Highest Degree:**

B.Sc.

**Major Subjects:**

Molecular Biology and Genetics

**Lab Experience:**

Fly husbandry, fly brain dissection, immunohistochemistry, molecular cloning techniques, MARCM technique, confocal laser scanning microscopy

**Projects / Research:**

February – August 2016: Clonal Analysis of Unzipped in the Mushroom Body structure of *Drosophila melanogaster* brain in Sense Lab, Bogazici University

September 2015 – February 2016: A possible Role for CG7985, *Drosophila* homolog of HexDC gene, in Mushroom Body in Sense Lab, Bogazici University

June – September 2015: Analysis of *Drosophila* bHLH Proteins in Neuroblast Producing Neurons in Bassem Hassan Lab, Katholieke Universiteit Leuven

September 2014 – June 2015: Axon Guidance in *Drosophila melanogaster* Olfactory System Development in Sense Lab, Bogazici University

**Scholarships:**

2016 – 2017: Stipend by the International Max Planck Research School

May – August 2016: The Scientific and Technological Research Council of Turkey (TUBITAK) - Undergraduate Scholarship Program

June – September 2015: Erasmus + Traineeship Program





P.R. China

## Yu Zhao

### EDUCATION

#### College / University:

Tongji University

#### Highest Degree:

B.Sc.

#### Major Subjects:

Biotechnology

#### Lab Experience:

*Drosophila* genetics, dissection, microscopy and behavior analysis, basic molecular biology and biochemistry

#### Projects / Research:

2013 – 2015: National Basic Research Program of China: APLP1 promotes dFoxO-dependent cell death in *Drosophila*

2012 – 2015: Shanghai Student Innovation Training Program: Genetic screen for Alzheimer's disease-related genes using a *Drosophila* model

#### Scholarships:

2016 – 2017: Stipend by the international Max Planck Research School

2013 – 2014: Academic Scholarship of Tongji University

2012: National Encouragement Scholarship awarded by Ministry of Education of China



P.R. China

## Lin Zhou

### EDUCATION

#### College / University:

South University of Science and Technology of China (SUSTC)

#### Highest Degree:

B.Sc.

#### Major Subjects:

Neuroscience

#### Lab Experience:

Mouse primary neuron culture; calcium imaging; cell viability assays; immunofluorescence; western blot

#### Projects / Research:

2016: Bachelor's Thesis: Cellular Toxicity of  $\beta$ -Amyloid Peptide and Protective Effects of Natural Polyphenols

2015 – 2016: Potential Rehabilitating Effects of Antioxidants from Lychee Fruit on Alzheimer's Disease Cell Model

2014 – 2016: Investigation of Potential Therapeutic Effects of Cognitive Training on Alzheimer's Disease in Mice

#### Scholarships:

2016 – 2017: Stipend by the International Max Planck Research School

2014: Student Research Award, SUSTC

2014. Outstanding Student Award, SUSTC

2012 - 2016: Funding Scholarship, SUSTC

## Faculty

Name		Institute	
Andrea	Antal	Clinical Neurophysiology	U Göttingen
Mathias	Bähr	Neurology	U Göttingen
Thomas	Bayer	Molecular Psychiatry	U Göttingen
Susann	Boretius	Functional Imaging Laboratory	DPZ
Henrik	Bringmann	Sleep and Waking	MPI bpc
Nils	Brose	Molecular Neurobiology	MPI em
Wolfgang	Brück	Neuropathology	U Göttingen
Camin	Dean	Trans-synaptic Signaling	ENI
Peter	Dechent	Cognitive Neurology	U Göttingen
Thomas	Dresbach	Anatomy and Embryology	U Göttingen
Hannelore	Ehrenreich	Clinical Neurosciences	MPI em
Gregor	Eichele	Genes and Behavior	MPI bpc
André	Fiala	Molecular Neurobiology of Behavior	U Göttingen
André	Fischer	German Center for Neurodegenerative Diseases	U Göttingen
Alexander	Flügel	Neuroimmunology	U Göttingen
Jens	Frahm	Biomedical NMR Research	MPI bpc
Tim	Friede	Medical Statistics	U Göttingen
Alexander	Gail	Sensorimotor Transformations	DPZ
Theo	Geisel	Nonlinear Dynamics	MPI ds
Tim	Gollisch	Ophthalmology	U Göttingen
Martin	Göpfert	Cellular Neurobiology	U Göttingen
Robert	Gütig	Theoretical Neuroscience	MPI em
Ralf	Heinrich	Cellular Neurobiology	U Göttingen
Stefan	Hell	NanoBiophotonics	MPI bpc
Michael	Hörner	Cellular Neurobiology	U Göttingen
Swen	Hülsmann	Experimental Neuroanesthesiology	U Göttingen
Reinhard	Jahn	Neurobiology	MPI bpc
Hiroshi	Kawabe	Molecular Neurobiology	MPI em
Siegrid	Löwel	Systems Neuroscience	U Göttingen
Ivan	Manzini	Neurophysiology and Cellular Biophysics	U Göttingen
Till	Marquardt	Developmental Neurobiology	ENI
Ira	Milosevic	Synaptic Vesicle Dynamics	ENI
Tobias	Moser	Auditory Neuroscience & InnerEarLab	U Göttingen
Klaus-Armin	Nave	Neurogenetics	MPI em
Tiago	Outeiro	Neurodegeneration and Restorative Research	U Göttingen
Luis	Pardo	Molecular Biology of Neuronal Signals	MPI em
Walter	Paulus	Clinical Neurophysiology	U Göttingen
Arezoo	Pooresmaeili	Perception and Cognition	ENI
Jeong Seop	Rhee	Neurophysiology	MPI-em
Michael	Rickmann	Neuroanatomy	U Göttingen
Silvio O.	Rizzoli	Neuro- and Sensory Physiology	ENI
Annekathrin	Schacht	CRC Text Structures	U Göttingen
Hansjörg	Scherberger	Neurobiology	DPZ
Detlev	Schild	Neurophysiology and Cellular Biophysics	U Göttingen
Oliver	Schlüter	Molecular Neurobiology	ENI
Manuela	Schmidt	Somatosensory Signaling	MPI em
Michael	Sereda	Molecular and Translational Neurology	MPI em
Marion	Sillies	Visual Processing	U Göttingen
Mikael	Simons	Cellular Neuroscience	MPI em
Jochen	Staiger	Neuroanatomy	U Göttingen
Anastassia	Stoykova	Molecular Developmental Neurobiology	MPI bpc
Stefan	Treue	Cognitive Neurosciences	DPZ
Melanie	Wilke	Cognitive Neurology	U Göttingen
Sonja	Wojcik	Neurotransmitter Systems	MPI em
Fred	Wolf	Theoretical Neurophysics	MPI ds
Fred	Wouters	Molecular and Cellular Systems	U Göttingen

U Göttingen = Georg August University, MPI bpc = Max Planck Institute for Biophysical Chemistry, MPI em = Max Planck Institute for Experimental Medicine, MPI ds = Max Planck Institute for Dynamics and Self-Organization, DPZ = German Primate Center, ENI = European Neuroscience Institute



## Address

Göttingen University  
Medical School  
Dept. of Clinical  
Neurophysiology  
Robert-Koch-Straße 40

37075 Göttingen  
Germany

phone: + 49-551-39 8461  
fax: + 49-551-39 8126  
e-mail: aantal@gwdg.de

## Further Information

<http://www.neurologie.uni-goettingen.de/>

## Andrea Antal

### Professor of Clinical Neurophysiology

- 1990 Diploma in Biology, Attila József University of Sciences, Szeged, Hungary
- 1993 University Doctor, Attila József University of Sciences, Szeged, Hungary
- 1998 Albert Szent-Györgyi Medical University, Szeged, Hungary
- 2005 Habilitation Georg-August University, Göttingen, Germany
- 2010 Extraordinary professor, Georg-August University, Göttingen, Germany

### Major Research Interests

Neuroplasticity became one central topic of neuroscience research in the last decades. Dynamic modifications of neuronal networks are an important substrate for learning and memory formation. Furthermore, pathological neuroplasticity might be one foundation of numerous central nervous system diseases.

The primary aim of our recent work is to develop and establish new non-invasive brain stimulation methods to induce physiological changes in the central nervous system in order to investigate cognition and complex information processing. Transcranial direct current stimulation (tDCS) was developed by our group as a non-invasive tool to induce neuroplasticity in the human cerebral cortex. tDCS as a tool aims to induce prolonged neuronal excitability and activity alterations in the human brain via alterations of the neuronal membrane potential. Accordingly, this method is a promising tool in the treatment of diseases that are accompanied by changes of cortical excitability. Transcranial alternating current stimulation (tACS) and random noise stimulation (tRNS) are new external stimulation techniques influencing cortical activity. tACS and tRNS permit, due to the oscillating stimulation, external interference with the cortical oscillations. They can particularly modulate the temporary connections of cortical areas during a given task. Neuronal oscillations in the brain are associated with the processing of sensory information, learning, cognition, arousal, attention and also pathological conditions (e.g. Parkinson's tremor, epilepsy). Therefore, the external modulation of cortical oscillations could be an important component of induced cerebral plasticity. In terms of effectiveness tRNS seems to have at least the same therapeutic potential for the treatment of diseases such as depression and chronic pain as rTMS and tDCS.

### Selected Recent Publications

Alekseichuk I, Turi Z, de Lara G, Antal A, Paulus W. (2016) Spatial working memory in humans depends on theta and high gamma synchronization in prefrontal cortex. *Current Biology* 26: 1513-21

Antal A, Herrmann CS. (2016) Transcranial alternating current and random noise stimulation: Possible mechanisms. *Neural Plasticity* 2016: 3616807

Antal A. (2016 ) On the way to understanding migraine. Editorial: Coppola et al.: Lateral inhibition in the somatosensory cortex during and between migraine without aura attacks: correlations with thalamocortical activity and clinical features, *Cephalalgia* 36: 725-6

Alekseichuk I, Diers K, Paulus W, Antal A. (2015) Transcranial electrical stimulation of the occipital cortex during visual perception modifies the magnitude of BOLD activity: a combined tES-fMRI approach. *Neuroimage pii: S1053-8119(15)01056-3*

Ambrus GG, Pisoni A, Primaßin A, Turi Z, Paulus W, Antal A. (2015 ) Bi-frontal transcranial alternating current stimulation in the ripple range reduced overnight forgetting. *Frontiers in Cellular Neuroscience* 9: 374

Pisoni A, Turi Z, Raithel A, Ambrus GG, Alekseichuk I, Schacht A, Paulus W, Antal A. (2015 ) Separating recognition processes of declarative memory via anodal tDCS: boosting old item recognition by temporal and new item detection by parietal stimulation. *PlosOne* 10(3): e0123085



### Address

Department of Neurology  
University of Göttingen  
Medical School  
Robert-Koch-Str. 40

37075 Göttingen  
Germany

phone: + 49-551-39 66603  
fax: + 49-551-39 9348  
e-mail: mbaehr@gwdg.de

### Further Information

<http://www.baehrlab.med.uni-goettingen.de/>

## Mathias Bähr

### Professor of Neurology

- 1985 MD, University of Tübingen Medical School, Training in Neurology at University Hospitals in Tübingen and Düsseldorf
- DFG and Max Planck Fellow at the Max Planck Institute for Developmental Biology Tübingen and at the Department of Anatomy and Cell Biology, Washington University St.Louis
- Schilling-Foundation Professor for Clinical and Experimental Neurology, University of Tübingen
- Director at the Department of Neurology, University of Göttingen since 2001

### Major Research Interests

Neuronal cell loss is not only a major feature of human neurodegenerative diseases like Parkinson's disease (PD), Alzheimer's disease (AD) or stroke, but can also be observed in neuroinflammatory conditions like Multiple Sclerosis (MS) or after traumatic lesions, e.g. of the optic nerve. We examine the cellular and molecular mechanisms of neuronal dysfunction and neuronal cell death in animal models of the respective disorders with the ultimate goal to detect new targets for a therapeutic neuroprotective intervention.

We have used for many years the retino-tectal system in rodents as our standard model to study de- and regeneration *in vitro* and *in vivo*. Our group has in detail analysed the cellular and molecular cascades that follow lesions of the optic nerve and ultimately lead to cell death of the retinal ganglion cells. To monitor the changes that occur directly after lesions we succeeded in implementing *in vivo* life-imaging of the rat and mouse optic nerve, which offers us a unique opportunity to study the complex processes that follow traumatic or inflammatory lesions of CNS fibre tracts.

In classical neurodegeneration research we have chosen PD as our topic. In this field, a multidisciplinary research team with our participation in the area C2 of the excellence cluster CNMPB examines the role of  $\alpha$ -synuclein aggregation for dopaminergic dysfunction and cell death and characterizes other disease related proteins in order to develop new neuroprotective strategies.

In all our model systems we use AAV-mediated viral gene transfer to express different disease- or de-/regeneration associated genes as research tools and also as potential therapeutic factors to manipulate the respective molecular events *in vitro* and *in vivo*. To that end, we have e.g. developed regulatory elements that allow a controlled gene expression in complex *in vivo* models.

The final aim of our research approaches is to describe in detail the molecular pathophysiology that leads to axonal and neuronal loss and to develop new therapeutic strategies, some of which have already been translated into proof of concept studies in human patients.

### Selected Recent Publications

Eckermann K, Kügler S, Bähr M. (2015) Dimerization propensities of Synucleins are not predictive for Synuclein aggregation. *Biochim Biophys Acta* 1852(8): 1658-64

Ribas VT, Schnepf B, Challagundla M, Koch JC, Bähr M, Lingor P (2015) Early and sustained activation of autophagy in degenerating axons after spinal cord injury. *Brain Pathol.* 25(2): 157-70

Kretzschmar B, Hein K, Moinfar Z, Könnecke B, Sättler MB, Hess H, Weissert R, Bähr M (2014) Treatment with atacept enhances neuronal cell death in a rat model of optic neuritis. *J Neuroimmunol.* Mar 15;268(1-2): 58-63

Tereshchenko J, Maddalena A, Bähr M, Kügler S (2014) Pharmacologically controlled, discontinuous GDNF gene therapy restores motor function in a rat model of Parkinson's disease. *Neurobiol Dis* 65: 35-42

Doepfner TR, Kaltwasser B, Fengyan J, Hermann DM, Bähr M (2013) TAT-Hsp70 induces neuroprotection against stroke via anti-inflammatory actions providing appropriate cellular microenvironment for transplantation of neural precursor cells. *J Cereb Blood Flow Metab.* 33(11): 1778-88

Koch JC, Knöferle J, Tönges L, Michel U, Bähr M, Lingor P. (2011) Imaging of rat optic nerve axons *in vivo*. *Nat Protoc.* 3;6(12): 1887-96

Brück W, Bähr M, Lingor P (2010) Mechanisms of acute axonal degeneration in the optic nerve *in vivo*. *Proc Natl Acad Sci U S A.* 107(13): 6064-9



## Address

Dept. of Molecular  
Psychiatry  
University of Göttingen  
Von-Siebold-Str. 5

37075 Göttingen  
Germany

phone: + 49-551-39 22912  
fax: + 49-551-39 10291  
e-mail: tbayer@gwdg.de

## Further Information

<http://www.alzheimer-bayer.de/>

## Thomas Bayer

### Professor of Molecular Psychiatry

- 1984 – 1989 Diploma in biology, University of Stuttgart and Whitney Lab Florida
- 1989 – 1993 PhD at the University of Cologne (PhD Thyssen Graduate School)
- 1993 Postdoctoral Research Fellow, University of Cologne, Cologne
- 1993 – 1997 Postdoctoral Research Fellow, Institute of Neuropathology, University of Bonn Medical Center, Bonn
- 1997 – 2002 Lab leader, Department of Psychiatry, University of Bonn Medical Center, Bonn
- 2002 – 2007 Head of Neurobiology Lab, University of Saarland Medical Center, Homburg
- 2004 Appointment to apl Professor at the University Medical Center Saarland
- 2007 – present University Professor in “Molecular Psychiatry” at the Georg-August-University Göttingen, University Medicine Göttingen
- 2006 – 2011 Coordinator of the European Commission funded International Alzheimer PhD School «Neurodegeneration in Alzheimer’s disease – mechanism, consequence and therapy»
- Personal tutor of the Studienstiftung at the Georg-August-University Göttingen

### Major Research Interests

Pathogenesis of Alzheimer’s disease, neuronal cell death mechanisms, pre-clinical proof-of-concept studies; characterization and development of mouse models for Alzheimer’s disease (neuropathology, anatomy, biochemistry, behavioural tests), preclinical therapy studies in mouse models, blood and CSF biomarker analysis, coordination and design of a phase II clinical study with Alzheimer’s disease patients.

### Selected Recent Publications

Storck SE, Meister S, Nahrath J, Meißner JN, Schubert N, Di Spiezio A, Baches S, Vandenbroucke RE, Bouter Y, Prikulis I, Korth C, Weggen S, Heimann A, Schwaninger M, Bayer TA and Pietrzik CU (2016) Endothelial LRP1 transports amyloid- $\beta$  1-42 across the blood-brain barrier. *J Clin Invest* 126: 123-36

Antonios G, Borgers H, Richard BC, Brauß A, Meißner J, Weggen S, Pena V, Pillot T, Davies SL, Bakrania P, Matthews D, Brownlees J, Bouter Y, Bayer TA (2015) Alzheimer therapy with an antibody against N-terminal Abeta 4-X and pyroglutamate Abeta 3-X. *Scientific Reports* 5: 17338 | DOI: 10.1038/srep17338

Bouter Y, Noguera JSL, Tucholla P, Crespi GAN, Parker MW, Wiltfang J, Miles LA and Bayer TA (2015) Abeta targets of the biosimilar antibodies of Bapineuzumab, Crenezumab, Solanezumab in comparison to an antibody against N-truncated Abeta in sporadic Alzheimer disease cases and mouse models. *Acta Neuropathol* 130(5):713-729.

Bayer TA (2015) Proteinopathies, a core concept for understanding and ultimately treating degenerative disorders? *European Neuropsychopharmacology* 25: 713-724

Bayer TA, Wirths O (2014) Focusing the amyloid cascade hypothesis on N-truncated Abeta peptides as drug targets against Alzheimer’s disease. *Acta Neuropathol* 127(6): 787-801

Bouter Y, Kacprowski T, Weissmann R, Dietrich K, Borgers H, Brauß A, Sperling C, Wirths O, Albrecht M, Jensen LR, Kuss AW & Bayer TA (2014) Deciphering the molecular profile of plaques, memory decline and neuron-loss in two mouse models for Alzheimer’s disease by deep sequencing. *Frontiers in Aging Neurosciences* 6: 10.3389/fnagi.2014.00075





### Address

Functional Imaging  
German Primate Center  
Kellnerweg 4

37077 Göttingen  
Germany

phone: +49-551-3851 390  
e-mail: sboretius@dpz.eu

### Further Information

<http://www.dpz.eu/de/abteilung/funktionelle-bildgebung/>

## Susann Boretius

### Professor of Functional Imaging at the German Primate Center

- 1994: License to practice veterinary medicine
- 2000: Doctor of veterinary medicine, University of Leipzig
- 2003: Diploma in Physics, Georg-August-University of Göttingen
- 2003-2011: Scientific assistant, Max-Planck-Institute for Biophysical Chemistry, Göttingen, Biomedizinische NMR Forschungs GmbH (Prof. J. Frahm)
- 2011-2015: Professor of Biomedical Imaging with focus on magnetic resonance technologies, Christian-Albrechts University of Kiel, Germany
- 2013-2015: Head of the Molecular Imaging North Competence Center, Christian-Albrechts University of Kiel
- 2015-today: Professor of Functional Imaging, Faculty of Biology and Psychology, Georg-August University Göttingen and head of the Functional Imaging Laboratory, German Primate Center, Göttingen

### Major Research Interests

Magnetic resonance imaging (MRI) and spectroscopy (MRS) ? Neurosciences: basic and translational research

Our research is focused on the development and improvement of magnetic resonance (MR) methods for application in basic biomedical and applied clinical research especially in the fields of neurosciences. We are particularly interested in applying this method on experimental animals, but we do complementary studies in humans as well. As truly non-invasive techniques, MRI and MRS are important methods for translational research, because almost the same methods can be applied in animals and humans. In this context, our research and development activities aim to continuously improve the spatial and temporal resolution of MRI and MRS in rodents, in non-human primates and in humans. With the help of these techniques we are ?watching? the brain while it thinks and aiming to better understanding what?s happen with the brain during maturation and aging, and under healthy and pathological conditions as well. Moreover, by using appropriate animal models and more advanced contrast mechanism like diffusion based techniques, magnetization transfer and susceptibility mapping our goal is to increase the sensitivity and specificity of these MR methods for more precise diagnostics and for a more specific and early detection of the response to therapeutic intervention.

### Selected Recent Publications

Poggi G, Boretius S, Möbius W, Moschny N, Baudewig J, Ruhwedel T, Hassouna I, Wieser GL, Werner HB, Goebbels S, Nave KA, Ehrenreich H (2016) Cortical network dysfunction caused by a subtle defect of myelination. *GLIA* 2016 64(11): 2025-40

Dommaschk M, Peters M, Gutzeit F, Schütt C, Näther C, Sönnichsen FD, Tiwari S, Riedel C, Boretius S, Herges R (2015) Photoswitchable Magnetic Resonance Imaging Contrast by Improved Light-Driven Coordination-Induced Spin State Switch. *J AM CHEM SOC* 137: 7552-7555

Boretius S, Tammer R, Michaelis T, Brockmöller J, Frahm J (2013) Halogenated volatile anesthetics alter brain metabolism as revealed by proton magnetic resonance spectroscopy of mice *in vivo*. *NEUROIMAGE* 69: 244-55

Fünfschilling U\*, Supplie LM\*, Mahad D\*, Boretius S\*, Saab AS, Edgar J, Brinkmann BG, Kassmann CM, Tzvetanova ID, Möbius W, Diaz F, Meijer D, Suter U, Hamprecht B, Sereda MW, Moraes CT, Frahm J, Goebbels S, Nave K (2012) Glycolytic oligodendrocytes maintain myelin and long-term axonal integrity. *NATURE* 485: 517-21

Boretius S, Kasper L, Tammer R, Michaelis T, Frahm J (2009) MRI of cellular layers in mouse brain *in vivo*. *NEUROIMAGE* 47: 1252-60





### Address

Dept. of Sleep and Waking  
Max Planck Institute for  
Biophysical Chemistry  
Am Fassberg 11

37077 Göttingen  
Germany

phone: +49-551-201 1358  
fax: +49-551-3899 715  
e-mail: henrik.bringmann@  
mpibpc.mpg.de

### Further Information

<http://www.mpibpc.mpg.de/english/research/ags/bringmann/>

## Henrik Bringmann

### Research Group Leader at the Max Planck Institute for Biophysical Chemistry

- PhD at the Max Planck Institute for Cell Biology and Genetics, Dresden
- Postdoctoral fellow at the Laboratory of Molecular Biology, Cambridge, UK
- Max Planck Research Group Leader since 2009

### Major Research Interests

Sleep states occur in the life of every animal studied. While the function of waking is obvious, the function of sleep is unknown. Sleep has been suggested to serve a restorative function in the nervous system. Our lab is trying to understand the function and regulation of sleep by studying different model organisms. We have started our studies by looking at sleep in the larva of the nematode *Caenorhabditis elegans*, and are also working with mice.

We are combining behavioral assays with genetics and functional imaging. We recently found a single sleep-inducing neuron in *C. elegans* that is homologous to mammalian sleep neurons. This highly simplified sleep-inducing system in a tractable genetic model provides a great starting point to understand the regulation of sleep and to manipulate sleep in order to study the function of sleep.

### Selected Recent Publications

Turek M, Lewandrowski IL, Bringmann H (2013) An AP2 transcription factor is required for a sleep-active neuron to induce sleep-like quiescence in *C. elegans*. *Current Biology* 23 (22): 2215-2223

Schwarz J, Lewandrowski IL, Bringmann H (2011) Reduced activity of a sensory neuron during a sleep-like state in *Caenorhabditis elegans*. *Current Biology* 21 (24): R983-R984

Redemann S, Schloissnig S, Ernst S, Pozniakowsky A, Ayloo S, Hyman AA, Bringmann H (2011) Codon adaptation-based control of protein expression in *C. elegans*. *Nature Methods* 8: 250-252



### Address

Dept. of Molecular  
Neurobiology  
Max Planck Institute for  
Experimental Medicine  
Hermann-Rein-Str. 3

37075 Göttingen  
Germany

phone: +49-551-3899 725  
fax: +49-551-3899 715  
e-mail: brose@em.mpg.de

### Further Information

<http://www.em.mpg.de/>

## Nils Brose

### Professor, Director at the Max Planck Institute for Experimental Medicine

- Undergraduate studies in Biochemistry, Eberhard Karls University, Tübingen, Germany (1981 – 1985)
- MSc in Physiology with Marianne Fillenz, University of Oxford, Oxford, UK (1987)
- PhD in Biology with Reinhard Jahn, Ludwig Maximilians University, Munich, Germany (1990)
- Postdoctoral training with Stephen F. Heinemann (Salk Institute, La Jolla, CA, USA) and Thomas C. Südhof (University of Texas Southwestern Medical Center, Dallas, TX, USA) (1991 – 1995)
- Research Group Leader, Max Planck Institute of Experimental Medicine, Göttingen, Germany (1995 – 2001)
- Director, Department of Molecular Neurobiology, Max Planck Institute of Experimental Medicine, Göttingen, Germany (since 2001)

### Major Research Interests

Research in the Department of Molecular Neurobiology focuses on the molecular mechanisms of nerve cell development and synapse formation and function in the vertebrate central nervous system. We combine biochemical, morphological, mouse genetic, behavioral, and physiological methods to elucidate the molecular basis of nerve cell differentiation, synapse formation, transmitter release processes, and postsynaptic transmitter sensing. Our work in the field of nerve cell development focuses on the role of protein ubiquitination and SUMOylation in cell polarity formation, cell migration, and neuritogenesis. The synaptogenesis research in our group concentrates on synaptic cell adhesion proteins, their role in synapse formation and function, and their dysfunction in neuropsychiatric diseases. Studies on the molecular mechanisms of neurotransmitter release focus on components of the presynaptic active zone and their regulatory function in synaptic vesicle fusion.

### Selected Recent Publications

Hammer M, Krueger-Burg D, Tuffy LP, Cooper BH, Taschenberger H, Goswami SP, Ehrenreich H, Jonas P, Varoqueaux F, Rhee J-S, Brose N (2015) Perturbed hippocampal synaptic inhibition and gamma-oscillations in a Neuroligin-4 knock-out mouse model of autism. *Cell Rep.* 13: 516-523

Soykan T, Schneeberger D, Tria G, Buechner C, Bader N, Svergun D, Tessmer I, Pouloupoulos A, Papadopoulos T, Varoqueaux F, Schindelin H, Brose N (2014). A conformational switch in Collybistin determines the differentiation of inhibitory postsynapses. *EMBO J* 18: 2113-2133

Imig C, Min SW, Krinner S, Arancillo M, Rosenmund C, Südhof TC, Rhee J, Brose N\*, Cooper BH\* (2014) The morphological and molecular nature of synaptic vesicle priming at presynaptic active zones. *Neuron* 84: 416-431 (\*joint corresponding authors)

Lipstein N, Sakaba T, Cooper BH, Lin K-H, Strenzke N, Ashery U, Rhee J-S, Taschenberger H, Neher E, Brose N (2013) Dynamic control of synaptic vesicle replenishment and short-term plasticity by Ca<sup>2+</sup>-Calmodulin-Munc13-1 signaling. *Neuron* 79: 82-96

Tirard M, Hsiao H-H, Nikolov M, Urlaub H, Melchior F, Brose N (2012) *In vivo* localization and identification of SUMOylated proteins in the brain of His6-HA-SUMO1 knock-in mice. *Proc Natl Acad Sci USA* 109: 21122-21127

Jockusch W, Speidel D, Sigler A, Sørensen J, Varoqueaux F, Rhee J-S, Brose N (2007) CAPS-1 and CAPS-2 are essential synaptic vesicle priming proteins. *Cell* 131: 796-808



## Address

Department of  
Neuropathology  
University of Göttingen  
Robert-Koch-Str. 40

37075 Göttingen  
Germany

phone: + 49-551-39 22700  
fax: + 49-551-39 8472  
e-mail: wbrueck@med.uni-  
goettingen.de

## Further Information

<http://www.uni-goettingen.de/en/57922.html>

## Wolfgang Brück

### Professor of Neuropathology

- 1986 MD Johannes Gutenberg University in Mainz, 1994 national boards in neuropathology
- 1996 – 2002 Associate professorships for neuropathology at the University of Göttingen and the Charité in Berlin
- Since 2002 full professor and director of the Department of Neuropathology, University of Göttingen

### Major Research Interests

- Immunopathology of multiple sclerosis
- Brain-specific mechanisms of immune response in multiple sclerosis
- Axonal damage in inflammatory demyelination and mechanisms of remyelination
- Mechanisms and consequences of microglial activation

### Selected Recent Publications

Kinzel S, Lehmann-Horn K, Torke S, Häusler D, Winkler A, Stadelmann C, Payne N, Feldmann L, Saiz A, Reindl M, Lalive PH, Bernard CC, Brück W, Weber MS. (2016) Myelin-reactive antibodies initiate T cell-mediated CNS autoimmune disease by opsonization of endogenous antigen. *Acta Neuropathol* 132: 43-58,

Jürgens T, Jafari M, Kreutzfeldt M, Bahn E, Brück W, Kerschensteiner M, Merkler D. (2016) Reconstruction of single cortical projection neurons reveals primary spine loss in multiple sclerosis. *Brain* 139: 39-46

Pfeifenbring S, Nessler S, Wegner C, Stadelmann C, Brück W. (2015) Remyelination After Cuprizone-Induced Demyelination Is Accelerated in Juvenile Mice. *J. Neuropathol. Exp Neurol* 74: 756-66

Pfeifenbring S, Bunyan RF, Metz I, Röver C, Huppke P, Gärtner J, Lucchinetti CF, Brück W (2015) Extensive acute axonal damage in pediatric multiple sclerosis lesions. *Ann. Neurol.*, 77: 655-667

Metz I, Weigand SD, Popescu BF, Frischer JM, Parisi JE, Guo Y, Lassmann H, Brück W\*, Lucchinetti CF\* (2014) Pathologic heterogeneity persists in early active multiple sclerosis lesions. *Ann Neurol* 75: 728-738

Brück W, Gold R, Lund BT, Oreja-Guevara C, Prat A, Spencer CM, Steinman L, Tintoré M, Vollmer TL, Weber MS, Weiner LP, Ziemssen T, Zamvil SS (2013) Therapeutic decisions in multiple sclerosis: moving beyond efficacy. *JAMA Neurol* 70: 1315-1324

Singh S, Metz I, Amor S, van der Valk P, Stadelmann C, Brück W (2013) Microglial nodules in early multiple sclerosis white matter are associated with degenerating axons. *Acta Neuropathol* 125: 595-608

Brück W, Pfortner R, Pham T, Zhang J, Hayardeny L, Piryatinsky V, Hanisch UK, Regen T, van Rossum D, Brakelmann L, Hagemeyer K, Kuhlmann T, Stadelmann C, John GR, Kramann N, Wegner C. (2012) Reduced astrocytic NF- $\kappa$ B activation by laquinimod protects from cuprizone-induced demyelination. *Acta Neuropathol* 124: 411-424

Brück W, Popescu B, Lucchinetti CF, Markovic-Plese S, Gold R, Thal DR, Metz I (2012) Neuromyelitis optica lesions may inform multiple sclerosis heterogeneity debate. *Ann Neurol* 72: 385-394

Metz I, Radue EW, Oterino A, Kümpfel T, Wiendl H, Schippling S, Kuhle J, Sahraian MA, Gray F, Jakl V, Häusler D, Brück W (2012) Pathology of immune reconstitution inflammatory syndrome in multiple sclerosis with natalizumab-associated progressive multifocal leukoencephalopathy. *Acta Neuropathol* 123: 235-245



## Address

European Neuroscience  
Institute  
Grisebachstr. 5

37077 Göttingen  
Germany

phone: +49-551-39 13903

fax: +49-551-39 20150

e-mail: c.dean@eni-g.de

## Further Information

[http://www.eni.gwdg.de/  
index.php?id=324](http://www.eni.gwdg.de/index.php?id=324)

## Camin Dean

### Group Leader Trans-synaptic Signaling

- 2003: Ph.D. University of California, Berkeley, and Columbia University
- 2004 – 2010: Postdoctoral Fellow, University of Wisconsin, Madison
- since 2010: Group Leader, European Neuroscience Institute Göttingen

### Major Research Interests

Our lab is interested in the mechanisms by which individual synapses, neurons and circuits dynamically adjust their transmission properties in response to changes in neuronal network activity. To accomplish this, neurons signal to each other not only unidirectionally via classical pre to post-synaptic transmission, but also bidirectionally via pre or post-synaptic release of neuropeptides and neurotrophins. This bidirectional channel of communication is essential for the modulation of synapse and circuit strength, via regulation of distinct membrane fusion events on both sides of the synapse, including synaptic vesicle exocytosis, post-synaptic receptor recycling, and adhesion molecule recycling. We investigate the mechanisms by which these trans-synaptic signaling events are regulated, at the level of single synapses, single neurons and neuronal networks, using a combination of live imaging approaches, electrophysiology, and biochemistry in neuronal cell culture and brain slices. Our overall goal is to understand how neurons communicate changes in activity to affect circuit function, and ultimately behavior, during learning and memory acquisition, or to counteract aberrant brain states such as seizure activity.

### Selected Recent Publications

Zhang G, Bai H, Zhang H, Dean C, Wu Q, Li J, Guariglia S, Meng Q, Cai D (2011) Neuropeptide exocytosis involving synaptotagmin-4 and oxytocin in hypothalamic programming of body weight and energy balance. *Neuron* 69(3): 523-35

Lee H, Dean C, Isacoff E (2010) Alternative splicing of neuroligin regulates the rate of presynaptic differentiation. *J Neurosci* 30(34): 11435-46

Arthur CP, Dean C, Pagratis M, Chapman ER, Stowell MH (2010) Loss of synaptotagmin IV results in a reduction in synaptic vesicles and a distortion of the Golgi structure in cultured hippocampal neurons. *Neuroscience* 167(1): 135-42

Dean C, Scheiffele P (2009) Imaging synaptogenesis by measuring accumulation of synaptic proteins. In *Imaging in Developmental Biology: A Laboratory Manual*. Cold Spring Harbor Protocols. R. Wong, J. Sharpe and R. Yuste eds. (11): pdb.prot5315

Liu, H, Dean, C, Arthur, CP, Dong, M, Chapman, ER (2009) Autapses and networks of hippocampal neurons exhibit distinct synaptic transmission phenotypes in the absence of synaptotagmin I. *J. Neurosci* 29(23): 7395-403

Dean C, Liu H, Dunning FM, Chang PY, Jackson, MB, Chapman, ER (2009) Synaptotagmin-IV modulates synaptic function and LTP by regulating BDNF release. *Nature Neurosci* (6): 767-76

Zhang Z, Bhalla A, Dean C, Chapman ER, Jackson MB (2009) Synaptotagmin IV: a multifunctional regulator of peptidergic nerve terminals. *Nat. Neurosci* 12(2): 163-71

Dong M, Yeh F, Tepp WH, Dean C, Johnson EA, Janz R, Chapman ER (2006) SV2 is the protein receptor for botulinum neurotoxin A. *Science* 312(5773): 592-6

Dean C, Dresbach T. Neuroligins and neurexins: linking cell adhesion, synapse formation and cognitive function (2006) *Trends Neurosci* 29(1): 21-9. Review

Baksh MM, Dean C, Pautot S, Demaria S, Isacoff E, Groves JT (2005) Neuronal activation by GPI-linked neuroligin-1 displayed in synthetic lipid bilayer membranes. *Langmuir* 21(23): 10693-8

Dean, C, Scheiffele, P (2004) Imaging synaptogenesis by measuring accumulation of synaptic proteins in transfected neurons. In *Imaging in Neuroscience and Development*, R. Yuste & A. Konnerth eds.



### Address

Department of  
Cognitive Neurology  
University of Göttingen  
Robert-Koch-Str. 40

37075 Göttingen  
Germany

phone: + 49-551-39 13140  
fax: + 49-551-39 13243  
e-mail: kognitive-  
neurologie.  
sekretariat@  
med.uni-  
goettingen.de

### Further Information

[http://www.mrforschung.  
med.uni-goettingen.de](http://www.mrforschung.med.uni-goettingen.de)

## Peter Dechent

### Research Group Leader, Cognitive Neurology

- 1991 – 2001 Studies of Biology, University of Mainz
- 1994 Scientific Assistant at the Biophysical Institute, University of Mainz
- 1995 – 1996 Scholarship of the Erasmus-Program, University of Manchester, England
- 1996 Research Fellow at the Neuroscience Department, Karolinska Institute, Stockholm, Sweden
- 1997 – 1998 Diploma Thesis at the 'Biomedical NMR Research' at the Max-Planck-Institute for Biophysical Chemistry, Göttingen; Diploma in Biology
- 1998 – 2001 Doctoral thesis at the 'Biomedical NMR Research'; Dr.rer.nat. (Biology)
- 2001 – 2003 Postdoc at the 'Biomedical NMR Research' (Laboratory of Prof. Dr. J. Frahm)
- since 2004 Head of the Research Group 'MR-Research in Neurology and Psychiatry' Medical Faculty, University Göttingen

### Major Research Interests

- Combination of functional magnetic resonance imaging (fMRI) with non-invasive brain stimulation techniques like transcranial Direct / Alternating Current Stimulation (tDCS/tACS) and Transcranial Magnetic Stimulation (TMS) to modulate functional brain networks in healthy and pathologic conditions.
- Characterization of hemodynamic processes, the basis of blood oxygenation level dependent (BOLD) changes in standard fMRI investigations.
- Application of modern MR techniques to investigate the human brain in healthy and pathologic conditions. Applied methods comprise:
  - Structural MRI
  - Diffusion-weighted- and diffusion-tensor-imaging (DWI/DTI)
  - Localized MR-spectroscopy (MRS)

### Selected Recent Publications

Helms G, Schlumbohm C, Garea-Rodriguez E, Dechent P, Fuchs E. Pharmacokinetics of the MRI contrast agent gadobutrol in common marmoset monkeys (*Callithrix jacchus*). *J Med Primatol* (accepted)

Barke A, Preis MA, Schmidt-Samoa C, Baudewig J, Kröner-Herwig B, Dechent P. (2016) Neural correlates differ in high and low fear-avoidant chronic low back pain patients when imagining back-straining movements. *J Pain* 2016 May 31. [Epub ahead of print]

Cabral-Calderin Y, Weinrich C, Schmidt-Samoa C, Poland E, Dechent P, Bähr M, Wilke M. (2016) Transcranial alternating current stimulation affects the BOLD signal in a frequency and task-dependent manner. *Hum Brain Mapp* 37(1): 94-121

Cabral-Calderin Y, Williams K, Dechent P, Opitz A, Wilke M. (2016) Transcranial alternating current stimulation modulates spontaneous low frequency fluctuations as measured with fMRI. *Neuroimage* 2016 Jul 5. [Epub ahead of print].

August JM, Rothenberger A, Baudewig J, Roessner V, Dechent P. (2015) May Functional Imaging be Helpful for Behavioral Assessment in Children? Regions of Motor and Associative Cortico-Subcortical Circuits Can be Differentiated by Laterality and Rostrality. *Front Hum Neurosci* 9: 314

Goya-Maldonado R, Weber K, Trost S, Diekhof E, Keil M, Dechent P, Gruber O. (2015) Dissociating pathomechanisms of depression with fMRI: bottom-up or top-down dysfunctions of the reward system. *Eur Arch Psychiatry Clin Neurosci* 265(1): 57-66





## Address

Center of Anatomy  
Dept. of Anatomy and  
Embryology  
University of Göttingen  
Kreuzberggring 36

37075 Göttingen  
Germany

phone: + 49-551-39 7004  
fax: + 49-551-39 7043  
e-mail: thomas.dresbach@  
med.uni-  
goettingen.de

## Further Information

<http://www.embryologie.uni-goettingen.de/select.php?lang=en&nav=for&p=thomas.dresbach>

## Thomas Dresbach

### Professor of Anatomy

- Dr. rer. nat. (Biology), 1996, University of Bonn
- DFG research fellow and postdoctoral Fellow with E. Gundelfinger at the Leibniz Institute for Neurobiology, 1997 – 2003
- Teacher and independent research group leader at the University of Heidelberg, Institute for Anatomy and Cell Biology (Dept. Prof. Dr. J. Kirsch), 2003 – 2010
- Professor at the School of Medicine, University of Göttingen, 2010

### Major Research Interests

Our group studies synapse formation with particular focus on the biogenesis of presynaptic nerve terminals. Our goal is to understand the mechanisms of synaptogenesis in enough detail to pinpoint molecular causes of synaptopathies. We study neuronal cultures to unravel fundamental mechanisms operating at the heart of synaptogenesis, and we have begun to study specialized synapses such as the giant synapses of the mammalian auditory system to determine how these mechanisms act together to generate the remarkable specification and heterogeneity of synapses in the brain.

Using live imaging, molecular biological and ultrastructural approaches, we currently analyze

- the role of novel, vertebrate-specific presynaptic proteins in synaptic function
- the trafficking and assembly of synaptic organelles and protein complexes
- the transsynaptic signalling events controlling presynaptic differentiation.

These efforts should help us understand both the common principles by which the various types of synapses are generated, and how they are fine-tuned for specific tasks, such as a particular strength, reliability or adaptivity.

### Selected Recent Publications

Stan A, Pielarski K N, Brigadski T, Wittenmayer N, Fedorchenko O, Gohla A, Lessmann V, Dresbach T, Gottmann K (2010) Essential co-operation of N-Cadherin and Neuroligin-1 in the transsynaptic control of vesicle accumulation. *Proc Natl Acad Sci U S A* 107: 11116-21

Wittenmayer N, Korber C, Liu H, Kremer T, Varoqueaux F, Chapman ER, Brose N, Kuner T, Dresbach T (2009) Postsynaptic Neuroligin1 regulates presynaptic maturation. *Proc Natl Acad Sci U S A* 106: 13564-13569

Fairless R, Masius H, Rohlmann A, Heupel K, Ahmad M, Reissner C, Dresbach T, Missler M (2008) Polarized targeting of neurexins to synapses is regulated by their C-terminal sequences. *J Neurosci* 28: 12969-12981

Tsuriel S, Fischer A, Wittenmayer N, Dresbach T, Garner CC, Ziv NE (2008) Exchange and redistribution dynamics of the cytoskeleton of the active zone molecule Bassoon. *J Neurosci* 29: 351-358

Kremer T, Kempf C, Wittenmayer N, Nawrotzki R, Kuner T, Kirsch J, Dresbach T (2007) Mover is a novel vertebrate-specific presynaptic protein with differential distribution at subsets of CNS synapses. *FEBS Lett* 581: 4727-4733

Dresbach T, Torres V, Wittenmayer N, Altmann WD, Zamorano P, Zuschratter W, Nawrotzki R, Ziv NE, Garner CC, Gundelfinger ED (2006) Assembly of active zone precursor vesicles: obligatory trafficking of presynaptic cytomatrix proteins Bassoon and Piccolo via a trans-Golgi compartment. *J Biol Chem* 281: 6038-6047

Gutenberg A, Buslei R, Fahlbusch R, Buchfelder M, Brück W (2005) Immunopathology of primary hypophysitis: implications for pathogenesis. *Am J Surg Pathol* 29: 329-38





### Address

Max Planck Institute  
of Experimental Medicine  
Clinical Neuroscience  
Hermann-Rein-Str. 3

37075 Göttingen  
Germany

phone: + 49-551-3899 615  
fax: + 49-551-3899 670  
e-mail: ehrenreich  
@em.mpg.de

### Further Information

<http://www.em.mpg.de/site/index.php?id=36>

## Hannelore Ehrenreich

### Professor of Neurology and Psychiatry

- 1981 Doctor of Veterinary Medicine, University of Munich
- 1983 Elective Period, University of Newcastle-upon-Tyne, England
- 1985 Guest Lecturer, University of the Philippines, Manila
- 1985 – 1986 Clinical Fellow, Department of Internal Medicine, University of Munich
- 1987 Graduation (Medicine), University of Munich
- 1987 – 1988 Residency, Department of Neurology, University of Munich
- 1989 Doctor of Medicine, University of Munich
- 1989 – 1991 Postdoctoral Fellow NIAID, NIH, Bethesda, MD, USA
- 1992 – 1994 Residency, Departments of Neurology and Psychiatry, University of Göttingen
- 1994 Habilitation (Neurology and Psychiatry)
- 1994 – present Head, Clinical Neuroscience, MPIEM
- 1995 – present Consultant & Professor of Neurology & Psychiatry, University of Göttingen
- 2000 – 2002 Vice President, University of Göttingen
- 2008 Adjunct Professor of Biology and Psychology, University of Göttingen

### Major Research Interests

Translational Neuroscience

- (1) Molecular-cellular basis of neuropsychiatric diseases with focus on mechanisms of disease and on endogenous neuroprotection/neuroregeneration (erythropoietin/EPO variants)
- (2) Preclinical and clinical research on neuroprotection/neuroregeneration in acute (ischemia/hypoxia, neurotrauma) and chronic diseases (schizophrenia, autism, MS, alcoholism)
- (3) Phenotype-based genetic association studies (PGAS) as a tool to understand the genotype contribution to (disease) phenotypes

### Selected Recent Publications

Castillo-Gomez E, Oliveira B, Tapken D, Bertrand S, Klein-Schmidt C, Pan H, Zafeiriou P, Steiner J, Jurek B, Trippe R, Prüss H, Zimmermann W-H, Bertrand D, Hollmann M, Ehrenreich H: (2016) All naturally occurring autoantibodies against the NMDA receptor subunit NR1 have pathogenic potential irrespective of epitope and immunoglobulin class. *Mol Psychiatry*, in press.

Hassouna I, Ott C, Dahm L, Offen N, Neher RA, Mitkovski M, Winkler D, Sperling S, Fries L, Goebbels S, Vreja IC, Hagemeyer N, Dittrich M, Rossetti MF, Kröhnert K, Hannke K, Boretius S, Zeug A, Höschel C, Dandekar T, Dere E, Neher E, Rizzoli SO, Nave KA, Sirén AL, Ehrenreich H. (2016) Revisiting adult neurogenesis and the role of erythropoietin for neuronal and oligodendroglial differentiation in the hippocampus. *Mol Psychiatry*, doi: 10.1038/mp.2015.212.

Biological insights from 108 schizophrenia-associated genetic loci; *Nature* 2014; 511(7510):421-7

Stepniak B, Papiol S, Hammer C, Ramin A, Everts S, Hennig L, Begemann M, Ehrenreich H. (2014) Accumulated environmental risk determining age at schizophrenia onset, *Lancet Psychiatry*, published online Oct. 22, 2014 [http://dx.doi.org/10.1016/S2215-0366\(14\)70379-7](http://dx.doi.org/10.1016/S2215-0366(14)70379-7)

Hammer C, Stepniak B, Schneider A, Papiol S, Tantra M, Begemann M, Sirén AL, Pardo LA, Sperling S, Mohd Jofrry S, Gurvich A, Jensen N, Ostmeier K, Lühder F, Probst C, Martens H, Gillis M, Saher G, Assogna F, Spalletta G, Stöcker W, Schulz TF, Nave KA, Ehrenreich H. (2013) Neuropsychiatric disease relevance of circulating anti-NMDA receptor autoantibodies depends on blood-brain barrier integrity. *Mol Psychiatry*, 2014 Oct;19(10): 1143-9. doi: 10.1038/mp.2013.110. Epub 2013 Sep 3



### Address

Dept. of Genes and Behavior  
Max Planck Institute  
for Biophysical Chemistry  
Am Fassberg 11

37077 Göttingen  
Germany

phone: +49-551-201 2701  
fax: +49-551-201 2705  
e-mail: gregor.eichele@  
mpibpc.mpg.de

### Further Information

<http://www.genesandbehavior.org/>

## Gregor Eichele

### Professor, Director at the Max Planck Institute for Biophysical Chemistry

- 1976 – 1980 Ph.D. protein crystallography (J. N. Jansonius, Biocenter, University of Basel, Switzerland)
- 1981 – 1984 Postdoctoral training in Developmental Biology (B. M. Alberts, University of California, San Francisco)
- 1985 – 1989 Assistant Professor of Cellular and Molecular Physiology, Harvard Medical School, Boston, USA
- 1989 – 1990 Associate Professor of Cellular and Molecular Physiology, Harvard Medical School, Boston, USA
- 1991 – 1992 Associate Professor of Biochemistry, Baylor College of Medicine, Houston, USA
- 1992 – 1998 Professor of Biochemistry and Neuroscience, Baylor College of Medicine, Houston, USA
- 1998 – 2006 Director at the Max Planck Institute of Experimental Endocrinology, Dept. of Molecular Embryology, Hanover, Germany
- 2006 – Director at the Max Planck Institute of Biophysical Chemistry, Dept. Genes and Behavior, Goettingen, Germany

### Major Research Interests

Dynamic interplay between gene expression, brain development and architecture and behavior.

### Selected Recent Publications

Whelan G, Kreidl E, Wutz G, Egner A, Peters JM, Eichele G (2011) Cohesin acetyltransferase Esco2 is a cell viability factor and is required for cohesion in pericentric heterochromatin. *EMBO J* 2012 Jan 4;31(1): 71-82. doi: 10.1038/emboj.2011.381. Epub 2011 Nov 18

Lein, E.S. et al. (2007). Genome-Wide Atlas of Gene Expression in the Adult Mouse Brain. *Nature* 445: 168-176

Jakubcakova, V., Oster, H., Tamanini, F., Cadenas, C., Leitges, M., van der Horst, G.T., Eichele, G. (2007). Light entrainment of the mammalian circadian clock by a PRKCA-dependent posttranslational mechanism. *Neuron* 54: 831-43

Oster, H., Damerow, S., Kiessling, S., Jakubcakova, V., Abraham, D., Tian, J., Hoffmann, M. W., and Eichele, G. (2006). The circadian rhythm of glucocorticoids is regulated by a gating mechanism residing in the adrenal cortical clock. *Cell Metabolism* 4:163-173

Carson, J.P., Ju, T., Lu, H.C., Thaller, C., Xu, M., Pallas, S.L., Crair, M.C., Warren, J., Chiu, W. and Eichele, G. (2005). A Digital Atlas to characterize the mouse brain transcriptome. *PLoS Comput Biol* 1: 289-296

Zheng, B., Albrecht, U., Kasik, K., Sage, M., Lu, W., Vaishnav, S., Li, Q., Su, Z. S., Eichele, G., Bradley, A., and Lee, C. C. (2001). Nonredundant roles of the mPer1 and mPer2 genes in the mammalian circadian clock. *Cell* 105: 683-694



## Address

Dept. of Molecular  
Neurobiology of Behavior  
Schwann-Schleiden  
Research Centre  
Julia-Lermontowa-Weg 3

37077 Göttingen  
Germany

phone: +49-551-39 177920  
fax: +49-551-39 177921  
e-mail: afiala@gwdg.de

## Further Information

<http://www.uni-goettingen.de/de/111890.html>

## André Fiala

### Professor of Molecular Neurobiology of Behavior

- 1996 Degree (Diploma) in Biology, Free University of Berlin
- 1996 – 1999 PhD student, Free University of Berlin
- 2000 – 2001 Research Fellow, Memorial Sloan-Kettering Cancer Center, New York
- 2001 – 2008 Research Assistant, University of Würzburg
- 2008 Habilitation in Neurobiology and Genetics, University of Würzburg
- 2008 Professor of Molecular Neurobiology of Behavior, University of Göttingen

### Major Research Interests

We study neuronal mechanisms underlying olfaction, learning and memory, and goal-directed behavior using the model organism *Drosophila melanogaster*. The fruit fly *Drosophila* offers the advantage of expressing transgenes in almost any population of its about 100.000 neurons. Transgenes used by us are, for example, fluorescent sensor proteins that allow us to monitor the spatio-temporal activity of neurons, or light-sensitive proteins by which neuronal activity can be stimulated through illumination. Using these optogenetic techniques in combination with behavioral analyses we aim at unraveling the functioning of dedicated neuronal circuits, and how these circuits contribute to organizing behavior. In addition, molecular mechanisms underlying learning and memory processes are investigated.

### Selected Recent Publications

Riemensperger T, Kittel RJ, Fiala A (2016). Optogenetics in *Drosophila* neuroscience. *Methods Mol Biol* 1408: 167-75

Pooryasin A, Fiala A (2015). Identified serotonin-releasing neurons induce behavioral quiescence and suppress mating in *Drosophila*. *J Neurosci* 35: 12792-812

Pech U, Revelo NH, Seitz KJ, Rizzoli SO, Fiala A (2015). Optical dissection of experience-dependent pre- and postsynaptic plasticity in the *Drosophila* brain. *Cell Rep* 10: 2083-95

AzimiHashemi N, Erbguth K, Vogt A, Riemensperger T, Rauch E, Woodmansee D, Nagpal J, Brauner M, Sheves M, Fiala A, Kattner L, Trauner D, Hegemann P, Gottschalk A, Liewald JF (2014). Synthetic retinal analogues modify the spectral and kinetic characteristics of microbial rhodopsin optogenetic tools. *Nat Commun* 5: 5810

Andlauer TF, Scholz-Kornehl S, Tian R, Kirchner M, Babikir HA, Depner H, Loll B, Quentin C, Gupta VK, Holt MG, Dipt S, Cressy M, Wahl MC, Fiala A, Selbach M, Schwarzel M, Sigrist SJ (2014). Drep-2 is a novel synaptic protein important for learning and memory. *Elife* 2014 Nov 13;3. doi: 10.7554/eLife.03895

Dawydow A, Gueta R, Ljaschenko D, Ullrich S, Hermann M, Ehmman N, Gao S, Fiala A, Langenhan T, Nagel G, Kittel RJ (2014). Channelrhodopsin-2-XXL, a powerful optogenetic tool for low-light applications. *Proc Natl Acad Sci U S A* 111: 13972-7

Vasmer D, Pooryasin A, Riemensperger T, Fiala A (2014). Induction of aversive learning through thermogenetic activation of Kenyon cell ensembles in *Drosophila*. *Front Behav Neurosci* 8: 174

Barth J, Dipt S, Pech U, Hermann M, Riemensperger T, Fiala A (2014). Differential associative training enhances olfactory acuity in *Drosophila melanogaster*. *J Neurosci* 34: 1819-37



## Address

Dept. for Psychiatry and  
Psychotherapy  
University Medical Center  
German Center for Neurodegenerative Diseases  
(DZNE)  
Grisebachstr. 5

37077 Göttingen  
Germany

phone: +49-551-39 10378  
fax: +49-551-39 9836  
e-mail: afische2@gwdg.de

## Further Information

<http://fischerlab.uni-goettingen.de/index.php>

## André Fischer

### Professor for Psychiatry and Psychotherapy

- 2003 – 2006: Postdoctoral Associate in the lab of Li-Huei Tsai; Harvard Medical School, Department of Pathology, Boston, USA; Picower Center for Learning and Memory, M.I.T, Cambridge, USA
- 2007 – 2011: Independent Group Leader at ENI
- since 2011: W3 Professor at the Department for Psychiatry and Psychotherapy, University Medical Center Göttingen
- since 2011: Speaker of the German Center for Neurodegenerative Diseases (DZNE) site Göttingen

### Major Research Interests

The long-term goal of our research is to understand the cellular and molecular mechanisms underlying brain diseases and to develop neuroprotective and neurodegenerative therapeutic approaches. There is now accumulating evidence that on an individual level health or disease critically depends on the interaction between genes and environment. Epigenetic mechanisms such as histone-modification, DNA-methylation and non-coding RNA-mediated processes are key-regulators of gene-environment interactions. Importantly, such epigenetic mechanisms have recently been implicated with the pathogenesis of neurodegenerative and psychiatric diseases. Thus our current hypothesis is that deregulation of genome-environment interactions, especially via epigenetic gene-expression, is a key feature of neurodegenerative diseases such as Alzheimer's disease. We combine studies in patient material, mouse and cellular models, behavioral, molecular, genetic, and bioinformatic techniques to address these questions.

### Selected Recent Publications

Stilling R, et al. Fischer A (2014) K-Lysine acetyltransferase 2A regulates a hippocampal gene-expression network linked to memory formation. *EMBO J* 2014, Epub ahead of print

Kerimoglu C, et al. Fischer A (2013) Histone-methyltransferase MLL2 (*kmt2b*) is required for memory formation in mice. *J Neurosci* 33,8: 3452-3464

Govindarajan N, et al. Fischer A (2013) Reducing HDAC6 ameliorates cognitive deficits in a mouse model for Alzheimer's disease. *EMBO Molecular Medicine*, 2013 doi:10.1002/emmm.201201923. [Epub ahead of print]

Zovoillis A, et al. Fischer A (2011) microRNA-34c is a novel target to treat dementias. *EMBO J* 2011 Sep 23;30(20): 4299-308. doi: 10.1038/emboj.2011.32

Agis-Balboa RC, et al. Fischer A (2011) A hippocampal insulin-growth factor 2 pathway regulates the extinction of fear memories. *EMBO J* 2011 Aug 26;30(19): 4071-83. doi: 10.1038/emboj.2011.293

Peleg, S, et al. Fischer A (2010) Altered histone H4 lysine 12 acetylation is associated with age-dependent memory impairment in mice. *Science* 328: 753

Fischer A, Sananbenesi F, Wang X, Dobbin M, Tsai LH (2007) Recovery of learning and memory is associated with chromatin remodeling. *Nature* 447: 178-82 (AF is corresponding author)



## Address

Institute for Multiple Sclerosis Research  
Dept. of Neuroimmunology  
Waldweg 33

37073 Göttingen  
Germany

phone: +49-551-39 13332  
fax: +49-551-39 13348  
e-mail: fluegel@med.uni-goettingen.de

## Further Information

<http://www.neuroimmunologie.uni-goettingen.de/>

## Alexander Flügel

### Professor of Neuroimmunology

- 1993 MD Ludwig-Maximilians-University (LMU) Munich
- 2002 – 2007 Group leader at the Institute of Neuroimmunology, Max-Planck-Institute for Neurobiology, Martinsried, Munich
- 2008 Associate professor for Experimental Immunology at the Institute for Immunology, LMU Munich
- since 12/2008 Full professor and director of the Department of Neuroimmunology / Institute for Multiple Sclerosis Research, University of Göttingen

### Major Research Interests

- Neuroimmunology
- T cell biology
- Intravital imaging

The focus of my interest lies on the mechanisms and factors that allow T cells to enter the central nervous system, to communicate in this milieu and to influence the brain tissue.

My colleagues and I pursue the following aims, i) development of new models and tools to study CNS autoimmunity; ii) revealing the basics of pathogenesis in (auto-)immune diseases of the nervous system; iii) deducing and developing new therapeutical approaches; and iv) analyzing the mechanisms of action for (adverse) effects of new therapeutical procedures.

### Selected Recent Publications

Cordiglieri C, Odoardi F, Zhang B, Nebel M, Kawakami N, Klinkert WE, Lodygin D, Lühder F, Breunig E, Schild D, Ulaganathan VK, Dornmair K, Dammermann W, Potter BV, Guse AH, Flügel A (2010) Nicotinic acid adenine dinucleotide phosphate-mediated calcium signalling in effector T cells regulates autoimmunity of the central nervous system. *Brain* 133: 1930-1943

Bartholomäus I, Kawakami N, Odoardi F, Schläger C, Miljkovic D, Ellwart JW, Klinkert WE, Flügel-Koch C, Issekutz TB, Wekerle H, Flügel A (2009) Effector T cell interactions with meningeal vascular structures in nascent autoimmune CNS lesions. *Nature* 462: 94-98

Dammermann W, Zhang B, Nebel M, Cordiglieri C, Odoardi F, Kirchberger T, Kawakami N, Dowden J, Schmid F, Dornmair K, Hohenegger M, Flügel A\*, Guse AH\*, Potter BV\* (2009) NAADP-mediated Ca<sup>2+</sup> signaling via type 1 ryanodine receptor in T cells revealed by a synthetic NAADP antagonist. *Proc Natl Acad Sci USA* 106: 10678-10683

Odoardi F, Kawakami N, Klinkert WE, Wekerle H, Flügel A (2007) Blood-borne soluble protein antigen intensifies T cell activation in autoimmune CNS lesions and exacerbates clinical disease. *Proc Natl Acad Sci USA* 104: 18625-18630

Odoardi F, Kawakami N, Li Z, Cordiglieri C, Streyll K, Nosov M, Klinkert WE, Ellwart JW, Bauer J, Lassmann H, Wekerle H, Flügel A (2007) Instant effect of soluble antigen on effector T cells in peripheral immune organs during immunotherapy of autoimmune encephalomyelitis. *Proc Natl Acad Sci USA* 104: 920-925

Kawakami N, Nägerl UV, Odoardi F, Bonhoeffer T, Wekerle H, Flügel A. (2005) Live imaging of effector cell trafficking and autoantigen recognition within the unfolding autoimmune encephalomyelitis lesion. *Journal of Experimental Medicine* 201(11): 1805-14





### Address

Biomedical NMR Research  
Max Planck Institute  
for Biophysical Chemistry  
Am Fassberg 11

37077 Göttingen  
Germany

phone: +49-551-201 1721  
fax: +49-551-201 1307  
e-mail: jfracm@gwdg.de

### Further Information

<http://www.biomednrm.mpg.de/>

## Jens Frahm

**Professor, Director at the Max Planck Institute for Biophysical Chemistry, Biomedizinische NMR Forschungs GmbH (not-for profit)**

- 1974 Diploma in Physics, Univ. of Göttingen
- 1977 Doctorate in Physical Chemistry, Univ. of Göttingen
- 1977 – 1982 Postdoctoral Researcher, MPI for Biophysical Chemistry
- 1982 – 1992 Head, Independent Research Group 'Biomedizinische NMR' (BMFT grant)
- since 1993 Director, Biomedizinische NMR Forschungs GmbH (not-for-profit, based on group's patents)
- 1994 Habilitation, Faculty of Chemistry, Univ. of Göttingen
- since 1997 Adjunct Professor, Faculty of Chemistry, Univ. of Göttingen
- since 2011 External Scientific Member, MPI for Dynamic and Self-Organization

### Major Research Interests

- Development and biomedical applications of magnetic resonance imaging (MRI): noninvasive studies of structure and function at the system level (animals and humans)
- Methodology: non-Cartesian MRI, parallel MRI, numerical reconstruction techniques, real-time MRI, cardiovascular MRI
- Human neuroscience: functional neuroimaging, neuro-feedback, fiber tractography
- Animal studies: models of human brain disorders, nonhuman primates, genetically modified mice

### Selected Recent Publications

Tan Z, Roeloffs V, Voit D, Joseph AA, Untenberger M, K.D. Merboldt KD, Frahm J. (2016) Model-based reconstruction for real-time phase-contrast flow MRI ? Improved spatiotemporal accuracy. *Magn Reson Med* doi: 10.1002/mrm.26192

Iltis PW, Frahm J, Voit D, Joseph AA, Burke R, Altenmüller E. (2016) Inefficiencies in motor strategies of horn players with embouchure dystonia: comparisons to elite performers. *Med Probl Perform Art.* 31: 69-77

Watanabe T, Frahm J, Michaelis T. (2016) Amide proton signals as pH indicator for *in vivo* MRS and MRI of the brain? Responses to hypercapnia and hypothermia. *NeuroImage* doi: 10.1016/j.neuroimage.2016.03.013

Untenberger M, Tan Z, Voit D, Joseph AA, Roeloffs V, Merboldt KD, Schaez S, Frahm J. (2016) Advances in real-time phase-contrast flow MRI using asymmetric radial gradient echoes. *Magn Reson Med* 75: 1901-1908

Hofer S, Wang X, Roeloffs V, Frahm J. (2015) Single-shot T1 mapping of the corpus callosum: A rapid characterization of fiber bundle anatomy. *Front Neuroanat* 9: 57

Dreha-Kulaczewski S, Joseph AA, Merboldt KD, Ludwig H-C, Gärtner J, Frahm J. (2015) Inspiration is the major regulator of human CSF flow. *J. Neurosci* 35: 2485-2491



## Address

Dept. of Medical Statistics  
University of Göttingen  
Humboldtallee 32

37073 Göttingen  
Germany

phone: +49-551-39 4990  
fax: +49-551-39 4995  
e-mail: [tim.friede@med.uni-goettingen.de](mailto:tim.friede@med.uni-goettingen.de)

## Further Information

<http://www.ams.med.uni-goettingen.de/index-en.shtml>

## Tim Friede

### Professor of Biostatistics

- 1998 Dipl.-Math. (Master's degree in Mathematics), University of Karlsruhe, Germany
- 2001 Dr .sc. hum. (PhD), University of Heidelberg, Germany
- 2001 – 2004 PostDoc / lecturer, Dept. of Mathematics and Statistics, Lancaster University, UK
- 2004 – 2006 Expert Statistical Methodologist, Novartis Pharma AG, Basel, Switzerland
- 2006 – 2009 Associate Professor of Medical Statistics, University of Warwick, UK
- since 1/2010 Professor of Biostatistics and Director, Dept. of Medical Statistics, University Medical Center Göttingen

### Major Research Interests

Clinical biostatistics including designs for clinical trials (in particular flexible adaptive designs) and systematic reviews / meta-analyses

### Selected Recent Publications

Varges D, Manthey H, Heinemann U, Ponto C, Schmitz M, Krasnianski A, Breithaupt M, Fincke F, Kramer K, Friede T, Zerr I (2016) Doxycycline in early CJD ? double-blinded randomized phase II and observational study. *Journal of Neurology, Neurosurgery & Psychiatry* (in press)

Nicotra A, Claus Newman C, Eremin O, Friede T, Malik O, Nicholas R (2016) Peripheral nerve dysfunction in middle-aged subjects born with thalidomide embryopathy. *PLoS ONE* 11(4): e0152902. doi:10.1371/journal.pone.0152902

Mollenhauer B, Zimmermann J, Sixel-Döring F, Focke NK, Wicke T, Ebentheuer J, Schaumburg M, Lang E, Trautmann E, Zetterberg H, Taylor P, Friede T, Trenkwalder C & the DeNoPa Study Group (2015) Monitoring of thirty marker candidates in early Parkinson's disease as progression markers. *Neurology* 87: 168-77

Metz I, Beißbarth T, Ellenberger D, Pache F, Stork L, Ringelstein M, Aktas O, Jarius S, Wildemann BT, Dihazi H, Friede T, Brück W, Ruprecht K, Paul F (2015) Serum peptide reactivities may distinguish neuromyelitis optica subgroups and multiple sclerosis. *Neurology: Neuroimmunology & Neuroinflammation* 2016;3:e204; doi: 10.1212/NXI.0000000000000204

Chataway J, Friede T (2016) The N-MOMentum trial: building momentum to advance trial methodology in a rare disease. *Multiple Sclerosis Journal* 22: 852-853

Unkel S, Röver C, Stallard N, Benda N, Posch M, Zohar S, Friede T (2016) Systematic reviews in paediatric multiple sclerosis and Creutzfeldt-Jakob disease exemplify shortcomings in methods used to evaluate therapies in rare conditions, *Orphanet Journal of Rare Diseases* 11:16. <http://www.ojrd.com/content/11/1/16>

Stellmann JP, Stürner KH, Young KL, Siemonsen S, Friede T, Heesen C (2015) Regression to the mean and predictors of MRI disease activity in RRMS placebo cohorts - is there a place for baseline-to-treatment studies in MS? *PLoS ONE* 10(2): e0116559. doi:10.1371/journal.pone.0116559

Schmidt C, Gerlach N, Peter C, Gherib K, Lange K, Friede T, Zerr I (2015) CSF Apolipoprotein E concentration and progression of Alzheimer's Disease. *Journal of Alzheimer's Disease* 43(4): 1229-1236

Huppke B, Ellenberger D, Rosewich H, Friede T, Gärtner J, Huppke P (2014) Clinical presentation of pediatric multiple sclerosis before puberty. *European Journal of Neurology* 2: 441-446





### Address

Sensorimotor  
Transformations  
German Primate Center  
Kellnerweg 4

37077 Göttingen  
Germany

phone: +49-551-3851 358  
fax: +49-551-3851 425  
e-mail: [agail@gwdg.de](mailto:agail@gwdg.de)

### Further Information

<http://www.dpz.eu/smg>  
<http://www.bccn-goettingen.de/Groups/gail>

## Alexander Gail

### Professor for Sensorimotor Neuroscience and Neuroprosthetics at the German Primate Center

- 1997: Physics Diploma, Philipps University, Marburg
- 2002: Dr. rer. nat. (Physics) Philipps University, Marburg
- 2002 – 2003: Postdoc (Neurophysics Laboratory of R. Eckhorn, Marburg)
- 2003 – 2006: Postdoc (Laboratory of R. Andersen, Pasadena, CA, USA)
- 2006 – present: Head of Sensorimotor Research Group, German Primate Center and Bernstein Center for Computational Neuroscience
- 2012 – present: Professor for Sensorimotor Neuroscience and Neuroprosthetics, Georg-August University Göttingen

### Major Research Interests

Sensorimotor integration, cognitive movement planning, neuroprosthetics, neuronal synchronization, visual object coding; methods: awake monkey electrophysiology, extracellular multi-channel microelectrode recordings, psychophysics in human and non-human primates, correlation and spectral coherence analysis, pattern recognition

### Selected Recent Publications

Klaes C, Westendorff S, Chakrabarti S, Gail A (2011) Choosing goals, not rules: Deciding among rule-based action plans. *Neuron* 70: 536-548

Westendorff S, Klaes C, Gail A. (2010) The cortical timeline for deciding on reach motor-goals. *J Neurosci* 30: 5426-5436

Gail A, Klaes C, Westendorff S (2009) Implementation of Spatial Transformation Rules for Goal-Directed Reaching via Gain Modulation in Monkey Parietal and Premotor Cortex. *J Neurosci* 29: 9490-9499

Brozovic M\*, Gail A\*, Andersen, RA (2007) Gain mechanisms for contextually guided visuomotor transformations. *J Neurosci* 27: 10588-10596 [\* both authors contributed equally]

Gail A, Andersen RA (2006) Neural Dynamics in Monkey Parietal Reach Region Reflect Context-Specific Sensorimotor Transformations. *J Neurosci* 26: 9376-9384

Gail A, Brinksmeyer H-J, Eckhorn R (2004) Perception-related modulations of local field potential power and coherence in primary visual cortex of awake monkey during binocular rivalry. *Cerebral Cortex* 14: 300-313

Gail A, Brinksmeyer H-J, Eckhorn R (2003) Simultaneous mapping of binocular and monocular receptive fields in awake monkeys for calibrating eye alignment in a dichoptical setup. *Journal of Neuroscience Methods* 126: 41-56

Gail A, Brinksmeyer HJ, Eckhorn R (2000) Contour decouples gamma activity across texture representation in monkey striate cortex. *Cerebral Cortex* 10: 840-850



## Address

Dept. of Nonlinear  
Dynamics  
Max Planck Institute  
for Dynamics and Self-  
Organization  
Am Fassberg 17

37077 Göttingen  
Germany

phone: +49-551-5176 400  
fax: +49-551-5176 402  
e-mail: geisel@nld.ds.  
mpg.de

## Further Information

<http://www.nld.ds.mpg.de>

## Theo Geisel

### Professor of Theoretical Physics

Director, Max Planck Institute for Dynamics and Self-Organization

Coordinator, Bernstein Center for Computational Neuroscience

- Dr. rer. nat., University of Regensburg (1975)
- Heisenberg fellow (1983 – 1987)
- Professor of Theoretical Physics, Universities of Würzburg (1988 - 1989), Frankfurt (1989 – 1996), and Göttingen (since 1996)
- Director, Max Planck Institute for Dynamics and Self-Organization, Göttingen (since 1996)

### Major Research Interests

How do the myriads of neurons in our cortex cooperate when we perceive an object or perform another task? How do they self-organize in the preceding learning process? Questions like these address the complex dynamics of spatially extended and multicomponent nonlinear systems, which still reserve many surprises. In networks of sufficiently many spiking neurons e.g. we find unstable attractors, a phenomenon which would neither have been guessed nor understood without mathematical modelling and which many physicists consider an oxymoron. They can provide a neuronal network with a high degree of flexibility to adapt to permanently changing tasks. The tools and mathematical methods developed in studies of chaotic behaviour in the past can now help us clarify the dynamics and function of complex networks and spatially extended systems and reveal the biological role of dynamical phenomena like unstable attractors.

These methods lend themselves to applications in neuroscience from the level of single cells to the level of cell assemblies and large cortical networks, from the time scales of action potentials (milliseconds) to the time scales of learning and long-term memory (up to years). My work in the past has dealt among others with studies of stochastic resonance of single neurons under periodic and endogenous stimulation, detailed investigations of the properties, functions, and conditions of neuronal synchronization, and the development of neuronal maps in the visual cortex. We have elucidated the influence of the network topology on synchronization and other dynamical properties and demonstrated the existence of speed limits to network synchronization due to disordered connectivity. Besides, I am also focusing on other applications of nonlinear dynamics, e.g. for quantum chaos in semiconductor nanostructures and in mathematical models for the description and forecast of the spread of epidemics.

### Selected Recent Publications

Degueldre H, Metzger JJ, Geisel T, Fleischmann R (2016) Random Focusing of Tsunami Waves. *Nature Physics* 12: 259-262

Helmer M, Kozyrev V, Stephan V, Treue S, Geisel T, Battaglia D (2016) Model-Free Estimation of Tuning Curves and their Attentional Modulation, Based on Sparse and Noisy Data. *PLoS One* 11(1): e0146500.

Levina A, Herrmann JM, Geisel T (2014) Theoretical neuroscience of self-organized criticality: from formal approaches to realistic models. In: *Criticality in Neural Systems*, edited by Dietmar Plenz, Ernst Niebur. Wiley-VCH Verlag, pages 417-436

Stollmeier F, Geisel T, Nagler J (2014) Possible Origin of Stagnation and Variability of Earth's Biodiversity. *Phys Rev Lett.* 112: 228101

Battaglia D, Witt A, Wolf F, Geisel T (2012) Dynamic Effective Connectivity of Inter-Areal Brain Circuits. *PLoS Comput Biol* 8(3): e1002438

Hennig H, Fleischmann R, Geisel T (2012) Musical rhythms: The science of being slightly off. *Physics Today* 65: 64-65



### Address

Dept. of Sensory Processing in the Retina  
University Medical Center  
Göttingen  
Waldweg 33

37073 Göttingen  
Germany

phone: +49-551-39 13542  
fax: +49-551-39 13541  
e-mail: tim.gollisch@med.uni-goettingen.de

### Further Information

<http://www.retina.uni-goettingen.de/>

## Tim Gollisch

### Professor for Sensory Processing in the Retina

- Diploma in Physics, University of Heidelberg, 2000
- PhD in Biophysics, Humboldt University Berlin, 2004
- Postdoctoral Researcher, Harvard University, Dept. of Molecular and Cellular Biology, 2004-2007
- Max Planck Research Group Leader, Max Planck Institute of Neurobiology, Munich-Martinsried, 2007-2010
- Professor for Sensory Processing in the Retina, School of Medicine, University of Göttingen since 2010

### Major Research Interests

We are interested in how the neuronal network of the retina processes visual signals. The focus of our work is on studying the function of the various neuron types in the retina and their synaptic connections. One goal is to better understand the “neural code” of the retina: how do the patterns of electrical activity in retinal neurons transmit information about the visual environment to downstream brain areas? Another goal is to better understand “neural computation” in the retina: how do the cells in the retinal network interact to produce a specific, useful response? On the basis of these questions, we also study how dysfunction of the retinal circuitry, for example in retinal diseases, compromises sensory processing.

Our investigations are based on various techniques of recording the activity of neurons in the retina while stimulating the network with different visual images or movies. We use multi-electrode array recordings, whole-cell patch-clamp recordings, and fluorescence imaging and combine the experiments with statistical analyses and mathematical modeling.

### Selected Recent Publications

Garvert MM, Gollisch T (2013) Local and global contrast adaptation in retinal ganglion cells. *Neuron* 77: 915-928

Bölinger D, Gollisch T (2012) Closed-loop measurements of iso-response stimuli reveal dynamic nonlinear stimulus integration in the retina. *Neuron* 73: 333-346

Gollisch T, Meister M (2010) Eye smarter than scientists believed: Neural computation in circuits of the retina. *Neuron* 65: 150-164

Gollisch T (2009) Throwing a glance at the neural code: Rapid information transmission in the visual system. *HFSP Journal* 3: 36-46

Gollisch T, Meister M (2008) Rapid neural coding in the retina with relative spike latencies. *Science* 319: 1108-1111

Herz AVM, Gollisch T, Machens CK, Jaeger D (2006) Modeling single-neuron dynamics and computations: A balance of detail and abstraction. *Science* 314: 80-85

Gollisch T, Herz AVM (2005) Disentangling sub-millisecond processes within an auditory transduction chain. *PLoS Biology* 3: e8

Gollisch T, Herz AVM (2004) Input-driven components of spike-frequency adaptation can be unmasked *in vivo*. *J Neurosci* 24: 7435-7444



### Address

Dept. of Cellular  
Neurobiology  
Schwann-Schleiden  
Research Centre  
Julia-Lermontowa-Weg 3

37077 Göttingen  
Germany

phone: +49-551-39 177955  
fax: +49-551-39 177952  
e-mail: mgoepfe@gwdg.de

### Further Information

<http://www.uni-goettingen.de/de/114662.html>

## Martin Göpfert

### Professor for Cellular Neurobiology

- 1998 Degree in Biology, University of Erlangen-Nürnberg
- 1998 – 2002 DAAD and Leopoldina Research Fellow, Dept. Neurobiology, University of Zürich and School of Biological Sciences, University of Bristol
- 2002 – 2003 Royal Society University Research Fellow, School of Biological Sciences, University of Bristol
- 2003 – 2008 Independent group leader, Volkswagen Foundation Group 'Active auditory mechanics in insects', Dept. Animal Physiology, University of Cologne
- 2008 Associate Professor for Molecular Biology and Biophysics of Sensory Systems, University of Cologne
- 2008 Full Professor for Cellular Neurobiology, University of Göttingen

### Major Research Interests

Our group studies fundamental processes in hearing. By combining mechanical measurements with genetics, molecular biology, immunohistochemistry, electrophysiology, calcium imaging, and biophysical modelling, we are trying to decipher how molecular processes shape the performance of an ear. Our preferred model system is the hearing organ of the fruit fly *Drosophila melanogaster*, the auditory sensory cells of which share conserved molecular modules with the hair cells in our ears.

Our work has uncovered striking parallels between fly and vertebrate hearing, including the functional equivalence of the auditory transduction and adaptation machineries, the motility of auditory sensory cells, transducer-based force generation, and the expression of homologous genes. Our work also provided first insights into the diverse roles of – and interactions between – transient receptor potential (TRP) ion channels in hearing, and a model of TRP-function in the fly's auditory system has been devised. Using a novel electrostatic actuation method, we were able to identify hair cell-like signatures of transducer gating and adaptation in the fly's auditory mechanics and could show that a simple transduction model as proposed to describe hair cell mechanics comprehensively explains the macroscopic behaviour of an ear. Based on these findings, we are currently devising a computational model that allows for the high-throughput characterization of genetic hearing defects. Candidate genes for hearing, in turn, are narrowed down by expression profiling using whole-genome microarrays. By testing how these genes contribute to auditory function and performance, we aim for a comprehensive molecules-to-system description of the functional workings of an ear.

### Selected Recent Publications

Zhang W, Cheng LE, Kittelmann M, Li J, Petkovic M, Cheng T, Jin P, Guo Z, Göpfert MC, Jan L, Jan YN (2015) Ankyrin repeats act as a tether for conveying force to gate the NOMPC mechanotransduction channel. *Cell*, in press

Nesterov A, Spalthoff C, Kandasamy R, Katana R, Rankl NB, Andres A, Jähde P, Dorsch JA, Stam LF, Braun F-J, Warren B, Salgado VL, Göpfert MC (2015) TRP channels in insect stretch receptors as insecticide targets. *Neuron* 83: 665 - 671

Albert JT, Göpfert MC (2015) Hearing in *Drosophila*. *Curr Opin Neurobiol* 34C: 79 - 85

Geurten BR, Jähde P, Corthals K, Göpfert MC (2014) Saccadic body turns in walking *Drosophila*. *Front Behav Neurosci* 8: 365

Andres M, Göpfert MC (2014) Neuronal osmotransduction: push-activating TRPV1 with microtubules. *Dev Cell* 30: 363 - 364

Zanini D, Göpfert MC (2013) Mechanosensation: tethered ion channels. *Curr Biol* 23: R349 - 351



### Address

Dept. of Theoretical  
Neuroscience  
Max Planck Institute  
for Experimental Medicine  
Hermann-Rein-Straße 3

37075 Göttingen  
Germany

phone: +49-551-38 99490  
e-mail: guetig@em.mpg.de

### Further Information

[http://www.em.mpg.de/  
index.php?id=281](http://www.em.mpg.de/index.php?id=281)

## Robert Gütig

### Group Leader Theoretical Neuroscience at the Max Planck Institute for Experimental Medicine

- Undergraduate studies in Physics and Psychology, FU Berlin, University of Cambridge and Heidelberg University (1993 – 1999)
- MPhil in Theoretical Physics, University of Cambridge, UK (1997)
- PhD in Computational Neuroscience with Ad Aertsen, University of Freiburg (1999 – 2002)
- Postdoctoral training with Andreas Hertz, Institute of Theoretical Biology, HU Berlin (2003 – 2005)
- Postdoctoral training with Haim Sompolinsky, Interdisciplinary Center for Neural Computation, Hebrew University of Jerusalem, Israel (2005 – 2011)
- Max Planck Research Group Leader, Theoretical Neuroscience (since 2011)


### Major Research Interests

We use analytical and numerical modeling techniques to identify the computational principles underlying spike based information processing and learning in central nervous systems and to understand how these principles are implemented by biological processes. Specifically, we focus on the role of action potential timing in subserving sensory neuronal representations and computation as well as in controlling synaptic plasticity. Projects center around the recently developed tempotron family of spiking neuronal network models and cover a broad range of topics including mathematical analyzes of information processing in spiking neuronal networks, spike-based learning in single and multi-layer neuronal networks, sensory spike data analysis, temporal processing with short term synaptic dynamics, as well as applied development of visual and speech processing systems.

### Selected Recent Publications

- Gütig R, Gollisch T, Sompolinsky H, Meister M (2013). Computing complex visual features with retinal spike times. *PLoS One* 8: e53063.
- Gütig R, Sompolinsky H (2009). Time-warp-invariant neuronal processing. *PLoS Biology* 7: e1000141
- Gütig R, Sompolinsky H (2006). The tempotron: a neuron that learns spike timing-based decisions. *Nature Neuroscience* 9: 420-428
- Gütig R, Aharonov R, Rotter S, Sompolinsky H (2003). Learning input correlations through non-linear temporally asymmetric Hebbian plasticity. *Journal of Neuroscience* 23: 3697-3714
- Gütig R, Rotter S, Aertsen A (2003). Analysis of higher-order neuronal interactions based on conditional inference. *Biological Cybernetics* 88: 352-359
- Gütig R, Aertsen A, Rotter S (2002). Statistical significance of coincident spikes: count-based versus rate-based statistics. *Neural Computation* 14: 121-153
- Betsch T, Plessner H, Schwieren C, Gütig R (2001). I like it but I don't know why: A value-account approach to implicit attitude formation. *Personality and Social Psychology Bulletin* 27: 242-253
- Gütig R, Eberlein C (1998). Quantum radiation from moving dielectrics in two, three, and more spatial dimensions. *Journal of Physics A* 31: 6819-6838





## Address

Dept. of Cellular  
Neurobiology  
Schwann-Schleiden  
Research Centre  
Julia-Lermontowa-Weg 3

37077 Göttingen  
Germany

phone: +49-551-39 177958  
fax: +49-551-39 177952  
e-mail: rheinri1@gwdg.de

## Further Information

[http://wwwuser.gwdg.de/~neuro/ag\\_heinrich/index.html](http://wwwuser.gwdg.de/~neuro/ag_heinrich/index.html)

## Ralf Heinrich

### Professor of Molecular Neuropharmacology of Behavior

- 1995: Dr. rer. nat., University of Göttingen
- 1997 – 1999: Postdoctoral fellow, Harvard Medical School, Boston, USA
- 2004: Habilitation, Zoology
- 2002 – 2008: Junior professor for Molecular Neuropharmacology of Behavior, Göttingen

### Major Research Interests

Behavior is the product of complex interactions between various types of neurons that integrate external sensory information with internal physiological states. Motivational systems in general bias an organism to perform most useful actions to secure survival and reproduction by influencing the initiation, intensity, direction and persistence of behaviors. Our lab is especially interested in central nervous and humoral mechanisms underlying the selection and adaptation of actions that are most appropriate for the particular situation an animal encounters. We study the neurochemical mechanisms underlying motivational states in behavior with a combination of neuroethological, pharmacological, electrophysiological, histochemical and immunocytochemical methods and apply these to intact animals, reduced preparations and cultured cells of various invertebrate species.

Another series of projects explores the neuroprotective and neuroregenerative mechanisms of erythropoietin (Epo) in insects. Similar to earlier studies on mammalian nervous systems, it has been demonstrated that human recombinant Epo increases insect neuronal survival *in vitro* by interfering with apoptotic pathways and improves insect neuronal regeneration *in vitro* and *in vivo* by yet unidentified mechanisms. These results suggest that mammals and insects may share an Epo-like ligand/receptor system with both structural and functional similarities in neuroprotection and neuroregeneration.

Invertebrates offer unique advantages over more complex nervous systems of vertebrates and especially mammals, such as a smaller number of neurons in the central nervous system, individually identifiable neurons and rather limited repertoires of behaviors, many of which are composed of genetically determined and stereotype movements. For studying a particular nervous mechanism one can select the most suitable and experimentally accessible preparation from a huge variety of different species with specific anatomical characteristics and more or less complex behaviors.

### Selected Recent Publications

Miljus N, Heibeck S, Jarrar M, Micke M, Ostrowski D, Ehrenreich H, Heinrich R (2014) Erythropoietin-mediated neuroprotection in insects involves JAK/STAT but not IP3K transduction pathways. *Neuroscience* 258: 218-227

Hahn N, Gurvich A, Geurten B, Piepenbrock D, Kästner A, Zanini D, Xing G, Xie W, Göpfert MC, Ehrenreich H, Heinrich R (2013) Monogenic heritable autism gene *neuroligin* impacts *Drosophila* social behaviour. *Behavioural Brain Research* 252: 450-457

Heinrich R, Kunst M, Wirmer A (2012) Reproduction-related sound production of grasshoppers regulated by internal state and actual sensory environment. *Frontiers in Decision Neuroscience* 6, 89: 1-9

Ostrowski D, Ehrenreich H, Heinrich R (2011) Erythropoietin promotes survival and regeneration of insect neurons *in vivo* and *in vitro*. *Neuroscience* 188: 95-108

Johnsson T, Kravitz EA, Heinrich R (2011) Sound production during agonistic behaviour of male *Drosophila melanogaster*. *Fly* 5: 29-38

Wirmer A, Heinrich R (2011) Nitric oxide/cGMP signaling in the corpora allata of female grasshoppers. *J Insect Physiology* 57: 94-107

Farca Luna AJ, Heinrich R, Reischig T (2010) The circadian biology of the marbled crayfish. *Frontiers in Bioscience* E2(4): 1414-1431



### Address

Dept. of NanoBiophotonics  
Max Planck Institute for  
Biophysical Chemistry  
Am Fassberg 11

37077 Göttingen  
Germany

phone: +49-551-201 2500  
fax: +49-551-201 2505  
e-mail: hell-office@  
gwdg.de

### Further Information

[http://www.mpibpc.mpg.de/  
groups/hell/](http://www.mpibpc.mpg.de/groups/hell/)

## Stefan Hell

### Professor, Director at the Max Planck Institute for Biophysical Chemistry

- 1987 Diploma in Physics, Univ. of Heidelberg
- 1990 Doctorate in Physics, Univ. of Heidelberg
- 1991 – 1993 Postdoctoral Researcher, EMBL (European Molecular Biology Laboratory)
- 1993 – 1996 Principal Investigator, Laser Microscopy Group; Univ. of Turku, Finland
- 1996 Habilitation in Physics, Univ. Heidelberg; Physics teaching since 02/1996
- 1997 – 2002 Head, Max-Planck Junior Group High Resolution Optical Microscopy, at the Max-Planck-Institute for Biophysical Chemistry Göttingen, Germany
- since 10/2002 Director at the Max Planck Institute for Biophysical Chemistry, Head of Department of NanoBiophotonics
- since 12/2003 Apl. Prof., Faculty of Physics, Univ. of Heidelberg
- since 12/2003 Head of High Resolution Optical Microscopy Division, DKFZ Heidelberg
- since 01/2004 Hon. Prof., Faculty of Physics, Univ. of Göttingen

### Major Research Interests

Optical microscopy beyond the diffraction barrier with far-field optics  
Invention of STED, RESOLFT, GSDIM and 4Pi microscopy and related techniques

### Selected Recent Publications

Berning S, Willig KI, Steffens H, Dibaj P, Hell SW (2012) Nanoscopy in a Living Mouse Brain. *Science* 335: 551

Testa, I., N. T. Urban, S. Jakobs, C. Eggeling, K. I. Willig, S. W. Hell (2012) Nanoscopy of Living Brain Slices with Low Light Levels. *Neuron* 75: 992-1000

Grotjohann T, Testa I, Leutenegger M, Bock H, Urban NT, Lavoie-Cardinal F, Willig KI, Eggeling C, Jakobs S, Hell SW (2012) Diffraction-unlimited all-optical imaging and writing with a photochromic GFP. *Nature* 478: 204-208

Vicidomini, G., Moneron, G., Han, K. Y., Westphal V., Ta H., Reuss M., Engelhardt J., Eggeling C., Hell S. W. (2011) Sharper low-power STED nanoscopy by time gating. *Nature Meth* 8: 571-573

Liu KSY, Siebert M, Mertel S, Knoche E, Wegener S, Wichmann C, Matkovic T, Muhammad K, Depner H, Mettke C, Bückers J, Hell SW, Müller M, Davis GW, Schmitz D, Sigrist SJ (2011) RIM-Binding Protein, a Central Part of the Active Zone, Is Essential for Neurotransmitter Release. *Science* 334: 1565-1569


Maurer PC, Maze JR, Stanwix PL, Jiang L, Gorshkov AV, Zibrov AA, Harke B, Hodges JS, Zibrov AS, Yacoby A, Twitchen D, Hell SW, Walsworth RL, Lukin MD (2010) Far-field optical imaging and manipulation of individual spins with nanoscale resolution. *Nature Phys* 6: 912-918

Eggeling C, Ringemann C, Medda R, Schwarzmann G, Sandhoff K, Polyakova S, Belov VN, Hein B, von Middendorff C, Schönle A, Hell SW (2009) Direct observation of the nanoscale dynamics of membrane lipids in a living cell. *Nature* 457: 1159-1163

Hell SW, Rittweger E (2009) Light from the dark. *Nature* 461: 1069-1070

Westphal V, Rizzoli SO, Lauterbach MA, Kamin D, Jahn R, Hell SW (2008) Video-Rate Far-Field Optical Nanoscopy Dissects Synaptic Vesicle Movement. *Science* 320: 246-249





## Address

Dept. of Cellular  
Neurobiology  
Schwann-Schleiden  
Research Centre  
Grisebachstr. 5

37077 Göttingen  
Germany

phone: +49-551-39 12307  
fax: +49-551-39 12308  
e-mail: mhoeerne@gwdg.de

## Further Information

<http://www.uni-goettingen.de/en/57983.html>

## Michael Hörner

### Professor of Cellular Neurobiology

- Research Assistant, MPI for Ethology, Seewiesen, 1985/1986
- Dr. rer. nat., University of Göttingen, 1989
- 1989 – 1990 Postdoctoral Fellow, Medical University of Kiel, Dept. Physiology
- 1990 – 1997 Assistant Professor, Institute for Zoology and Anthropology, Göttingen
- 1992/1997 Research Fellow Marine Biological Labs, Woods Hole, USA
- 1993/1996 Research Fellow, Arizona Research Labs, Tucson, USA
- 1994 – 1995 Feodor-Lynen/Humboldt Fellow, Harvard Medical School, Boston, USA
- 1997 Habilitation (Zoology)
- 1997 – 2002 Associate Professor, Institute for Zoology and Anthropology, Göttingen
- 2002 – 2004 Guest Professor, University of Science & Technology, Hongkong
- Apl. Professor, Schwann-Schleiden Research Centre Göttingen, since 2004 and Scientific Coordinator International MSc/PhD/MD-PhD Program for Neurosciences

### Research Interests

#### Molecular Mechanisms Of Synaptic And Non-Synaptic Modulation

Biogenic amines such as serotonin, dopamine, histamine or octopamine (OA), the pendant of norepinephrine in invertebrates, are widely distributed within the animal kingdom. These evolutionary conserved neuroactive substances are involved in the control of vital functions in both vertebrates and invertebrates. Biogenic amines often initiate long-lasting neuro-modulatory effects in their targets, which is due to diffusion following non-synaptic release activating G-protein coupled to intracellular pathways. My work is focussed on the investigation of cellular and molecular mechanisms underlying the modulation of neuronal signaling in identified networks in invertebrate model systems. Using electrophysiological, pharmacological and immunocytochemical techniques in combination with behavioral measurements, I am investigating mechanisms of aminergic modulation in identified neurons of defined networks in insects and crustacea. To address both mechanistic and functional questions, a parallel approach has been developed, which allows to investigate single identified neurons both *in-vivo* with intact synaptic connections and *in-vitro* in primary “identified” cell culture, where neurons are separated from connections to other neurons. The functional meaning of aminergic modulation on the cellular level in behaviorally-relevant circuits is assessed by quantitative behavioral measurements. The investigations show that OA enhances the responsiveness of a neuronal network in insects (“giant fiber pathway”) which triggers a fast escape reaction. The reaction to sensory stimuli in the postsynaptic giant interneurons, which are monosynaptically coupled to sensory neurons via excitatory cholinergic synapses, is significantly enhanced by OA application. Characteristic changes of the action potentials *in-vivo* (“spike broadening”) and patch-clamp recordings *in-vitro* suggest, that OA selectively affects slow K<sup>+</sup>-conductances in postsynaptic giant interneurons

### Selected Recent Publications

Rose T, Gras H, Hörner M (2006) Activity-dependent suppression of spontaneous spike generation in the Retzius neurons of the leech, *Hirudo medicinalis* L. *Invertebrate Neuroscience* 6: 169-176 (DOI 10.1007/s10158-006-0030-2)

Hörner M, Heinrich R, Cromarty SI, Kravitz EA (2002) Synaptic connectivity of amine-containing neurosecretory cells of lobsters: inputs to 5HT- and OCT- containing neurons. in: *The Crustacean Nervous System*. (ed. K. Wiese) Springer Verlag, Berlin, Heidelberg, New York, pp156-172

Ferber M, Hörner M, Cepok S, Gnatzy W (2001) Digger wasp versus cricket: Mechanisms underlying the total paralysis caused by the predators venom. *J Neurobiol* 47: 207-222

Heinrich R, Cromarty SI, Hörner M, Edwards DH, Kravitz EA (1999) Autoinhibition of serotonin cells: An intrinsic regulatory mechanism sensitive to the pattern of usage of the cells. *Proc Natl Acad Sci USA* 96: 2473-2478

Kloppenborg P, Hörner M (1998) Voltage-activated currents in identified giant interneurons isolated from adult crickets, *Gryllus bimaculatus*. *J Exp Biol* 201(17): 2529-2541



### Address

University Medical Center  
Göttingen  
Experimental Neuroanesthesia  
Humboldtallee 23

37073 Göttingen  
Germany

phone: +49-551-39 9592  
fax: +49-551-39 9676  
e-mail: shuelsm2@uni-goettingen.de

### Further Information

<http://www.neuro-physiol.med.uni-goettingen.de/groups/shuelsmann/de/home/index.php>

## Sven Hülsmann

### Professor of Neurophysiology

- Dr. med., University of Münster, 1995
- Postdoctoral fellow, University of Münster Dept. of Neurosurgery, 1995 – 1996
- Postdoctoral fellow, University of Göttingen, Dept. of Neurophysiology, 1996 – 2001
- Group leader (Wissenschaftlicher Assistent) Neurophysiology, since 2001
- Principle Investigator at the DFG Research Center for Molecular Physiology of the Brain (CMPB) since 2002
- Habilitation, University of Göttingen, 2005

### Major Research Interests

Most behavioral aspects of life are attributed to neurons, leaving many white spots of knowledge about the function of the different types of glial cells. Our group aims to identify and clarify the mechanisms that allow astrocytes to modulate and stabilize the most vital behavior of breathing.

### Selected Recent Publications

Rahman J, Besser S, Schnell C, Eulenburg V, Hirrlinger J, Wojcik SM, Hülsmann S (2014) Genetic ablation of VIAAT in glycinergic neurons causes a severe respiratory phenotype and perinatal death. *Brain Struct Funct* 2014 Jul 16 [Epub ahead of print]

Schnell C, Shahmoradi A, Wichert SP, Mayerl S, Hagos Y, Heuer H, Rossner MJ, Hülsmann S (2013) The multispecific thyroid hormone transporter OATP1C1 mediates cell-specific sulforhodamine 101-labeling of hippocampal astrocytes. *Brain Struct Funct*. 2013 Oct 16 [Epub ahead of print]

Schnell C, Hagos Y, Hülsmann S (2012) Active sulforhodamine 101 uptake into hippocampal astrocytes. *PLoS One*. 2012;7(11): e49398. doi: 10.1371/journal.pone.0049398. Epub 2012 Nov 26

Latal AT, Kremer T, Gomeza J, Eulenburg V, Hülsmann S (2010) Development of synaptic inhibition in glycine transporter 2 deficient mice. *Mol Cell Neurosci*. 2010 Aug;44(4): 342-52. doi: 10.1016/j.mcn.2010.04.005. Epub 2010 May 4

Streckfuss-Bömeke K, Vlasov A, Hülsmann S, Yin D, Nayernia K, Engel W, Hasenfuss G, Guan K (2009) Generation of functional neurons and glia from multipotent adult mouse germ-line stem cells. *Stem Cell Res*. 2009 Mar;2(2): 139-54. doi: 10.1016/j.scr.2008.09.001. Epub 2008 Oct 7

Härtel K, Schnell C, Hülsmann S (2009) Astrocytic calcium signals induced by neuromodulators via functional metabotropic receptors in the ventral respiratory group of neonatal mice. *Glia*. 2009 Jun;57(8): 815-27. doi: 10.1002/glia.20808



## Address

Dept. of Neurobiology  
Max Planck Institute for  
Biophysical Chemistry  
Am Fassberg 11

37077 Göttingen  
Germany

phone: +49-551-201 1635  
fax: +49-551-201 1639  
e-mail: rjahn@gwdg.de

## Further Information

[http://www.mpibpc.mpg.de/  
groups/jahn/](http://www.mpibpc.mpg.de/groups/jahn/)

## Reinhard Jahn

### Professor, Director at the Max Planck Institute for Biophysical Chemistry

- Dr. rer. nat. 1981, University of Göttingen
- Assistant Professor, The Rockefeller University, New York (USA) 1985
- Junior Group leader, Max Planck Institute for Psychiatry, Martinsried, 1986
- Associate Professor of Pharmacology and Cell Biology, Yale University, and Investigator, Howard Hughes Medical Institute, New Haven (USA) 1991
- Professor of Pharmacology and Cell Biology, Yale University, New Haven, 1995
- Director, Max Planck Institute for Biophysical Chemistry, Göttingen, 1997

### Major Research Interests

Our group is interested in the mechanisms of membrane fusion, with the main emphasis on regulated exocytosis in neurons. Intracellular membrane fusion events are mediated by a set of conserved membrane proteins, termed SNAREs. For fusion to occur, complementary sets of SNAREs need to be present on both of the fusing membranes, which then assemble in a zipper-like fashion to initiate membrane merger. The neuronal SNAREs are among the best characterized. They are the targets of the toxins responsible for botulism and tetanus, and they are regulated by several additional proteins including synaptotagmin, the calcium sensor for neurotransmitter release. To understand how these proteins mediate fusion, we study their properties in vitro with biochemical and biophysical approaches using native and artificial membranes.

In a second set of projects, we are interested in the mechanisms by which synaptic vesicles sequester and store neurotransmitters. Uptake is mediated by specific vesicular neurotransmitter transporters that are energized by an electrochemical proton gradient across the membrane. Presently we aim for a better understanding of the transport mechanisms using a variety of biochemical and biophysical approaches including imaging of single vesicles. Finally, we use quantitative proteomics to better understand how the presynaptic protein network contributes to the regulation of synaptic release, focusing on protein phosphorylation.

### Selected Recent Publications

Farsi Z, Preobraschenski J, van den Bogaart G, Riedel D, Jahn R\*, Woehler A (2016) Single-vesicle imaging reveals different transport mechanisms between glutamatergic and GABAergic vesicles. *Science* 351: 981-984 \*corresponding author

Ryo J-K, Min D, Rah S-H, Kim SJ, Park Y, Kim H, Kim H-M, Jahn R\*, Yoon T-Y\* (2015) Spring-loaded unraveling of a single SNARE complex by NSF in one round of ATP turnover. *Science* 347: 1485-1489 (\*corresponding authors)

Binotti B, Pavlos NJ, Riedel D, Wenzel D, Vorbrüggen G, Schalk AM, Kühnel K, Boyken J, Erck C, Martens H, Chua JJE, Jahn R (2015) The GTPase Rab26 links synaptic vesicles to the autophagy pathway. *eLife* 4: e05597

Par Y, Seo JB, Fraind A, Perez-Lara A, Yavuz H, Han K, Jung SR, Kattan I, Walla PJ, Choi MY, Cafiso DS, Koh D, Jahn R (2015) Synaptotagmin-1 binds to PI(4,5)P<sub>2</sub>-containing membranes but not to SNAREs in a physiological ionic environment. *Nature Struct Mol Biol* 10: 815-823

Honigmann A, van den Bogaart G, Iraheta E, Risselada HJ, Milovanovic D, Mueller V, Müller S, Diederichsen U, Fasshauer D, Grubmüller H, Hell SW, Eggeling C, Kühnel K, Jahn R (2013) Phosphatidylinositol 4,5-bisphosphate clusters act as molecular beacons for vesicle recruitment. *Nat Struct Mol Biol* 20: 679-686

Jahn R, Fasshauer D (2012) Exocytosis of synaptic vesicles – molecular machines, calcium, and beyond (review). *Nature* 490(7419): 201-7

Hernandez JM, Stein A, Behrmann E, Riedel D, Cypionka A, Farsi Z, Walla PJ, Raunser S, Jahn R (2012) Membrane fusion intermediates via directional and full assembly of the SNARE complex. *Science* 336: 1581-1584



### Address

Dept. of Molecular  
Neurobiology,  
Max Planck Institute for  
Experimental Medicine  
Hermann-Rein-Strasse 3

37075 Göttingen  
Germany

phone: +49-551-3899 720  
fax: +49-551-3899 715  
e-mail: kawabe@em.mpg.  
de

## Hiroshi Kawabe

### Group Leader Molecular Neurobiology at the Max Planck Institute for Experimental Medicine

- 2000 – 2002 Postdoctoral Fellow, Department of Molecular Biology and Biochemistry, Osaka University Graduate School of Medicine, Faculty of Medicine, Osaka, Japan (with Professor Yoshimi Takai)
- 2002 – 2008 Postdoctoral Fellow, Department of Molecular Neurobiology, Max Planck Institute of Experimental Medicine, Göttingen, Germany (with Professor Nils Brose)
- 2008 – 2016 Project Group Leader, Department of Molecular Neurobiology, Max Planck Institute of Experimental Medicine, Göttingen, Germany
- since 2016 Research Group Leader, Department of Molecular Neurobiology, Max Planck Institute of Experimental Medicine, Göttingen, Germany

### Major Research Interests

- Neuronal protein homeostasis

### Selected Recent Publications

Altas B\*, Jahn O, Kawabe H\* (2016) Biochemical Purification of Binding Partners of Synaptic Scaffold Proteins. *Methods Mol Biol* (accepted) \*Co-corresponding authors

Ambrozkiwicz MC\*, Kawabe H\* (2015) HECT-Type E3 Ubiquitin Ligases in Nerve Cell Development and Synapse Physiology. *FEBS Letters* 589: 1635-1643 \*Co-corresponding authors

Hsia HE, Kumar R, Luca R, Takeda M, Courchet J, Nakashima J, Wu S, Goebbels S, An W, Eickholt B, Polleux F, Rotin D, Wu H, Rossner, M, Bagni C, Rhee JS, Brose N, Kawabe H\* (2014) The Ubiquitin E3 Ligase Nedd4-1 Acts as a Downstream Target of PI3K/PTEN-mTORC1 Signaling to Promote Neurite Growth. *Proc Natl Acad Sci USA* 111: 13205-13210 \*Corresponding author

Kimura T\*, Kawabe H, Jiang C, Zhang W, Xiang YY, Lu C, Salter MW, Brose N, Lu WY, Rotin D (2011) Deletion of the Ubiquitin Ligase Nedd4L in Lung Epithelia Causes Cystic Fibrosis-Like Disease. *Proc Natl Acad Sci USA* 108: 3216-3221 \*Equal contribution

Kawabe H\*, Neeb A, Dimova K, Young SM Jr, Takeda M, Katsurabayashi S, Mitkovski M, Malakhova OA, Zhang DE, Umikawa M, Kariya K, Goebbels S, Nave KA, Rosenmund C, Jahn O, Rhee JS, Brose N\* (2010) Regulation of Rap2A by the Ubiquitin Ligase Nedd4-1 Controls Neurite Development. *Neuron* 65: 358-372 \*Co-corresponding authors



### Address

Bernstein Focus Neurotechnology (BFNT) and Johann-Friedrich-Blumenbach Institute for Zoology and Anthropology Systems Neuroscience Group  
von-Siebold-Str. 4

37075 Göttingen  
Germany

phone: +49-551-39 20160  
+49-551-39 20161  
fax: +49-551-39 20162  
e-mail: sloewel@gwdg.de

### Further Information

<http://systemsneuroscience.uni-goettingen.de/>

## Siegrid Löwel

### Professor of Systems Neuroscience

- Dr. phil. nat. (Ph.D.), 1988, Johann-Wolfgang-Goethe-Universität Frankfurt am Main
- Research Assistant, Dept. Neurophysiology (Prof. Dr. Wolf Singer), Max-Planck-Institut für Hirnforschung, Frankfurt am Main, 1990 – 1997
- Head of the Research Group “Visual Development and Plasticity”, Leibniz Institute for Neurobiology, Magdeburg, 1997 – 2002 & 2004 – 2005
- Associate Research Physiologist/Research Associate Professor, School of Medicine, Dept. Physiology, University of California in San Francisco, USA, 2002 – 2003
- Magdeburg (<http://www.unimagdeburg.de/gleichstellungsbuero/gleich/erxleb.htm>), 2003 – 2004
- Dorothea-Erxleben-Guest Professorship, Otto-von-Guericke-Universität
- Scholarship in the Hertie-Excellency Program “Neurosciences”, 2004 - 2005
- Professor of Neurobiology, Friedrich-Schiller-Universität Jena, 2005 – 2010
- Prof. of Systems Neuroscience, BFNT and Johann-Friedrich-Blumenbach Institute for Zoology and Anthropology, Georg-August-Universität Göttingen, since 2010

### Major Research Interests

The Löwel lab is focussed on understanding the development and plasticity of neuronal circuits in the mammalian cortex. We use a combination of techniques, including optical imaging, 2-photon imaging, electrophysiology and virus-mediated knock-down to explore how experience and learning influence the structure and function of nerve cell networks. We hope that answering these key questions not only helps to understand the rules underlying brain development, functioning and learning but additionally will open up new avenues to develop clinically relevant concepts to promote regeneration and rehabilitation for diseased and injured brains. The Löwel lab has made major contributions to experience-dependent changes in nerve cell networks: We were e.g. the first to demonstrate that the learning rule for the development of long-range cortical circuits is correlated activity: “neurons wire together if they fire together” (Löwel & Singer, 1992, *Science* 255: 209-212)

### Selected Recent Publications

Huang X\*, Stodieck SK\*, Goetze B, Schmidt K-F, Cui L, Wenzel C, Hosang L, Dong Y, Löwel S\*, Schlüter OM\* (2015) The progressive maturation of silent synapses governs the duration of a critical period. *Proc Natl Acad Sci USA*. 112(24): E3131-40, doi: 10.1073/pnas.1506488112. Epub 2015 May 26

van Wyk M, Pielecka-Fortuna J, Löwel S, Kleinlogel S (2015) Restoring the ON-switch in blind retinas: Opto-mGluR6, a next-generation, cell-tailored optogenetic tool. *PLoS Biology* 13(5): e1002143. doi: 10.1371/journal.pbio.1002143. eCollection 2015 May

Kalogeraki E, Greifzu F, Haack F, Löwel S (2014) Voluntary physical exercise promotes ocular dominance plasticity in adult mouse primary visual cortex. *J Neurosci* 34: 15476-15481

Stodieck SK, Greifzu F, Goetze B, Schmidt K-F, Löwel S (2014) Brief dark exposure restored ocular dominance plasticity in aging mice and after a cortical stroke. *Exp Gerontol* 60: 1-11

Pielecka-Fortuna J\*, Wagener RJ\*, Goetze B, Martens A-K, Schmidt K-F, Staiger JF\*, Löwel S\* (2014) The disorganized visual cortex in reelin-deficient mice is highly functional and allows for enhanced plasticity. *Springer Brain Struct Funct* doi: 10.1007/s00429-014-0866-x





### Address

Dept. of Neurophysiology  
and Cellular Biophysics  
Humboldtallee 23

37073 Göttingen  
Germany

phone: +49-551-39 5913  
fax: +49-551-39 8399  
e-mail: imanzin@gwdg.de

### Further Information

<http://www.olfsys.uni-goettingen.de>

## Ivan Manzini

### Group Leader at the Center for Nanoscale Microscopy and Molecular Physiology of the Brain

- 1993 – 1999: Studies of Biological Sciences at the University of Modena and Reggio Emilia, Modena, Ital
- 1999 – 2003: Doctoral Thesis within the MSc/PhD/MD-PhD Neuroscience Program at the Center for Physiology and Pathophysiology, University of Göttingen, Göttingen, German
- 2003 – 2010: Research Assistant (Postdoctoral Research Fellow) at the Center for Physiology and Pathophysiology, University of Göttingen, Göttingen, Germany
- since 2011: Group Leader (CNMPB Research Group) at the Center for Nanoscale Microscopy and Molecular Physiology of the Brain, University of Göttingen, Göttingen, Germany

### Major Research Interests

Our research is directed towards a better understanding of how the olfactory network is formed during development and maintained in the adult. We also set out to elucidate the molecular and cellular mechanisms of olfactory coding. We are using the African clawed frog *Xenopus laevis* as model animal. Amphibian species represent an evolutionary intermediary between fishes and mammals with respect to life style (partially aquatic), anatomical specialization (separate vomeronasal organ), and evolution of olfactory receptor gene families. Amphibians are, therefore, particularly suited to study questions related to the evolution of the vertebrate olfactory system. In our research we combine advanced physiological and molecular biological approaches.

### Selected Recent Publications

Hassenklöver T, Manzini I (2013) Olfactory wiring logic in amphibians challenges the basic assumptions of the unbranched axon concept. *J Neurosci* 33: 17247-52

Syed AS, Sansone A, Nadler W, Manzini I, Korsching SI (2013) Ancestral amphibian v2rs are expressed in the main olfactory epithelium. *Proc Natl Acad Sci USA* 110: 7714-7719

Gliem S, Syed AS, Sansone A, Kludt E, Tantalaki E, Hassenklöver T, Korsching SI, Manzini I (2013) Bimodal processing of olfactory information in an amphibian nose: Odor responses segregate into a medial and a lateral stream. *Cell. Mol Life Sci* 70: 1965-1984

Breunig E, Manzini I, Gutermann B, Schild D, Czesnik D (2010) The endocannabinoid 2-AG controls odor sensitivity in larvae of *Xenopus laevis*. *J Neurosci* 30: 8965-8973

Hassenklöver T, Schwartz P, Schild D, Manzini I (2009) Purinergic signaling regulates cell proliferation of olfactory epithelium progenitors. *Stem Cells* 27: 2022-2031

Czesnik D, Schild D, Kuduz J, Manzini I (2007) Cannabinoid action in the olfactory epithelium. *Proc Natl Acad Sci USA* 104: 2967-2972





## Address

Developmental  
Neurobiology  
European Neuroscience  
Institute Göttingen  
Grisebachstr. 5

37077 Göttingen  
Germany

phone: +49-551-39 13400  
fax: +49-551-39 9843  
e-mail: Till.Marquardt@  
mpi-mail.mpg.de

## Further Information

[http://www.eni.gwdg.de/  
index.php?id=169](http://www.eni.gwdg.de/index.php?id=169)

## Till Marquardt

### Group Leader Developmental Neurobiology

- 1997 – 2001: Diploma (Dipl. Biol.) and Ph.D. (Dr. rer. nat.) thesis research with Peter Gruss at the Max-Planck Institute of Biophysical Chemistry, Göttingen
- 2001 – 2006: Postdoctoral research associate (2001 – 2005), Damon Runyon Fellow (2002 – 2005) and staff scientist (2006) with Samuel L. Pfaff at the Salk Institute for Biological Studies, La Jolla, USA
- Since 2007: Research group leader and principal investigator at the European Neuroscience Institute, Göttingen
- 2007 – 2012: Emmy Noether Young Investigator (DFG)
- Since 2012: European Research Council (ERC) grant holder

### Major Research Interests

My team employs a combination of molecular genetics, live-cell microscopy, electrophysiology and behavior analysis to study two key aspects of nervous system development and function: we exploit the unique position of motor neurons at the intersection of central nervous system and movement apparatus to resolve the molecular machineries promoting neuron functional specialization and to understand their contribution to neural network function (focus 1) and we study axon-axon- and axon-glia signaling mechanisms contributing to peripheral nervous system assembly or pathology (focus 2).

### Selected Recent Publications

Müller D, Cherukuri P, Henningfeld K, Poh CP, Wittler L, Grote P, Schlüter O, Schmidt J, Laborda J, Bauer SR, Brownstone RM, Marquardt T (2014). Dlk1 promotes a fast motor neuron biophysical signature required for peak-force execution. *Science* 343: 1264-1266

Wang L, Marquardt T (2012) Live monitoring of heterotypic axonal interactions *in vitro*. *Nature Protocols* 7: 351-363


Bonanomi D, Chivatakarn O, Bai G, Lettieri K, Abdesslem H, Marquardt T, Pierchala BA, Pfaff SL (2012) Ret is a multifunctional co-receptor that integrates diffusible- and contact-axon guidance signals. *Cell* 148: 568-582

Wang L, Klein R, Zheng B, Marquardt T (2011) Anatomical coupling of sensory and motor nerve trajectory through axon tracking. *Neuron* 71: 263-277

Gallarda B, Bonanomi D, Müller D, Brown A, Alaynick WA, Lemke G, Pfaff SL, Marquardt T (2008) Segregation of axial sensory and motor pathways through heterotypic trans-axonal signaling. *Science* 320: 233-236

### Further reading

Wang L, Marquardt T (2013) What axons tell each other: axon-axon signaling in nerve and circuit assembly. *Curr Opin Neurobiol* 23: 974-982



## Address

Synaptic Vesicle Dynamics  
European Neuroscience  
Institute Göttingen  
Grisebachstr. 5

37077 Göttingen  
Germany

phone: +49-551-39 12379  
fax: +49-551-39 12346  
e-mail: i.milosevic@  
eni-g.de

## Further Information

[http://www.eni.gwdg.de/  
index.php?id=374](http://www.eni.gwdg.de/index.php?id=374)

## Ira Milosevic

### Group Leader Synaptic Vesicle Dynamics

- 2001: Diploma (Dipl. Ing.) in Molecular Biology University of Zagreb, Zagreb, Croatia; thesis work performed at Eötvös Lorand University, Dept. of Biochemistry, Budapest, Hungary and Ruder, Boskovic Institute, Dept. of Molecular Genetics, Zagreb, Croatia (advisors: Prof. Ivana Weygand-Durasevic, Prof. Laszlo Nyitray)
- 2003: M.Sc., IMPRS Neurosciences, Georg August University Göttingen, Germany; thesis work performed at Max Planck Institute for Biophysical Chemistry, Dept. of Membrane Biophysics and Dept. of Biochemistry (advisors: Prof. Erwin Neher, Prof. Reinhard Jahn)
- 2006: Ph.D., IMPRS Neurosciences, Georg August University Göttingen, Germany; thesis work performed at Max Planck Institute for Biophysical Chemistry, Dept. of Membrane Biophysics and Dept. of Biochemistry (advisors: Prof. Erwin Neher, Prof. Reinhard Jahn)
- 2006 – 2012: PostDoc, HHMI and Yale University School of Medicine, Dept. of Cell Biology, New Haven, CT, USA (advisor: Prof. Pietro De Camilli)
- since 2012: Independent Group Leader at the European Neuroscience Institute Göttingen

### Major Research Interests

The laboratory investigates fundamental aspects of synaptic vesicle recycling that have relevance to neurological and neurodegenerative diseases, using mouse and mammalian cells as a model system. A cutting edge genomic engineering is combined with the latest techniques of imaging and cell biology to study the processes that regulate synaptic vesicle formation. In a distinct but related strand of work, we are exploring the signaling processes that originate from altered neurotransmission and lead to neurodegeneration.

### Selected Recent Publications

Milosevic I\*, Giovedi S\*, Lou X, Raimondi A, Collesi C, Shen H, Paradise S, O'Toole E, Ferguson S, Cremona O, De Camilli P (2011) Recruitment of endophilin to clathrin coated pit necks is required for efficient vesicle uncoating after fission. *Neuron* 72 (4): 587-601 \*equal contribution

de Wit H, Walter A, Milosevic I, Gulyás-Kovács A, Sørensen JB, Verhage M (2009) Four proteins that dock secretory vesicles to the target membrane. *Cell* 138 (5): 935-946

Nagy G\*, Milosevic I\*, Mohrmann R, Wiederhold K, Walter AM, Sørensen JB (2008) The SNAP-25 linker as an adaptation toward fast exocytosis. *Mol Biol Cell* 19 (9): 3769-3781 \*equal contribution

Gulyás-Kovács A, de Wit H, Milosevic I, Kochubey O, Toonen R, Klingauf J, Verhage M, Sørensen JB. (2007) Munc18-1: sequential interactions with the fusion machinery stimulate vesicle docking and priming. *J Neurosci* 27(32): 8676-8686 (accompanied by an editorial comment in *J Neurosci* 27 (32), i)



## Address

Institute for Auditory  
Neuroscience  
University Medical Center  
Göttingen  
Robert-Koch-Str. 40

37075 Göttingen  
Germany

phone: +49-551-39 22803  
fax: +49-551-39 22299  
e-mail: tmoser@gwdg.de

## Further Information

<http://www.auditory-neuroscience.uni-goettingen.de/>

<http://www.innerearlab.uni-goettingen.de/>

<https://www.mpibpc.mpg.de/14722384/moser>

<http://www.dpz.eu/en/platforms/optogenetics/auditory-neuroscience.html>

## Tobias Moser

### Professor of Auditory Neuroscience

- MD University of Jena, 1995
- Postdoc with E. Neher at the MPI for Biophysical Chemistry, 1994 – 1997
- Junior Group Leader at the at the MPI for Biophysical Chemistry, Göttingen 1997 – 2001
- Residency in Otolaryngology, University Medical Center Göttingen 1997 – 2002
- Group Leader at the Department of Otolaryngology, University Medical Center Göttingen since 2001
- Research Group Leader at MPI for Biophysical Chemistry, MPI for Experimental Medicine and German Primate Center, Göttingen since 2014
- Director, Institute for Auditory Neuroscience, University Medical Center Göttingen 2015

### Major Research Interests

Auditory Neuroscience - Synaptic Physiology and Pathophysiology – Audiology and Neuroprosthetics

Our work focuses on the molecular physiology and pathophysiology of sound encoding at the hair cell ribbon synapse and its restoration. We have physiologically and morphologically characterized synapses of wild-type and mutant mice with defects in hair cell synaptic coding from the molecular to the systems level. This way we have contributed to the understanding of structure and function of the hair cell ribbon synapse and co-initiated the concept of auditory synaptopathy. Molecular dissection and detailed physiological characterization of ribbon synapse function employ a spectrum of molecular, biophysical, physiological, psychophysical and clinical approaches. Towards restoration of hearing we pursue the optogenetic stimulation of cochlea and gene replacement therapy.

### Selected Recent Publications


Schrauwen I, Helfmann S, Inagaki A, Predoehl F, Tabatabaiefar MA, Picher MM, Sommen M, Seco CZ, Oostrik J, Kremer H, Dheedene A, Claes C, Franssen E, Chaleshtori MH, Coucke P, Lee A, Moser T, Van Camp G (2012) A Mutation in CABP2, Expressed in Cochlear Hair Cells, Causes Autosomal-Recessive Hearing Impairment. *Am J Hum Genet* 91: 636-45

Nouvian R, Neef J, Bulankina AV, Reisinger E, Pangrsic T, Frank T, Sikorra S, Brose N, Binz T, Moser T (2011) Exocytosis at the hair cell ribbon synapse apparently operates without neuronal SNARE proteins. *Nat Neurosci* 14: 411-413

Frank T, Rutherford MA, Strenzke N, Pangrsic T, Khimich D, Fejtova A, Gundelfinger ED, Liberman MC, Harke B, Bryan KE, Lee A, Egner A, Riedel D, Moser T (2010). Bassoon and the synaptic ribbon organize Ca<sup>2+</sup> channels and vesicles to add release sites and promote refilling. *Neuron* 68: 724-738

Pangrsic T, Lasarow L, Reuter K, Takago H, Schwander M, Riedel D, Frank T, Tarantino LM, Bailey JS, Strenzke N, Müller U, Brose N, Reisinger E\*, Moser T\* (2010) Hearing requires otoferlin-dependent efficient replenishment of synaptic vesicles in hair cells. *Nat Neurosci* 13: 869-876

Meyer AC, Frank T, Khimich D, Hoch G, Riedel D, Chapochnikov, NM, Yarin YM, Harke B, Hell S, Egner A, Moser T (2009) Tuning of Synapse Number, Structure and Function in the Cochlea, *Nat Neurosci* 12: 444-534



## Address

Dept. of Neurogenetics  
Max Planck Institute for  
Experimental Medicine  
Hermann-Rein-Strasse 3

37075 Göttingen  
Germany

phone: +49-551-3899 757  
fax: +49-551-3899 758  
e-mail: nave@em.mpg.de

## Further Information

[http://www.em.mpg.de/  
index.php?id=34&no\\_  
cache=1](http://www.em.mpg.de/index.php?id=34&no_cache=1)

## Klaus-Armin Nave

### Professor, Director at the Max Planck Institute for Experimental Medicine

- 1987 PhD, University of California, San Diego
- 1987 – 1991 Postdoc, The Salk Institute, La Jolla, California
- 1991 Junior Group Leader, ZMBH, University of Heidelberg
- 1998 Professor of Molecular Biology (C4), ZMBH, University of Heidelberg
- 2000 Director, Department of Neurogenetics, Max Planck Institute for Experimental Medicine Göttingen and Professor of Biology, University of Heidelberg

### Major Research Interests

We are interested in the mechanisms of neuron-glia interactions in the higher nervous system, and in the genes that are required for normal glial cell function. Here, transgenic and mutant mice have become important to study developmental processes as well as genetic diseases. For example, oligodendrocytes are glial cells highly specialized for enwrapping CNS axons with multiple layers of membranes, known to provide electrical insulation for rapid impulse propagation. We found that oligodendrocytes are also essential for maintaining the long-term integrity of myelinated axons, independent of the myelin function itself. The mechanisms by which oligodendrocytes support long-term axonal survival are still under investigation. The importance of glial cells as the “first line of neuroprotection”, however, is illustrated by several myelin-associated diseases in which axonal neurodegeneration contribute to progressive disability. These range in humans from peripheral neuropathies (CMT1) to spastic paraplegia (SPG2), and presumably multiple sclerosis (MS) and certain forms of psychiatric disorders. We are developing transgenic animal models for some of these diseases, in order to dissect the underlying disease mechanisms and, in the case of CMT1A, have used these models to design novel therapeutic strategies.

The glial “decision” to myelinate an axonal segment is partly controlled by the axon itself, but the signaling mechanism is not understood. We have found that axonal neuregulin-1 (NRG1) is the major determinant of myelination in the peripheral nervous system. We are now investigating NRG1 dysregulation also in CNS myelination, using quantifiable behavioural functions in mice. By combining genetics with environmental risk factors for schizophrenia (in collaboration with H. Ehrenreich) we will explore the hypothesis that NRG1, a known human schizophrenia susceptibility gene, points to an important role of myelinating glia in some psychiatric disorders.

### Selected Recent Publications

Stassart RM, Fledrich R, Velanac V, Brinkmann BG, Schwab MH, Meijer D, Sereda MW, Nave K-A (2013) A role for Schwann cell derived neuregulin-1 in remyelination. *Nat Neurosci* 16: 48-54

Saher G, Rudolphi F, Corthals K, Ruhwedel T, Schmidt KF, Löwel S, Dibaj P, Barrette B, Möbius W, Nave K-A (2012) Therapy of Pelizaeus-Merzbacher disease in mice by feeding a cholesterol-enriched diet. *Nat Med* 18: 1130-1135

Fünfschilling U, Supplie LM, Mahad D, Boretius S, Saab AS, Edgar J, Brinkmann BG, Kassmann CM, Tzvetanova ID, Möbius W, Diaz F, Meijer D, Suter U, Hamprecht B, Sereda MW, Moraes CT, Frahm J, Goebbels S, Nave K-A (2012). Glycolytic oligodendrocytes maintain myelin and long-term axonal integrity. *Nature* 485: 517-521

Goebbels S, Oltrogge JH, Wolfer S, Wieser GL, Nientiedt T, Pieper A, Ruhwedel T, Groszer M, Sereda MW, Nave K-A (2012) Genetic disruption of Pten in a novel mouse model of tomaculous neuropathy. *EMBO Mol Med* 4: 486-499

Dhaunchak AS, Colman DR, Nave K-A (2011) Misalignment of PLP/DM20 transmembrane domains determines protein misfolding in Pelizaeus-Merzbacher disease. *J Neurosci* 31: 14961-14971

Nave K-A (2010) Myelination and support of axonal integrity by glia. *Nature* 468: 244-252



### Address

Dept. of Neurodegeneration  
and Restorative Research  
University Medical Center  
Göttingen  
Waldweg 33

37073 Göttingen  
Germany

phone: +49-551-39 13544  
fax: +49-551-39 22693  
e-mail: [tiago.outeiro@med.uni-goettingen.de](mailto:tiago.outeiro@med.uni-goettingen.de)

### Further Information

<http://www.neurodegeneration.uni-goettingen.de/>

## Tiago Fleming Outeiro

### Professor of Aggregopathies, Director of the Department of Neurodegeneration and Restorative Research

- 1994 – 1998 B.S. in Biochemistry Faculty of Sciences, University of Porto, Portugal
- 1999 – 2004 Ph.D. in Molecular and Cell Biology Whitehead Institute for Biomedical Research, MIT Cambridge, University of Chicago (UC), USA
- 2004 Consultant and Research Scientist, FoldRx Pharmaceuticals, Inc, Cambridge, USA: Ph.D. work was transferred to the start-up company FoldRx Pharmaceuticals, Inc.
- 2004 – 2007 Postdoctoral Research Fellow; advisor Dr. Brad Hyman, MGH Harvard University, USA
- 2007 – 2011 Principal Investigator and Group Leader at Instituto de Medicina Molecular, Lisbon, Portugal
- 2007 – 2008 Visiting Scientist, Massachusetts General Hospital, Harvard Medical School, Boston, USA
- 2007 – present Auxiliar Professor, Instituto de Fisiologia, Faculdade de Medicina da Universidade de Lisboa, Portugal
- 2010 – present: Full Professor of Aggregopathies, Director of the Department of Neurodegeneration and Restorative Research, University Medical Center Göttingen

### Major Research Interests

Our research interests are focused on the understanding of the molecular mechanisms which lead to neurodegeneration in diseases such as Parkinson's, Huntington's, or Alzheimer's disease. These diseases are intimately associated with protein misfolding and aggregation in specific regions of the brain. Because the molecular pathways involved in protein homeostasis are highly conserved, we employ a wide variety of model organisms, from the simple but powerful budding yeast to mammalian cell culture and mice, to study the origin of the problems.

We are also developing novel *in vivo* imaging approaches based on multi-photon microscopy to observe protein misfolding and aggregation in the living brain.

Our ultimate goals are to develop novel therapeutic approaches for these and other related disorders. We are working closely together with clinicians in order to accelerate drug discovery efforts, translating basic research into clinical applications that will improve the lives of patients.

### Selected Recent Publications

Marques S, Batalha VL, Lopes LV, Outeiro TF (2011) Modulating Alzheimer's disease through caffeine: a putative link to epigenetics. *J Alzheimers Dis.* Jan 1;24: 161-71. PubMed PMID: 21427489

Herrera F, Tenreiro S, Miller-Fleming L, Outeiro TF (2011) Visualization of cell-to-cell transmission of mutant huntingtin oligomers. *PLoS Curr.* Feb 11;3: RRN1210. PubMed PMID: 21331289; PubMed Central PMCID: PMC3037516

Hansen C, Angot E, Bergström AL, Steiner JA, Pieri L, Paul G, Outeiro TF, Melki R, Kallunki P, Fog K, Li JY, Brundin P. (2011)  $\alpha\pm$ -Synuclein propagates from mouse brain to grafted dopaminergic neurons and seeds aggregation in cultured human cells. *J Clin Invest.* 2011 Feb 1;121(2): 715-25. doi: 10.1172/JCI43366. Epub 2011 Jan 18. PubMed PMID: 21245577; PubMed Central PMCID: PMC3026723

Outeiro TF, Kontopoulos E, Altmann SM, Kufareva I, Strathearn KE, Amore AM, Volk CB, Maxwell MM, Rochet JC, McLean PJ, Young AB, Abagyan R, Feany MB, Hyman BT, Kazantsev AG (2007) Sirtuin 2 inhibitors rescue alpha-synuclein-mediated toxicity in models of Parkinson's disease. *Science* 2007 Jul 27;317(5837): 516-9. Epub 2007 Jun 21. PubMed PMID: 17588900





### Address

Dept. of Molecular Biology  
of Neuronal Signals  
Max Planck Institute for  
Experimental Medicine  
Hermann-Rein-Strasse 3

37075 Göttingen  
Germany

phone: +49-551-3899 643  
fax: +49-551-3899 644  
e-mail: pardo@em.mpg.de

### Further Information

<http://www.uni-goettingen.de/en/127638.html>

## Luis A. Pardo

### Group Leader Molecular Biology of Neuronal Signals at the Max Planck Institute for Experimental Medicine

- 1986 M.D., University of Oviedo, Spain
- 1990 Ph.D. University of Oviedo, Spain
- 1991 – 1993 Postdoctoral fellow, Max-Planck Institute of Biophysical Chemistry
- 1994 – 1996 Researcher, University of Oviedo, Spain
- 1997 – 2000 Senior researcher, Max-Planck Institute of Experimental Medicine
- 2001 – 2003 Chief Scientific Officer, iOnGen AG
- since 2004 group leader at the Max-Planck Institute of Experimental Medicine

### Major Research Interests

Our research interest focuses on the role of ion channels in the initiation and progression of tumors. For this, we take advantage of the knowledge of the physiology and molecular biology of channels and use electrophysiological techniques along with advanced microscopy, protein engineering and animal models. Most of our work has been on a particular potassium channel frequently expressed (75%) in human tumors. We try to take advantage of the particular features of ion channels (for example, their surface expression) to design novel diagnostic and therapeutic procedures.

We also try to understand the mechanisms underlying the role of ion channels in tumors, regarding both permeation properties as well as non-canonical functions.

### Selected Recent Publications

Sánchez A, Urrego D, Pardo LA. (2016) Cyclic expression of the voltage-gated potassium channel KV10.1 promotes disassembly of the primary cilium. *EMBO Rep* 2016 May;17(5): 708-23. doi: 10.15252/embr.201541082. Epub 2016 Apr 20

Urrego D, Movsisyan N, Ufartes R, Pardo LA. (2016) Periodic expression of Kv10.1 driven by pRb/E2F1 contributes to G2/M progression of cancer and non-transformed cells. *Cell Cycle* 2016 Mar 18;15(6): 799-811. doi: 10.1080/15384101.2016.1138187

Mortensen LS, Schmidt H, Farsi Z, Barrantes-Freer A, Rubio ME, Ufartes R, Eilers J, Sakaba T, Stuehmer W, Pardo LA (2015) K(V)10.1 opposes activity-dependent increase in Ca<sup>2+</sup> influx into the presynaptic terminal of the parallel fibre-Purkinje cell synapse. *Journal of Physiology-London* 593: 181-196

Lörinczi É, Gómez-Posada JC, de la Peña P, Tomczak AP, Fernández-Trillo J, Leipscher U, Stühmer W, Barros F, Pardo LA (2015) Voltage-dependent gating of KCNH potassium channels lacking a covalent link between voltage-sensing and pore domains. *Nat Commun* 6

Pardo LA, Stühmer W (2014) The roles of K<sup>+</sup> channels in cancer. *Nat Rev Cancer* 14: 39-48

Jimenez-Garduno AM, Mitkovski M, Alexopoulos IK, Sanchez A, Stuehmer W, Pardo LA, Ortega A (2014) KV10.1 K<sup>(+)</sup>-channel plasma membrane discrete domain partitioning and its functional correlation in neurons. *Biochim Biophys Acta* 1838: 921-31





## Address

Dept. of Clinical Neurophysiology  
University of Göttingen  
Robert Koch Str. 40

37075 Göttingen Germany

phone: +49-551-39 6650  
fax: +49-551-39 8126  
e-mail: wpaulus@med.uni-goettingen.de

## Further Information

<http://www.neurologie.uni-goettingen.de/>

## Walter Paulus

### Professor of Clinical Neurophysiology

- Dr. med., University of Düsseldorf, 1978
- Training in Neurology at the Universities of Düsseldorf, UCL London and Munich
- Habilitation (Neurology and Clinical Neurophysiology) in Munich
- Prof. and Head of the Department of Clinical Neurophysiology 1992

### Major Research Interests

We intend to understand and modulate cortical plasticity in man. This is mainly done on a behavioural, imaging and electrophysiological level. We use (motor) learning paradigms, evaluate them by behavioural techniques and by recording EMG; EEG or fMRI data in the context with connectivity analyses. We develop and/or apply stimulation techniques such as repetitive transcranial magnetic stimulation (rTMS), transcranial direct current stimulation, alternating current stimulation or random noise stimulation (tDCS, tACS, tRNS). TMS induces a short electric current in the human brain. Both rTMS and electric stimulation techniques offer the prospect of inducing LTD and LTP like effects in the human brain. Diseases in our focus are Parkinson's disease, epilepsy, migraine, stroke and dystonia.

The Department of Clinical Neurophysiology pursues other research areas such as Neurorehabilitation in conjunction with the Bernstein Centre of Computational Neuroscience and with the Company Otto Bock. Another focus concerns Hereditary Neuropathies in collaboration with the MPI for Experimental Medicine, speech disorders with a focus on stuttering and others (overview researcher ID A-3544-2009).

### Selected Recent Publications

Alekseichuk et al. (2016) Spatial Working Memory in Humans Depends on Theta and High Gamma Synchronization in the Prefrontal Cortex. *Current Biology* 26: 1513-1521

Voss U, Holzmann R, Hobson A, Paulus W, Koppehele-Gossel J, Klimke A, Nitsche M A (2014) Induction of self awareness in dreams through frontal low current stimulation of gamma activity. *Nat Neurosci* 17(6): 810-2

Paulus W (2014) Transcranial brain stimulation: potential and limitations. *e-Neuroforum* doi:DOI 10.1007/s13295-014-0056-6

Sommer M, Norden C, Schmack L, Rothkegel H, Lang N, Paulus W (2013) Opposite optimal current flow directions for induction of neuroplasticity and excitation threshold in the human motor cortex. *Brain Stimul* 6(3): 363-70

Polanía R, Nitsche MA, Korman C, Batsikadze G, Paulus W (2012) The importance of timing in segregated theta phase-coupling for cognitive performance. *Curr Biol* 22: 1314-8

Antal A, Polania R, Schmidt-Samoa C, Dechent P, Paulus W. (2011) Transcranial direct current stimulation over the primary motor cortex during fMRI. *Neuroimage*. 2011 Mar 15;55(2): 590-6

Moliadze V, Antal A, Paulus W. Boosting brain excitability by transcranial high frequency stimulation in the ripple range. *J Physiol* 2010 588: 4891-904

Nitsche MA, Kuo MF, Karrasch R, Wächter B, Liebetanz D, Paulus W (2009) Serotonin affects transcranial direct current-induced neuroplasticity in humans. *BIOL PSYCHIAT* 66(5): 503-8



### Address

Perception and Cognition  
European Neuroscience  
Institute (ENI)  
Grisebachstrasse 5

37077 Göttingen  
Germany

phone: +49-551-39 13909  
e-mail: a.pooresmaeili  
@eni-g.de

### Further Information

[http://www.eni.gwdg.de/  
index.php?id=435](http://www.eni.gwdg.de/index.php?id=435)

## Arezoo Pooresmaeili

### Group Leader Perception and Cognition

- 1994 – 2001 Tehran University School of Medicine and Health Sciences, obtained degree: MD
- 2003 – 2009 PhD projects exploring mechanisms of visual attention in the primary visual cortex and Frontal Eye Fields (under supervision of Dr. Pieter Roelfsema)
- 2009 – 2011 Postdoctoral fellow, Pisa Vision Lab, with Dr. Concetta Morrone and Dr. David Burr
- 2011 – 2014 Postdoctoral fellow, Berlin School of Mind and Brain, with Dr. Ray Dolan (Einstein Visiting Fellow)
- Since 2015 Group Leader, Perception and Cognition Group, European Neuroscience Institute, Göttingen, Germany

### Major Research Interests

- Systems Neuroscience
  - Cognitive Neuroscience
    - Behavioral, Neuroimaging, Electrophysiology and Brain Stimulation Studies in humans
      - Sensory Perception
      - Attention
      - Reward Processing
      - Decision Making
      - Social Cognition

### Selected Recent Publications

Arezoo Pooresmaeili, Aurel Wannig, Raymond J. Dolan (2015) Receipt of reward leads to altered estimation of effort. *Proc Natl Acad Sci U S A* 112(43): 13407-10. doi: 10.1073/pnas.1507527112. Epub 2015 Oct 12

Arezoo Pooresmaeili, Thomas H.B. FitzGerald, Dominik R. Bach, Ulf Toelch, Florian Ostendorf, Raymond J. Dolan (2014) Crossmodal effects of value on perceptual acuity and stimulus encoding. *Proceedings of the National Academy of Sciences (PNAS)* 111(42): 15244-9. doi: 10.1073/pnas.1408873111

Arezoo Pooresmaeili and Pieter Roelfsema (2014) A growth-cone model for the spread of object-based attention. *Current Biology* 24(24): 2869-77. doi: 10.1016/j

Arezoo Pooresmaeili, Jasper Poort, Pieter R Roelfsema (2014) Simultaneous selection by object-based attention in visual and frontal cortex. *Proceedings of the National Academy of Sciences (PNAS)* 111(17): 6467-72. doi: 10.1073/pnas.1316181111

Arezoo Pooresmaeili, Roberto Arrighi, Laura Biagi, Maria Concetta Morrone: (2013) Blood Oxygen Level-Dependent Activation of the Primary Visual Cortex Predicts Size Adaptation Illusion. *Journal of Neuroscience* 33(40): 15999-16008

Arezoo Pooresmaeili, Jasper Poort, Alexander Thiele, Pieter R Roelfsema (2010) Separable codes for attention and luminance contrast in the primary visual cortex. *Journal of Neuroscience* 30(38): 12701-11



### Address

Dept. of Molecular Biology  
of Neuronal Signals  
Max Planck Institute for  
Experimental Medicine  
Hermann-Rein-Strasse 3

37075 Göttingen  
Germany

phone: +49-551-3899 643  
fax: +49-551-3899 644  
e-mail: pardo@em.mpg.de

### Further Information

<http://www.uni-goettingen.de/en/127638.html>

## Jeong Seop Rhee

### Group leader at the Max Planck Institute for Experimental Medicine

- M.S. in Biology, Sogang University Master thesis, Seoul, Korea (1992)
- Ph. D. Kyushu University, School of Medicine Department of Physiology, Japan (1997)
- Assistant Professor, Kyushu University, Faculty School of Medicine Department of Physiology, Japan (1997 – 2000)
- Postdoctoral fellow, Max-Planck Institute Biophysical Chemistry, Department of Membranbiophysik, Germany (2000 – 2004)
- Assistant Professor, Baylor College of Medicine, Department of Human Genetics and Neuroscience, USA (2004 – 2006)
- Group Leader, Max Planck Institute of Experimental Medicine, Göttingen, Germany (since 2006)

### Major Research Interests

We study that signaling between nerve cells in the brain is mainly mediated at synapses, which are specialized cellular contact sites. The transfer of information at synapses can be regulated dynamically, a process that is called synaptic plasticity. Our main research goal is to elucidate the molecular mechanisms that underlie synaptic plasticity at synapses in the central nervous system. For this purpose we mainly use electrophysiological methods, in combination with nerve cells from genetically modified mice or virus-mediated molecular perturbation of nerve cell function.

Neurotransmitter release is the first step in synaptic signaling. It is mediated by exocytosis of synaptic vesicles at highly specialized contact sites, the active zones of synapses. Neurotransmitters are stored in synaptic vesicles, which undergo a complex trafficking cycle in the presynaptic compartment in order to sustain the rapid and repetitive transfer of information between nerve cells. Synaptic vesicles are initially tethered at the active zone plasma membrane, a process termed docking. Subsequently vesicles undergo a pre-fusion reaction termed priming, which renders docked vesicles fusion competent, thus defining the readily releasable pool of vesicles. Triggered by the arrival of an action potential at the nerve terminal and the concomitant increase in the intracellular  $Ca^{2+}$  concentration, a fraction of fusion competent vesicles in the readily releasable pool fuse with the plasma membrane and release their content. After fusion, vesicular membrane and protein components are recycled by endocytosis and used for additional rounds of exocytosis.

Essentially, each step of the synaptic vesicle cycle can contribute to the regulation of synaptic plasticity. We combine mouse genetics, molecular biological and morphological methods, and patch clamp electrophysiological analyses of autaptic cultured neurons, organotypic brain slice cultures, acute brain slices, or acutely isolated neurons with active presynaptic terminals in order to identify the molecular mechanisms underlying the individual synaptic vesicle recycling steps. In the past, we characterized mutant mice lacking identified presynaptic protein components of the neurotransmitter release machinery. Experiments on mutant mouse neurons are complemented by virus mediated expression of proteins in cultured neurons, which allows us to perform detailed structure-function analyses of presynaptic proteins.

### Selected Recent Publications

Shin OH, Lu J, Rhee JS, Tomchick DR, Pang ZP, Wojcik SM, Camacho-Perez M, Brose N, Machius M, Rizo J, Rosenmund C, Südhof TC (2010) Munc13 C(2) B domain is an activity-dependent  $Ca^{2+}$  regulator of synaptic exocytosis. *Nat Struct Mol Biol* 17: 280-288

Kawabe H\*, Neeb A, Dimova K, Young SM Jr, Takeda M, Katsurabayashi S, Mitkovski M, Malakhova OA, Zhang DE, Umikawa M, Kariya K, Goebbels S, Nave KA, Rosenmund C, Jahn O, Rhee JS, Brose N\* (2010) Regulation of Rap2A by the ubiquitin ligase Nedd4-1 controls neurite development in cortical neurons. *Neuron* 65: 358-372



### Address

Department of Neuro- and  
Sensory Physiology  
University Medical Center  
Göttingen  
Humboldtallee 23

37073 Göttingen  
Germany

phone: +49-551-39 591 1  
fax: +49-551-39 6031  
e-mail: srizzol@gwdg.de

### Further Information

<http://rizzoli-lab.de/>

## Silvio O. Rizzoli

### Professor, Director of Department of Neuro- and Sensory Physiology

- 1996 – 2000 BSc in Biochemistry at the University of Bucharest, Romania
- 2000 – 2004 PhD in Physiology at the University of Colorado, Denver, USA (Department of Physiology and Biophysics, Prof. W. J. Betz)
- 2004 – 2007 Postdoctoral Fellow, Dept. of Neurobiology, Max-Planck Institute for Biophysical Chemistry, Göttingen
- 2007 – 2012 Group Leader (STED Microscopy) at the European Neuroscience Institute Göttingen (ENI-G)
- 2012 – 2014 Professor (W3), University Medical Center Göttingen
- 2014 – Director of the Department of Neuro- and Sensory Physiology, University Medical Center Göttingen

### Major Research Interests

Conventional fluorescence microscopy is limited by the diffraction of light: fluorescent objects that are close together cannot be discerned. Stimulated emission depletion (STED) is a recent advancement in optical physics that breaks the diffraction barrier, allowing microscopes to obtain much clearer images.

The diffraction barrier has been particularly problematic for imaging synaptic vesicles, which are among the smallest known organelles (30-50 nm in diameter). They are located in small areas in the synapses (about 1 micron in diameter). The group takes advantage of the increased imaging resolution provided by STED to investigate synaptic vesicle function, with an emphasis on synaptic vesicle recycling. Since STED microscopy also allows imaging of protein domains, the group aims at studying the patterning of protein domains in the synapse, in order to understand its molecular architecture.

### Selected Recent Publications

Wilhelm BG, Mandad S, Truckenbrodt S, Kröhnert K, Schäfer C, Rammner B, Koo SJ, Claßen GA, Krauss M, Haucke V, Urlaub H, Rizzoli SO (2014) Composition of isolated synaptic boutons reveals the amounts of vesicle trafficking proteins. *Science* 344: 1023-1028

Revelo NH, Kamin D, Truckenbrodt S, Wong AB, Reuter-Jessen K, Reisinger E, Moser T, Rizzoli SO (2014) A new probe for super-resolution imaging of membranes elucidates trafficking pathways. *J Cell Biol* 205: 591-606

Saka SK, Vogts A, Kröhnert K, Hillion F, Rizzoli SO\*, Wessels JT\* (2014) Correlated optical and isotopic nanoscopy. *Nat Commun* 5: 3664. \*corresponding author

Saka SK, Honigmann A, Eggeling C, Hell SW, Lang T, Rizzoli SO (2014) Multi-protein assemblies underlie the mesoscale organization of the plasma membrane. *Nat Commun* 5: 4509

Opazo F, Levy M, Byrom M, Schäfer C, Geisler C, Groemer TW, Ellington AD, Rizzoli SO (2012) Aptamers as potential tools for super-resolution microscopy. *Nat Methods* 9: 938-939

Denker A, Bethani I, Kröhnert K, Körber C, Horstmann H, Wilhelm BG, Barysch SV, Kuner T, Neher E, Rizzoli SO (2011a) A small pool of vesicles maintains synaptic activity *in vivo*. *Proc Natl Acad Sci USA* 108: 17177-17182

Denker A, Kröhnert K, Bückers J, Neher E, Rizzoli SO (2011b) The reserve pool of synaptic vesicles acts as a buffer for proteins involved in synaptic vesicle recycling. *Proc Natl Acad Sci USA* 108: 17183-17188

Wilhelm BG, Groemer TW, Rizzoli SO (2010) The same synaptic vesicles drive active and spontaneous release. *Nat Neurosci* 13: 1454-1456

Hoopmann P, Punge A, Barysch SV, Westphal V, Bückers J, Opazo F, Bethani I, Lauterbach MA, Hell SW, Rizzoli SO (2010) Endosomal sorting of readily releasable synaptic vesicles. *Proc Natl Acad Sci USA* 107: 19055-19060





## Address

CRC Text Structures  
University of Göttingen  
Nikolausberger Weg 23

37073 Göttingen  
Germany

phone: +49-551-39 20022  
fax: +49-551-39 20020  
e-mail: [aschach@gwdg.de](mailto:aschach@gwdg.de)

## Further Information

<http://www.uni-goettingen.de/de/191594.html>

## Annekathrin Schacht

### Research Group Leader

- 2004 – 2008: Research Scientist, Biological Psychology / Psychophysiology (Prof. Dr. Werner Sommer), Institute of Psychology, HU Berlin
- 2008: Dissertation (Dr. rer. nat., HU Berlin)
- 2009: Visiting Professor of Psychology of Motivation and Emotion (substitution), Department of Psychology, University of Potsdam
- 2010: Invited Junior Professor of Affective Neuroscience, Swiss Center for Affective Sciences (CISA), University of Geneva
- 2010: Visiting Professor of Cognitive Neuroscience, Institute of Psychology, Humboldt-Universität zu Berlin
- 2011: Habilitation (venia legendi) in Psychology (HU Berlin)
- since 10/2010: Junior Professor (tenure track), Courant Research Centre “Text Structures”, University of Göttingen

### Major Research Interests

Our main research activities focus on the interplay of cognition and emotion in several domains of human information processing, including faces and written and spoken language. Our work aims to identify the specification of the origins, dynamics, and boundary conditions of emotion effects within and between different stimulus domains and modalities, as well as to better define the emotional outcomes of cognitive operations. In order to answer our research questions, we employ a combination of well-established experimental paradigms with several psychophysiological measures, including event-related brain potentials (ERPs), eye movements, electrodermal and respiratory activity, facial muscle activity (via EMG recordings), and changes of pupil diameter.

Research areas:

- Affective and motivational impacts on visual sensory processing
- Emotion-cognition interplay in the processing of written and spoken language
- Face processing, including emotional expressions, attractiveness, and face identity
- Audiovisual integration of social signals in human communication

### Selected Recent Publications

Bayer M, Schacht A (2014) Event-related brain responses to emotional words, pictures and faces? A cross-domain comparison. *Frontiers in Psychology* 5: 1106. DOI: 10.3389/fpsyg.2014.01106

Rellecke J, Sommer W, Schacht A (2012) Does Processing of Emotional Facial Expressions Depend on Intention? Time-resolved Evidence from Event-related Brain Potentials. *Biological Psychology* 90: 23-32. DOI: 10.1016/j.biopsycho.2012.02.002

Schacht A, Adler N, Chen P, Guo T, Sommer W (2012) Association with Positive Outcome induces Early Effects in Event-related Brain Potentials. *Biological Psychology* 89: 130-136. DOI: 10.1016/j.biopsycho.2011.10.001

Recio G, Sommer W, Schacht A (2011) Electrophysiological correlates of perceiving and evaluating static and dynamic facial emotional expressions. *Brain Research* 1376: 66-75. DOI: 10.1016/j.brainres.2010.12.041

Schacht A, Sommer W. (2009) Emotions in Word and Face Processing: Early and Late Cortical Responses. *Brain and Cognition* 69: 538-550. DOI: 10.1016/j.bandc.2008.11.005

Schacht A, Sommer W (2009) Time Course and Task Dependence of Emotion Effects in Word Processing. *Cognitive, Affective, & Behavioral Neuroscience* 9: 28-43. DOI: 10.3758/CABN.9.1.28





### Address

Dept. of Neurobiology  
German Primate Center  
Kellnerweg 4

37077 Göttingen  
Germany

phone: +49-551-3851 494  
fax: +49-551-3851 228  
e-mail: [hscherberger@dpz.eu](mailto:hscherberger@dpz.eu)

### Further Information

<http://dpz.eu/neurobiology>

## Hansjörg Scherberger

### Group Leader Primate Neurobiology at the German Primate Center

- Dipl. math. (MS Math), University of Freiburg, Germany, 1993
- Dr. med. (MD), University of Freiburg, Germany, 1996
- Postdoctoral Fellow, Dept of Neurology, University of Zürich, Switzerland, 1995 – 1998
- Postdoctoral Fellow, California Institute of Technology, 1998 – 2000
- Senior Postdoctoral Fellow, California Institute of Technology, 2000 – 2004
- Work group leader, Institute of Neuroinformatics, ETH / University of Zürich, Switzerland, 2004 – 2009
- Professor for Primate Neurobiology, University of Göttingen and Deutsches Primatenzentrum GmbH, since 2008

### Major Research Interests

We are interested in how hand movements are generated in the primate brain and how intentions to grasp objects can be decoded for controlling a neural prosthesis. For this, we investigate the cortical representation of hand movements in motor-related cortical areas and their relation to sensory systems and decision making. Furthermore, we are developing brain-machine interfaces that can read out such movement intentions to control robotic devices. Such systems could be useful for future applications aiming to restore hand function in paralyzed patients.

### Selected Recent Publications

Townsend BR, Subasi E, Scherberger H (2011) Grasp movement decoding from premotor and parietal cortex. *J Neurosci* 31: 14386-14398

Fluet MC, Baumann M, Scherberger H (2010) Context-specific grasp movement representation in macaque ventral premotor cortex. *J Neuroscience* 30: 15175-15184

Baumann M, Fluet MC, Scherberger H (2009) Context-Specific Grasp movement representation in the macaque anterior intraparietal area. *J Neuroscience* 29: 6436-6448

Scherberger H (2009) Neural control of motor prostheses. *Current Opinion in Neurobiology* 19: 629-633

Scherberger H, Andersen RA (2007) Target selection signals for arm reaching in the posterior parietal cortex. *Journal of Neuroscience* 27: 2001-2012

Scherberger H, Jarvis MR, Andersen RA (2005) Cortical local field potential encodes movement intentions in the posterior parietal cortex. *Neuron* 46: 347-354

Musallam S, Corneil BD, Greger B, Scherberger H, Andersen RA (2004) Cognitive control signals for neural prosthetics. *Science* 305: 258-262



## Address

Dept. of Neurophysiology  
and Cellular Biophysics in  
the Center of Physiology  
and Pathophysiology  
University of Göttingen  
Humboldtallee 23

37073 Göttingen  
Germany

phone: +49-551-39 5915  
fax: +49-551-39 8399  
e-mail: dschild@gwdg.de

## Further Information

<http://www.uni-goettingen.de/en/58026.html>

## Detlev Schild

### Professor of Physiology

- 1979 Diploma in Physics, University of Göttingen
- 1982 M.D., University of Göttingen
- 1985 Dr. rer. nat., University of Göttingen
- 1987 Dr. med., University of Göttingen
- 1997 Appointed head of the Department of Molecular Neurophysiology in the Center of Physiology and Pathophysiology, Medical School, University of Göttingen

### Major Research Interests

We are trying to understand how the sense of smell works. Olfactory systems are able to detect and distinguish thousands of molecules in our environment. Receptor neurons are endowed with hundreds of different receptor molecules to bind odorants and transduce the chemical signals into electrical ones. Chemosensory information is thus represented in a rather high-dimensional space. The receptor neurons, which code the hitting probability of odor molecules binding to their molecular receptors, eventually generate trains of action potentials, a one-dimensional vector of stochastic processes. They convey their information onto the brain, in particular the olfactory bulb, where the receptor neuron signals are transformed into a two-dimensional neuronal image of firing activities. Glomerula, small skeins of receptor nerve fibers and synapses in the olfactory bulb, appear to be the heart of olfactory coding.

Using a combination of electrophysiological techniques, single molecule detection, photochemical and high resolution imaging techniques as well as computational and modeling methods, we are studying the biophysical and physicochemical details of

- the primary coding processes,
- the synaptic transmission in glomerula
- the generation of the neuronal chemotopic map as well as
- the processes and mechanism of odor learning and memory.

### Selected Recent Publications

Alevra M, Schwartz P, Schild D (2012) Direct measurement of diffusion in olfactory cilia using a modified FRAP approach. *PLoS ONE*, 7(7): e39628

Breunig E, Kludt E, Czesnik D, Schild D (2011) The styryl dye FM1-43 suppresses odorant responses in a subset of olfactory neurons by blocking cyclic nucleotide-gated (cng) channels. *J Biol Chem* 286(32): 28041-28048

Junek S, Kludt E, Wolf F, Schild D (2010) Olfactory coding with patterns of response latencies. *Neuron* 67: 872-884

Breunig E, Manzini I, Piscitelli F, Gutermann B, Di Marzo V, Schild D, and Czesnik D (2010) The endocannabinoid 2-AG controls odor sensitivity in larvae of *Xenopus laevis*. *J Neurosci* 30: 8965-8973

Hassenklöver T, Schwartz P, Schild D, Manzini I (2009) Purinergic signaling regulates cell proliferation of olfactory epithelium progenitors. *Stem Cells* 27: 2022-2031

Chen T-W, Lin B-J, Schild D (2009) Odor coding by modules of coherent mitral/tufted cells in the vertebrate olfactory bulb. *PNAS* 106: 2401-2406

Junek S, Chen T-W, Alevra M, Schild D Activity Correlation Imaging (2009) Visualizing Function and Structure of Neuronal Populations. *Biophys J* 96: 3801 - 3809

Czesnik D, Schild D, Kuduz J, Manzini I (2007) Endocannabinoid actions in the olfactory epithelium. *Proc Natl Acad Sci USA* 104: 2967-2972

Franze K, Grosche J, Skatchkov SN, Schinkinger S, Schild D, Uckermann O, Travis K, Reichenbach A, Guck J (2007) Spotlight on Glial Cells: Living Optical Fibers in the Vertebrate Retina. *Proc Natl Acad Sci USA* 104: 8287-8292



## Address

Molecular Neurobiology  
European Neuroscience  
Institute (ENI)  
Grisebachstrasse 5

37077 Göttingen  
Germany

phone: +49-551-39 10374  
fax: +49-551-39 12346  
e-mail: [oschlue@gwdg.de](mailto:oschlue@gwdg.de)

## Further Information

<http://www.uni-goettingen.de/en/58027.html>

## Oliver Schlüter

### Group Leader Molecular Neurobiology

- 1995 – 2001 M.D. Ph.D. with Thomas C. Südhof at the Max-Planck-Institute for Experimental Medicine in Göttingen (Germany)
- Dr. rer. nat. (PhD) 2000, University of Hannover
- Dr. med. (Medical thesis), University of Göttingen
- 2002 – 2006 Postdoc with Robert C. Malenka at Stanford University Medical Center (USA)
- Independent group leader (Emmy-Noether/DFG) at the European Neuroscience Institute Göttingen (ENI-G), since 2006

### Major Research Interests

Activity-dependent modulations of synaptic transmission are important mechanisms of information processing and storage in neuronal circuits. A variety of related but mechanistically distinct forms of synaptic plasticity have been described in *in vitro* preparations of brain slices.

A major goal of my laboratory is to elucidate the underlying molecular events, leading to and regulating changes in synaptic efficacy. Newly developed techniques of molecular replacement, using mouse genetics and/or viral-mediated gene transfer allow us to manipulate the molecular composition of single neurons in a spatial and temporal controlled manner.

In particular, we are able to investigate the effects of heterologously expressed proteins on the background of wild-type neurons, or neurons, in which the endogenous protein expression is diminished. We combine this technique with simultaneous dual whole cell patch clamp recordings from rodent brain slices to monitor changes in synaptic efficacy in the manipulated cell in comparison to the neighboring control cell.

Knowledge gained from the understanding of molecular mechanisms of synaptic transmission and plasticity will ultimately provide important clues for the function of neuronal circuits and potentially the functioning of the brain.

### Selected Recent Publications

Bonnet SA\*, Akad DS\*, Samaddar T, Liu Y, Huang X, Dong Y, Schlüter OM# (2013) Synaptic state-dependent functional interplay between Postsynaptic Density-95 and Synapse-associated Protein 102. *J Neurosci* 33(33): 13398-409

Suska A\*, Lee BR, Huang YH, Dong Y#, Schlüter OM# (2013). Selective presynaptic enhancement of the prefrontal cortex to nucleus accumbens pathway by cocaine. *Proc Natl Acad Sci USA* 110(2): 713-8

Brown TE, Lee BR, Mu P, Ferguson D, Dietz D, Ohnishi YN, Lin Y, Suska A, Ishikawa M, Huang YH, Shen H, Kalivas PW, Sorg BA, Zukin RS, Nestler EJ, Dong Y, Schlüter OM (2011) A silent synapse-based mechanism for cocaine-induced locomotor sensitization. *J Neurosci* 31: 8163-74

Xu\* W, Schlüter OM, Steiner P, Czervionke BL, Sabatini B, Malenka RC (2008) Molecular dissociation of the role of PSD-95 in regulating synaptic strength and LTD. *Neuron* 57: 248-62

Schlüter OM, Xu\* W, Malenka RC (2006) Alternative N-terminal domains of PSD-95 and SAP97 govern activity-dependent regulation of synaptic AMPA receptor function. *Neuron* 51: 99-111

Schlüter OM, Basu J, Südhof TC, Rosenmund C (2006) Rab3 superprimes synaptic vesicles for release: implications for short-term synaptic plasticity. *J Neurosci* 26, 1239-46

Chandra S, Gallardo G, Fernandez-Chacon R, Schlüter OM, Südhof TC (2005) Alpha-synuclein cooperates with CSP $\alpha$  in preventing neurodegeneration. *Cell* 123: 383-96



## Address

Somatosensory Signaling  
Group  
Max Planck Institute for  
Experimental Medicine  
Hermann-Rein-Str. 3

37075 Göttingen  
Germany

phone: +49-551-3899 572  
fax: +49-551-3899 573  
e-mail: mschmidt@  
em.mpg.de

## Further Information

[http://www.em.mpg.de/  
index.php?id=311](http://www.em.mpg.de/index.php?id=311)

## Manuela Schmidt

### Group Leader Somatosensory Signaling at the Max Planck Institute for Experimental Medicine

- 1997 – 2002: Diploma, Biology, University of Wuerzburg, Germany
- 2001 – 2002: Master, Neurosciences, International Max Planck School Neurosciences, Goettingen, Germany
- 2002 – 2006: PhD, Neurosciences, International Max Planck School Neurosciences, Laboratory of Stephan Sigrist, ENI-G, Goettingen, Germany
- 2007 – 2012: Postdoc with Ardem Patapoutian, The Scripps Research Institute, La Jolla, California, USA
- Since 2012: Emmy Noether Group Leader

### Major Research Interests

The perception of and appropriate reaction to external and internal stimuli is critical for survival. In vertebrates, chemical, mechanical (from pleasant touch to painful contact) and thermal stimuli are detected by specialized somatic sensory neurons which transfer these signals via the spinal cord to the brain. An important subset of these neurons, so-called nociceptors, senses noxious stimuli. Consequently, their activation mediates nociception and leads to the sensation of pain.

Pain is the single most common symptom for which patients seek medical assistance. While acute pain has served as a protective mechanism throughout evolution to guard the body against injury, pain can also become chronic and highly debilitating. Unfortunately, chronic pain imposes substantial challenges to medical practice: current therapies can be effective for short-term treatment however many do not provide sufficient relief to chronic conditions or cause strong side-effects. Therefore, a deeper understanding of the molecular mechanisms underlying both, acute and chronic pain is crucially needed.

Our research focuses on the comparative and quantitative analysis of somatosensory signaling networks in established mouse models of acute and chronic pain. To this purpose our lab employs interactomics, genetic profiling, calcium-imaging, electrophysiology, neuronal tracing and mouse behavioral studies in order to address key questions:

- What are the specific dynamic changes that occur at the molecular, cellular and network levels in nociceptors during acute and chronic pain?
- How are these changes mirrored in pain-related regions of the central nervous system?

### Selected Recent Publications

Rouvette T, Avenali L, Sondermann J, Narayanan P, Gomez-Varela D, Schmidt M (2015) Modulation of nociceptive ion channels and receptors via protein-protein interactions - implications for pain relief. *Channels (Austin)*. 2015 Jul 4;9(4): 175-85. doi: 10.1080/19336950.2015.1051270. Epub 2015 Jun 3.

Coste B, Murthy SE, Marthur J, Schmidt M, Mechioukhi Y, Delmas P, Patapoutian A. (2015) Piezo1 ion channels pore properties are dictated by C-terminal region. *Nature Communications* 6; doi: 10.1038/ncomms8223

Avenali L, Narayanan P, Rouvette T, Cervellini I, Sereda M, Gomez-Varela D, Schmidt M. (2014). Annexin A2 Regulates TRPA1-Dependent Nociception. *J Neurosci*. 34(44): 14506-16. doi: 10.1523/JNEUROSCI.1801-14

Dubin AE, Schmidt M, Mathur J, Petrus MJ, Xiao B, Coste B, Patapoutian A (2012) Inflammatory signals enhance piezo2-mediated mechanosensitive currents. *Cell Rep* Sep 27;2(3): 511-7

Gómez-Varela D, Schmidt M, Schoellerman J, Peters EC, Berg DK (2012) PMCA2 via PSD-95 Controls Calcium Signaling by  $\alpha 7$ -Containing Nicotinic Acetylcholine Receptors on Aspiny Interneurons. *J Neurosci* 16;32(20): 6894-905

Coste B, Xiao B, Santos JS, Syeda R, Grandl J, Spencer KS, Kim SE, Schmidt M, Mathur J, Dubin AE, Montal M, Patapoutian A (2012) Piezo proteins are pore-forming subunits of mechanically activated channels. *Nature* 19;483(7388): 176-81





### Address

AG "Molecular and Translational Neurology"  
Max Planck Institute  
for Experimental Medicine  
Hermann-Rein-Str. 3

37075 Göttingen  
Germany

phone: +49-551-3899 745  
+49-551-3899 757  
fax: +49-551-3899 753  
e-mail: sereda@  
em.mpg.de

### Further Information

[http://www.em.mpg.de/  
index.php?id=122&L=1](http://www.em.mpg.de/index.php?id=122&L=1)

## Michael Sereda

### Group Leader Molecular and Translational Neurology at the Max Planck Institute for Experimental Medicine

- 2007 Group leader "Molecular and Translational Neurology", Max Planck Institute of Experimental Medicine
- 2008 Board certification in Neurology (Facharzt für Neurologie)
- 2008 Attending Neurologist and Head Neurogenetics Outpatients Clinic, Dept. of Clinical Neurophysiology, University of Göttingen, UMG
- 2010 Associate Professorship "Neurology and Neurogenetics" (Habilitation)
- 2012 DFG-Heisenberg Professorship "Hereditary Neuropathies", Dept. of Clinical Neurophysiology, University of Göttingen

### Major Research Interests

We pursue a basic research interest in glia cell biology, axon-glia interaction and mechanisms of diseases of the peripheral nervous system (PNS). We have generated a transgenic rat model of the most frequent human neuropathy, Charcot-Marie-Tooth disease type 1A (CMT1A). This disease is associated with a partial duplication of chromosome 17 which leads to an overexpression of the tetraspan protein PMP22. Transgenic "CMT rats" expressing additional copies of this gene share characteristic clinical features of the human disease, including muscle weakness, reduced nerve conduction velocities, and marked Schwann cell hypertrophy resulting in onion bulb formation. The CMT rat allows a better understanding of the cellular disease mechanism operating in human CMT1A, and is helpful in the analysis of modifier genes, epigenetic factors, and in the evaluation of experimental treatment strategies. In an attempt to translate findings from the animal model to humans we have recently identified biomarkers of disease severity in CMT1A patients. We are currently validating markers in patients from across Europe which should help us to perform clinical trials in the near future.

### Selected Recent Publications

Stassart RM, Fledrich R, Velanac V, Brinkmann BG, Schwab MH, Meijer D, Sereda MW, Nave K-A (2013) A role for Schwann cell-derived neuregulin-1 in remyelination. *Nat Neurosci* 1: 48-54

Fünfschilling U, Supplie LM, Mahad D, Boretius S, Saab AS, Edgar J, Brinkmann BG, Kassmann CM, Tzvetanova ID, Möbius W, Diaz F, Meijer D, Suter U, Hamprecht B, Sereda MW, Moraes CT, Frahm J, Goebbels S, Nave K-A (2012) Glycolytic oligodendrocytes maintain myelin and long-term axonal integrity. *Nature* 29: 517-21

Fledrich R, Schlotter-Weigel B, Schnizer TJ, Wichert SP, Stassart RM, Meyer zu Hörste G, Klink A, Weiss BG, Haag U, Walter MC, Rautenstrauss B, Paulus W, Rossner MJ, Sereda MW (2012) A rat model of Charcot-Marie-Tooth disease 1A recapitulates disease variability and supplies biomarkers of axonal loss in patients. *Brain* 135: 72-87

Brinkmann BG, Agarwal A, Sereda MW, Garratt AN, Lai C, Müller T, Wende H, Stassart RM, Nawaz S, Humml C, Velanac V, Radyushkin K, Goebbels S, Fischer TM, Birchmeier C, Ehrenreich H, Schwab MH, Nave K-A (2008) Neuregulin-1/ ErbB signaling serves distinct functions in myelination of the peripheral and central nervous system. *Neuron* 28;59(4): 581-95

Meyer zu Horste G, Prukop T, Liebetanz D, Möbius W, Nave K-A, Sereda MW (2007) Antiprogestosterone therapy uncouples axonal loss from demyelination in a transgenic rat model of CMT1A neuropathy. *Ann Neurol* 61(1): 61-72





## Address

AG Visual Processing  
European Neuroscience  
Institute Göttingen (ENI)  
Grisebachstr. 5

37077 Göttingen  
Germany

phone: +49-551-39 13905  
e-mail: msilies@eni-g.de

## Further Information

[http://www.eni.gwdg.de/  
index.php?id=356](http://www.eni.gwdg.de/index.php?id=356)

## Marion Silies

### Group Leader Visual Processing

- PhD in Biology, University of Münster, 2009
- Postdoctoral Fellow, Stanford University, 2009 - 2014
- Group leader, European Neuroscience Institute Göttingen, since 2014

### Major Research Interests

We aim to understand how neural networks perform critical computations. In sensory systems, a variety of computations extract information from the environment to guide behavior. Our understanding of these processes remains fragmentary: in some systems, specific neurons have been identified that respond to distinct sensory cues; in others, specific behavioral outputs or computational models that predict physiology or behavior are known. We want to get a complete understanding of how neurons gain specific physiological properties, how they are organized in circuits and how these circuits guide distinct behaviors.

Animals ranging from insects to humans use visual motion to navigate through the environment, capture prey, or escape predators. Because motion vision requires circuits to integrate visual information over both space and time it has long been considered a paradigmatic computation for understanding brain function and models that describe how motion information can be extracted have long existed. However, the neural circuits that implement these models are still incompletely understood. Moreover, many molecular and cellular mechanisms regulate synaptic activity or modulate cellular properties in identified neurons, but they have only rarely been associated with specific, behaviorally relevant computations. My lab intends to achieve this by studying motion detection in a genetic model organism, the fruit fly *Drosophila*. In flies, motion-guided behaviors have been studied in detail and described computationally. We use cell biological and genetic approaches to manipulate critical neurons in motion detecting circuits. In combination with physiology and quantitative behavioral analysis, we hope to identify the mechanisms by which a nervous system can integrate molecular, cellular and circuit mechanisms to compute behaviorally critical outputs from specific inputs.

### Selected Recent Publications

Fisher YE, Leong JCS, Sporar K, Ketkar MD, Gohl DM, Clandinin TR and Silies M (2015) A visual pathway with wide field properties is required for elementary motion detection. *Current Biology* 22: 3178-3189

Fisher YE\*, Silies M\* and Clandinin TR (2015) Orientation selectivity sharpens correlation based elementary motion detection in *Drosophila*. *Neuron* 88: 390-402. \*equal contribution

Silies M, Gohl DM, and Clandinin TR (2014) Motion-Detecting Circuits in Flies: Coming Into View. *Annual Review of Neuroscience* 37: 307-327

Clark DA, Fitzgerald JE, Ales JM, Silies M, Gohl DM, Norcia AM and Clandinin TR (2014) Flies and humans use a shared computational strategy that exploits natural scene statistics to estimate motion. *Nature Neuroscience* 17: 296-303

Silies M\*, Gohl DM\*, Fisher YE, Freifeld L, Clark DA and Clandinin TR (2013) Modular use of peripheral input channels tunes motion-detecting circuitry. *Neuron* 79: 111-127 \*equal contribution

Gohl DM, Silies MA, Gao XJ, Bhalerao S, Luongo FJ, Lin CC, Potter CJ and Clandinin TR (2011) A genetically convertible enhancer trap for directed combinatorial dissection of gene expression patterns. *Nature Methods* 8: 231-237



## Address

Max Planck Institute for  
Experimental Medicine  
Hermann-Rein-Str. 3

37075 Göttingen  
Germany

phone: +49-551-3899 533  
e-mail: msimons@gwdg.de

## Further Information

[http://www.em.mpg.de/  
index.php?id=133&no\\_  
cache=1&tx\\_jppageteaser\\_  
pi1\[backId\]=16](http://www.em.mpg.de/index.php?id=133&no_cache=1&tx_jppageteaser_pi1[backId]=16)

## Mikael Simons

### Group Leader of Centre for Biochemistry and Molecular Cell Biology at the Max Planck Institute for Experimental Medicine

- 2004 Facharzt/Specialty qualification in Neurology
- 2005 Habilitation in Neurology, University of Tübingen
- 2004 – 2008 Junior group leader, Centre for Biochemistry and Molecular Cell Biology, University of Göttingen
- 2007 Attendant at the Department of Neurology; Head of the Multiple Sclerosis out-patient clinic, Department of Neurology, University of Göttingen
- 2008 Group leader with an ERC Starting Grant at the Max-Planck Institute for Experimental Medicine
- Feb 2009 W3- Heisenberg Professorship, Department of Neurology, University of Göttingen

### Major Research Interests

#### Mechanisms of myelin biogenesis and repair

The myelin sheath is one of the most abundant membrane structures in the vertebrate nervous system. It is formed by the spiral wrapping of glial plasma membrane extensions around the axons, followed by the extrusion of cytoplasm and the compaction of the stacked membrane bilayers. These tightly packed membrane stacks provide electrical insulation around the axons and maximize their conduction velocity. Axonal insulation by myelin not only facilitates rapid nerve conduction but also regulates axonal transport and protects against axonal degeneration. Damage to the myelin sheath, as it for example occurs in multiple sclerosis (MS) results therefore in severe neurological disability also as a result of neurodegeneration.

Our main goal is to come up with new approaches of how to promote remyelination in demyelinating diseases such as MS. To realize this goal we need to understand how myelin is formed during normal development.

### Selected Recent Publications

Aggarwal S, Snaidero N, Pähler G, Frey S, Sánchez P, Zweckstetter M, Janshoff A, Schneider A, Weil MT, Schaap IA, Görlich D, Simons M (2013) Myelin membrane assembly is driven by a phase transition of myelin basic proteins into a cohesive protein meshwork. *PLoS Biol* 11(6): e1001577

Aggarwal S, Yurlova L, Snaidero N, Reetz C, Frey S, Zimmermann J, Pähler G, Janshoff A, Friedrichs J, Müller DJ, Goebel C, Simons M (2011) A Size Barrier Limits Protein Diffusion at the Cell Surface to Generate Lipid-Rich Myelin-Membrane Sheets. *Dev Cell* 21(3): 445-56

Aggarwal S, Yurlova L, Simons M (2011) Central nervous system myelin: structure, synthesis and assembly. *Trends Cell Biol* 21(10): 585-93

Budde H, Schmitt S, Fitzner D, Opitz L, Salinas-Riester G, Simons M (2010) Control of oligodendroglial cell number by the miR-17-92 cluster. *Development* 137(13): 2127-32

Hsu C, Morohashi Y, Yoshimura SI, Manrique-Hoyos N, Jung SY, Lauterbach M, Bakhti M, Grønborg G, Möbius W, Rhee JS, Barr FA, Simons M (2010) Regulation of exosome secretion by Rab35 and its GTPase-activating proteins TBC1D10A-C. *J Cell Biol* 189(2): 223-32

Simons M, Raposo G (2009) Exosomes- vesicular carriers for intercellular communication. *Curr Opin Cell Biol* 21(4):575-81

Trajkovic K, Hsu C, Chiantia S, Rajendran L, Wenzel D, Wieland F, Schwille P, Brugger B, Simons M (2008) Ceramide triggers budding of exosome vesicles into multivesicular endosomes. *Science* 319(5867): 1244-7

Simons M, Trotter J (2007) Wrapping it up: the cell biology of myelination. *Curr Opin Neurobiol.* 17(5): 533-40

Fitzner D, Schneider A, Kippert A, Möbius W, Willig KI, Hell SW, Bunt G, Gaus K, Simons M (2006) Myelin basic protein-dependent plasma membrane reorganization in the formation of myelin. *EMBO J* 25(21): 5037-4



## Address

Center of Anatomy  
Dept. of Neuroanatomy  
University of Göttingen  
Kreuzbergerring 36

37075 Göttingen  
Germany

phone: +49-551-39 7051  
fax: +49-551-39 14016  
e-mail: jochen.staiger@  
med.uni-  
goettingen.de

## Further Information

[http://neuro.ukat.gwdg.de/  
barrels/](http://neuro.ukat.gwdg.de/barrels/)

## Jochen Staiger

### Professor of Neuroanatomy

- 1993 Graduation as Dr. med. at the Medical Faculty of the Justus-Liebig-University Giessen; grade: summa cum laude
- 1994 – 2000 Post-doc at the C. & O. Vogt-Institute for Brain Research, Düsseldorf, (Head: Prof. Dr. K. Zilles); Leader of the research group „Cortical microcircuits“
- 2000 Habilitation and Venia legendi for Anatomy at the Medical Faculty of the Heinrich-Heine-University Düsseldorf
- 2006 Appointment as W3 Univ.-Professor for Cell Biology at the Albert-Ludwigs-University Freiburg
- Since 2010 Full professor and director of the Department of Neuroanatomy at the Georg-August-University Göttingen

### Major Research Interests

- Developmental plasticity induced by early postnatal deprivation of sensory stimulation in mice with intact or genetically altered thalamocortical projections
- Thalamo-cortical interactions as the first stage of cortical information processing
- Microcircuits in columnar modules – examining the Bauplan of synaptic connectivity of neocortex
- Tactile learning: Genomic regulation of experience-dependent plasticity in the trigeminal somatosensory system

### Selected Recent Publications

Staiger JF, Bojak I, Miceli S, Schubert D (2015) A gradual depth-dependent change in connectivity features of supragranular pyramidal cells in rat barrel cortex. *Brain Structure & Function* 220: 1317-1337 (IF 4.567)

Guy J, Wagener RJ, Mock M, Staiger JF (2014) Persistence of Functional Sensory Maps in the Absence of Cortical Layers in the Somatosensory Cortex of Reeler Mice. *Cereb Cortex* doi: 10.1093/cercor/bhu052 (IF 8.665)

Feldmeyer D, Brecht M, Helmchen F, Petersen CCH, Poulet JFA, Staiger JF, Luhmann HJ, Schwarz C (2013) Barrel cortex function. *Prog Neurobiol* 103: 3-27 (IF 9.035)

Harsan LA, Dávid C, Reisert M, Schnell S, Hennig J, von Elverfeldt D, Staiger JF (2013) Mapping remodeling of thalamocortical projections in the living reeler mouse brain by diffusion tractography. *Proc Natl Acad Sci USA* 110: E1797-E1806 (IF 9.737)

De Felipe J, Lopez-Cruz PL, Benavides-Piccione R, Bielza C, Larranaga P, Anderson S, Burkhalter A, Cauli B, Fairen A, Feldmeyer D, Fishell G, Fitzpatrick D, Freund TF, Gonzalez-Burgos G, Hestrin S, Hill S, Hof PR, Huang J, Jones EG, Kawaguchi Y, Kisvarday Z, Kubota Y, Lewis, DA, Marin O, Markram H, McBain CJ, Meyer HS, Monyer H, Nelson SB, Rockland K, Rossier J, Rubenstein JL, Rudy B, Scanziani M, Shepherd GM, Sherwood CC, Staiger JF, Tamas G, Thomson A, Wang Y, Yuste R, Ascoli GA (2013) New insights into the classification and nomenclature of cortical GABAergic interneurons. *Nature Reviews Neuroscience* 14: 202-16 (IF 30.455)



### Address

Dept. of Molecular Developmental Neurobiology  
Max Planck Institute for Biophysical Chemistry  
Am Faßberg 11

37077 Göttingen  
Germany

phone: +49-551-201 1710  
fax: +49-551-201 1504  
e-mail: [astoyko@gwdg.de](mailto:astoyko@gwdg.de)

### Further Information

<http://www.mpibpc.mpg.de/groups/gruss/>

## Anastassia Stoykova

### Privatdozentin, Developmental Biology at the Max Planck Institute for Biophysical Chemistry

- 1973 – 1988 Research Associate, Bulgarian Academy of Sciences, Sofia
- 1987 PhD, Institute Molecular Biology, Bulg. Acad. Sci., Sofia
- 1989 Habilitation (neurochemistry), Sofia
- 1989 – 1991 Assistant Research Professor, Inst. Mol. Biol., Bulg. Acad. Sci., Sofia
- 1991 – 2002 Senior Research Scientist, Max Planck Institute for Biophysical Chemistry, Dept. Molecular Cell Biology, Göttingen
- 1989 Habilitation (developmental biology), Faculty of Medicine, University Göttingen
- 2002 – 2008 Research Group Leader, Dept. Mol Cell Biol, MPIPBC, Göttingen
- since 2008 Independent Research Group Leader MPI-bpc (W2, MPG Minerva Program)
- since 2010 Adj. Professor at the University of Göttingen

### Major Research Interests

Composed of six cellular layers, the mammalian neocortex is a modular structure with many functional areas in which the neurons have specific morphology, number, connections and unique physiological properties. Our group is interested in understanding the molecular and cellular mechanisms involved in specification of the immense diversity of the cortical neurons in order to be generated in a correct time, number and place during development. We have recently identified sets of genes with a differential expression between distinct domains and layers of the embryonic mouse cortex. To study the function of selected candidates in the transcriptional control of neurogenesis, we combine approaches for targeted gene inactivation or gene activation in transgenic mice using the conventional and conditional knock-out strategies with biochemical, morphological, gene expression, tissue culture methods and techniques for gene transfer in isolated brain or living mouse embryos.

With one gene, the transcription factor Pax6, we are further ahead in understanding its function. Pax6 is a critical gene for neocortical development, endowing the pluripotent radial glial progenitors with neurogenic ability and controlling the cortical patterning, including layer and area formation. Our current research focuses in unraveling genetic mechanisms by which Pax6 regulates these developmental processes with a special emphasis on its role in the control of neuronal subtype identity. We address these questions by studying the function of genes recently identified by us to act as Pax6 targets or Pax6 protein partners controlling its neurogenic function. We further aim to get insight into Pax6 dependent mechanisms involved in generation of stem/progenitors cells and their regenerative properties in neurogenic zones of the adult brain.

### Selected Recent Publications

Tuoc T, Dere E, Radyushkin R, Pham L, Nguen H, Tonchev A, Ronnenberg A, Shi Y, Steiger J, Eherenreich H, Stoykova A (2016) Ablation of BAF170 in developing and postnatal dentate gyrus affects neural stem cell proliferation, differentiation and learning. *Mol Neurobiology* (doi:10.1007/s12035-016-9948-5)

Tylkowski MA, Yang K, Hoyer-Fender S, Stoykova A (2015) Pax6 controls centriole maturation in cortical progenitors through Odf2. *Cellular and Molecular Life Sciences* 72 (9): 1795-1809

Paul V, Tonchev AB, Henningfeld KA, Pavlakis E, Rust B, Pieler T, Stoykova A (2014) Scratch2 modulates neurogenesis and cell migration through antagonism of bHLH proteins in the developing neocortex. *Cerebral Cortex* 24 (3): 754-772

Tuoc TC, Boretius S, Sansom SN, Pitulescu M, Frahm J, Livesey FJ, Stoykova A (2013) Chromatin regulation by BAF170 controls cerebral cortical size and thickness. *Developmental Cell* 25 (3): 256-269

Zembrzycki A, Chou SJ, Ashery-Padan R, Stoykova A, O'Leary DDM (2013) Sensory cortex limits cortical maps and drives top-down plasticity in thalamocortical circuits. *Nature Neuroscience* 16 (8): 1060-1067





## Address

Dept. of Cognitive  
Neurosciences  
German Primate Center  
Kellnerweg 4

37077 Göttingen  
Germany

phone: +49-551-3851 115  
fax: +49-551-3851 452  
e-mail: treue@gwdg.de

## Further Information

<http://www.dpz.eu/en/unit/cognitive-neurosciences/about-us.html>

## Stefan Treue

### Professor, Director of the German Primate Center

- Head of the Cognitive Neuroscience Laboratory
- 1992 Ph.D. Massachusetts Institute of Technology
- 1992 – 1993 Postdoctoral Fellow, MIT
- 1993 – 1995 Postdoctoral Fellow, Baylor College of Medicine, Houston, Texas
- 1995 – 2001 Work Group Leader, Laboratory of Cognitive Neuroscience, University of Tübingen
- 2000 – 2001 Professor of Animal Physiology, University of Tübingen
- 2001 Professor of Cognitive Neuroscience and Biological Psychology, University of Göttingen

### Major Research Interests

Research at the Cognitive Neuroscience Laboratory is aimed at understanding the neural basis of visual perception. Vision is an active process that is far more than a passive registration of our environment. Rather, on its way from the eyes to and through the cortex, visual information is modulated by numerous processes that enhance some aspects while diminishing others. One of these processes is attention, i.e. the ability to filter out unwanted information and concentrate the brain's processing abilities on relevant information.

The accurate representation of visual motion in the environment is one of the most important tasks of the visual system. Correspondingly, research in the laboratory concentrates on this ability as a model for sensory information processing in general.

We use various techniques. While our emphasis is on electrophysiology, i.e. the recording of the activity of neurons in the visual cortex of macaque monkeys and measuring human perceptual abilities with psychophysical methods, we also use theoretical approaches and functional brain imaging.

Using these techniques, we have been able to elucidate how motion information is represented in primate cortical area MT and how attention changes that representation and correspondingly the percept of the visual environment.

### Selected Recent Publications

Yao T, Treue S, Krishna BS (2016) An attention-sensitive memory trace in macaque MT following saccadic eye movements. *PLoS Biol* 14:e1002390

Niebergall R, Khayat PS, Treue S, Martinez-Trujillo J (2011) Multifocal attention filters out distracter stimuli within and beyond receptive field boundaries of primate MT neurons. *Neuron* 72:1067-1079

Anton-Erxleben K, Stephan VM, Treue S (2009) Attention reshapes center-surround receptive-field structure in macaque cortical area MT. *Cerebral Cortex* 19: 2466-2478

Busse L, Katzner S, Treue S (2008) Temporal dynamics of neuronal modulation during exogenous and endogenous shifts of visual attention in macaque area MT. *Proceedings of the National Academy of Sciences* 105(42): 16380-16385

Womelsdorf T, Anton-Erxleben K, Pieper F, Treue S (2006) Dynamic shifts of visual receptive fields in cortical area MT by spatial attention. *Nature Neuroscience* 9 (19): 1156-1160

Martinez-Trujillo JC, Treue S (2004) Feature-based attention increases the selectivity of population responses in primate visual cortex. *Current Biology* 14: 744-751

Martinez-Trujillo JC, Treue S (2002) Attentional modulation strength in cortical area MT depends on stimulus contrast. *Neuron* 35: 365-370

Treue S, Hol K, Rauber HJ (2000) Seeing multiple directions of motion – Physiology and psychophysics. *Nature Neuroscience* 3 (3): 270-276





### Address

Dept. of Cognitive  
Neurology  
University Medical Center  
Göttingen  
Robert-Koch-Straße 40

37075 Göttingen  
Germany

phone: +49-551-39 13131  
fax: +49-551-39 13243  
e-mail: melanie.wilke@  
med.uni-  
goettingen.de

### Further Information

<http://www.cognitive-neurology.med.uni-goettingen.de/index.html/>

## Melanie Wilke

### Professor of Cognitive Neurology

- 1997-2001: M.A. in Psycholinguistics, Neuropsychology and Neurobiology, Ludwig-Maximilians-University, Munich, Germany
- 2001-2005: PhD student at the Max Planck Institute for Biological Cybernetics, Tübingen, Advisor: Dr. D.A. Leopold
- 2005-2008: Postdoctoral Fellow in the Laboratory of Neuropsychology, NIMH, Bethesda, Advisor: Dr. D.A. Leopold
- 2008-2010: Postdoctoral Fellow in the Division of Biology, Caltech, Pasadena; Advisor: Prof. R.A. Andersen
- since 2011: Co-Investigator in the “Decision and Awareness” group (DAG) at the German Primate Center (DPZ)
- since 2011: Schilling Foundation Professor (W3), Director of the department of Cognitive Neurology and Head of the MR-Research Unit, UKG, Georg August University Göttingen

### Major Research Interests

The long-term goal of our research is to understand how neural activity gives rise to spatial awareness and how distributed information is integrated to guide the selection of movement goals. Furthermore we are dedicated to perform translational research from monkey models of cognitive disorders to human patients. Current research focuses on the question how thalamic nuclei and cortical areas interact during visual perception and decision making. Another line of research is concerned with the neural mechanisms underlying spatial neglect, which is a frequent and severe consequence of brain damage in humans. Specifically, we are investigating pathological and compensatory changes in large-scale brain networks in human stroke patients by means of imaging (DTI, fMRI) and stimulation (tACS, tDCS, TMS) methods. We develop and employ monkey models of spatial neglect to study the underlying neural mechanisms by means of fMRI, electrophysiological recordings, inactivation and stimulation techniques with the goal to develop new therapeutic interventions.

### Selected Recent Publications

Cabral-Calderin Y\*, Williams K\*, Dechent P, Opitz A, Wilke M (2016) Transcranial alternating current stimulation modulates spontaneous low frequency fluctuations as measured with fMRI. *Neuroimage* 2016 Jul 5: S1053-8119(16)30312-3

Cabral-Calderin Y, Schmidt-Samoa C, Wilke M (2015) Rhythmic gamma stimulation affects bistable perception. *Journal of Cognitive Neuroscience* 20: 1-10

Tsuchiya N, Wilke M, Frässle S, Lamme V (2015) No-report paradigms: Extracting the true neural correlates of consciousness. *Trends in Cognitive Sciences* Nov 13: S1364-6613(15)00252-1

Hwang E, Hauschild M, Wilke M, Andersen RA (2014) Spatial and Temporal Eye-Hand Coordination Relies on the Parietal Reach Region. *Journal of Neuroscience* 34: 12884-92

Wilke M, Kagan I, Andersen RA (2013) Effects of pulvinar inactivation on spatial decision making between equal and asymmetric reward options. *Journal of Cognitive Neuroscience* 25(8): 1270-83

Wilke M\*, Kagan I\*, Andersen RA (2012) Functional Imaging Reveals Rapid Reorganization of Cortical Activity after Parietal Inactivation in Monkeys. *PNAS* 109: 8274-9

Hwang EJ, Hauschild M, Wilke M, Andersen RA (2012) Inactivation of the parietal reach region causes optic ataxia, impairing reaches but not saccades. *Neuron* 76(5): 1021-9

\*equal contribution



## Address

Max Planck Institute for  
Experimental Medicine  
Hermann-Rein-Str. 3

37075 Göttingen  
Germany

phone: +49-551-3899 722  
fax: +49-551-3899 715  
e-mail: wojcik@em.mpg.de

## Further Information

[http://www.em.mpg.de/  
index.php?id=101&L=1](http://www.em.mpg.de/index.php?id=101&L=1)

## Sonja M. Wojcik

### Group Leader at the Max Planck Institute for Experimental Medicine

- Diploma in Biology, RWTH Aachen, Germany (1994)
- Ph.D. in Molecular and Cellular Biology, Baylor College of Medicine, Houston, TX, USA (2000)
- Postdoctoral fellow, Department of Molecular Neurobiology, Max Planck Institute of Experimental Medicine, Göttingen, Germany (2001)
- Group leader, Max Planck Institute of Experimental Medicine, Göttingen, Germany (2008)
- Habilitation, Medical Faculty of the Georg August University Göttingen, Germany (2014)

### Major Research Interests

We study the molecular processes underlying neurotransmitter release and the functional consequences of alterations in these processes at the cellular and network levels.

In the past, projects were mainly focused on analyzing the role of vesicular neurotransmitter transporters in neurons as determining factors in the establishment and maintenance of glutamatergic, GABAergic and glycinergic synaptic phenotypes.

Current projects include the analysis of regulatory mechanisms that control the release of non-classical neurotransmitters from large dense-core vesicles in neuroendocrine chromaffin cells and peptidergic neurons.

### Selected Recent Publications

Wüstefeld L, Winkler D, Janc OA, Hassouna I, Ronnenberg A, Ostmeier K, Muller M, Brose N, Ehrenreich H, Wojcik SM (2015) Selective expression of a constitutively active erythropoietin receptor in GABAergic neurons alters hippocampal network properties without affecting cognition. *J Neurochem* doi: 10.1111/jnc.13445. [Epub ahead of print]

Man KM, Imig C, Walter AM, Pinheiro PS, Stevens DR, Rettig J, Sorensen JB, Cooper BH, Brose N, Wojcik SM (2015) Identification of a Munc13-sensitive step in chromaffin cell large dense-core vesicle exocytosis. *eLife* 4, doi: 10.7554/eLife.10635

Rahman J, Besser S, Schnell C, Eulenburg V, Hirrlinger J, Wojcik SM, Hulsman S (2015) Genetic ablation of VIAAT in glycinergic neurons causes a severe respiratory phenotype and perinatal death. *Brain Struct Funct* 220: 2835-2849

Wojcik SM, Tantra M, Stepniak B, Man KN, Muller-Ribbe K, Begemann M, Ju A, Papiol S, Ronnenberg A, Gurvich A, Shin Y, Augustin I, Brose N, Ehrenreich H (2013) Genetic Markers of a Munc13 Protein Family Member, BAIAP3, Are Gender-Specifically Associated with Anxiety and Benzodiazepine Abuse in Mice and Humans. *Mol Med* 19: 135-148

Wojcik SM, Katsurabayashi S, Guillemin I, Friauf E, Rosenmund C, Brose N, Rhee JS (2006) A Shared Vesicular Carrier Allows Synaptic Corelease of GABA and Glycine. *Neuron* 50: 575-587

Herzog E, Takamori S, Jahn R, Brose N, Wojcik SM (2006) Synaptic and vesicular co-localization of the glutamate transporters VGLUT1 and VGLUT2 in the mouse hippocampus. *J Neurochem* 99: 1011-1018



## Address

Dept. of Nonlinear  
Dynamics  
Max Planck Institute for  
Dynamics and  
Self-Organization  
Bunsenstr. 10

37073 Göttingen  
Germany

phone: +49-551-5176 423  
fax: +49-551-5176 409  
e-mail: fred@nld.ds.  
mpg.de

## Further Information

<http://www.uni-goettingen.de/en/58058.html>

## Fred Wolf

### Group Leader Theoretical Neurophysics

- 1999 Dr. phil. nat., J.W. Goethe Universität, Frankfurt
- 2000 Amos de Shalit Fellow, Racah Institute of Physics and Interdisciplinary Center for Neural Computation, Hebrew Univ., Jerusalem (Israel)
- 2001 – 2004 Research Associate, Max-Planck-Institut für Strömungsforschung, Göttingen
- Fall 2001, 2003, 2004 Visiting Scholar, Kavli Institute for Theoretical Physics, UC Santa Barbara (USA)
- Since 2004 Head of the Research Group “Theoretical Neurophysics”, Department of Nonlinear Dynamics, Max-Planck-Institut für Strömungsforschung, Göttingen

### Major Research Interests

- Theoretical neuroscience and nonlinear dynamics
- Dynamics and synchronization in cortical neural networks
- Function and development of the visual cortex
- Sensory processing in the auditory system

The brains of humans and animals arguably are among the most complex systems in nature. Over the past decade, theoretical neuroscience - the use of quantitative theories, mathematical modelling and advanced quantitative data analysis methods for the study of brain function - has started to provide powerful new approaches for understanding the neuronal basis of perception, learning, memory, and other higher brain functions. This is because, even during the neuronal processing of the most elementary sensory stimulus large ensembles of interacting nerve cells distributed throughout the brain are activated, the collective operations of which are often hard to understand by means of purely qualitative reasoning.

The primary focus of our research in theoretical neuroscience is self-organization in the dynamics of cortical networks. In particular, we have developed novel approaches to model and predict the dynamics and neuronal plasticity of the visual cortex. To quantitatively connect theory and experiment in this system, we recently also designed methods that enable to quantify the organization of visual cortical functional architecture with high precision. Another important focus of our work is the mathematical analysis of the dynamics of large and complex networks of pulse-coupled neuron models. The concepts and tools for the representation of the dynamics of cortical circuits developed enable a rational and transparent design of models of higher cortical functions such as the processes underlying perceptual learning phenomena.

### Selected Recent Publications

Tchumatchenko T, Malyshev A, Geisel T, Volgushev M, Wolf F (2010) Correlations and synchrony in threshold neuron models. *Phys Rev Lett* 104(5): 058102

Junek S, Kludt E, Wolf F, Schild D (2010) Olfactory Coding with Patterns of Response Latencies. *Neuron* 67(5): 872-884

Baranauskas G, Mukovskiy A, Wolf F, Volgushev M (2010) The determinants of the onset dynamics of action potentials in a computational model. *Neuroscience* 167(4): 1070-90

Tchumatchenko T, Geisel T, Volgushev M, Wolf F (2010) Signatures of synchrony in pairwise count correlations. *Front Comput Neurosci* 4: 1

Kaschube M, Schnabel M, Wolf F, Löwel S (2009) Interareal coordination of columnar architectures during visual cortical development. *Proceedings of the National Academy of Sciences of the United States of America* 106: 17205-17210

Reichl L, Löwel S, Wolf F (2009) Pinwheel Stabilization by Ocular Dominance Segregation. *Physical Review Letters* 102: 208101

Timme M, Wolf F (2008) The simplest problem in the collective dynamics of neural networks: is synchrony stable? *Nonlinearity* 21: 1579-1599



## Address

Laboratory for Molecular and Cellular Systems  
Dept. of Neuro- and Sensory Physiology  
Centre II, Physiology and Pathophysiology  
University of Göttingen  
Humboldtallee 23

37073 Göttingen  
Germany

phone: +49-551-39 12368  
fax: +49-551-39 12266  
e-mail: fred.wouters@gwdg.de

## Further Information

<http://www.uni-goettingen.de/en/58060.html>

## Fred Wouters

### Professor, Laboratory for Molecular and Cellular Systems

- 1997 Dr. (Ph. D.), Faculty of Chemistry, University of Utrecht, The Netherlands
- 1997 – 2000 Postdoctoral fellow, Imperial Cancer Research Fund (ICRF), London UK
- 2000 – 2001 Postdoctoral fellow, European Molecular Biology laboratory (EMBL), Heidelberg
- 2001 Appointed as group leader at the European Neuroscience Institute, Göttingen
- 2006 PD (habilitation), Physiology, Göttingen University

### Major Research Interests

The focus of our research is the regulation and role of the neuronal cytoskeleton in the modulation of neuronal shape and motility during chemotactic processes. The growing neuronal growth cone probes its environment for the chemical composition of its substrate and the presence of neighbouring cells. The former information is sampled by cell adhesion receptors in focal adhesion structures that, next to their sensing function also perform a structural function in that they provide the cell with a means to exert force on its substrate. We are primarily interested in the signal transduction processes that regulate these effects and the cross-talk between the different motility systems.

The main interest areas in this question are; 1. The role and molecular mechanism of lipid raft-resident cell adhesion molecules in the remodelling of the membrane cytoskeleton, 2. Dynamic control of growth cone protein content by local proteolysis and chaperone function during chemotactic responses, 3. Role and mechanism of the neuronal exocyst complex as critical landmarks for dendritic/axonal neuritogenesis.

Our group has a related interest in the pathophysiological mechanism of neurodegeneration by intracellular aggregation of the tau protein, as occurs in Alzheimer's disease. As tau is an intrinsically unstructured protein that can undergo remarkable conformational changes upon binding to microtubules and in the Alzheimer-related aggregation condition, it presents an ideal model system for the biophysical analysis of protein conformational change and protein interactions.

Our research depends on the development and application of advanced microscopy techniques, primarily; fluorescence lifetime imaging microscopy (FLIM), and Förster resonance energy transfer (FRET) microscopy, in combination with a range of GFP-based optical biosensors and novel bioconjugation approaches for organic dyes, and protein biochemical/molecular biological techniques to resolve and quantify biochemical reactions and conditions in living cells.

### Selected Recent Publications

Iliev AI, Djannatian JR, Nau R, Mitchell TJ, Wouters FS (2007) Cholesterol-dependent actin remodeling via RhoA and Rac1 activation by the *Streptococcus pneumoniae* toxin pneumolysin. *Proc Natl Acad Sci USA* 104: 2897-2902

Esposito A, Dohm CP, Kermer P, Bahr M, Wouters FS (2007) alpha-Synuclein and its disease-related mutants interact differentially with the microtubule protein tau and associate with the actin cytoskeleton. *Neurobiol Dis* 26: 521-531

Esposito A, Dohm CP, Bahr M, Wouters FS (2007) Unsupervised fluorescence lifetime imaging microscopy for high content and high throughput screening *Mol Cell Proteomics* 6: 1446-1454

Hillebrand M, Verrier SE, Ohlenbusch A, Schafer A, Soling HD, Wouters FS, Gartner J (2007) Live cell FRET Microscopy: homo- and heterodimerization of two human peroxisomal ABC transporters, the adrenoleukodystrophy protein (ALDP, ABCD1) and PMP70 (ABCD3). *J Biol Chem* 282: 26997-27005

Pommereit D, Wouters FS. (2007) An NGF-induced Exo70-TC10 complex locally antagonises Cdc42-mediated activation of N-WASP to modulate neurite outgrowth. *J Cell Sci* 120: 2694-2705

Esposito A, Gerritsen HC, Wouters FS (2007) Optimizing frequency-domain fluorescence lifetime sensing for high-throughput applications: photon economy and acquisition speed. *J Opt Soc Am A* 24: 3261-3273


## Graduate Program Committee

Prof. Dr. Gregor Eichele (Spokesperson IMPRS)  
Prof. Dr. André Fiala  
Prof. Dr. Ralf Heinrich  
Prof. Dr. Michael Hörner  
PD Dr. Swen Hülsmann  
Prof. Dr. Silvio Rizzoli  
Prof. Dr. Detlev Schild (Chair) / Prof. Dr. Martin Göpfert (Chair)  
Dr. Judith Stegmüller  
Prof. Dr. Fred Wouters  
Alexander Dieter  
Henry Klemp

## Program Coordination

### Neuroscience Program

Prof. Dr. Michael Hörner  
(Scientific Coordinator)



Sandra Drube  
(Administrative Coordinator)



Coordination Office Neurosciences  
European Neuroscience Institute  
Georg-August-Universität  
Grisebachstraße 5  
  
37077 Göttingen  
Germany

phone:  
+49 – 551 – 39 12307 / 91244  
fax:  
+49 – 551 – 39 12308  
e-mail:  
gpneuro@gwdg.de

### Further Information

<http://www.gpneuro.uni-goettingen.de>

### Molecular Biology Program

Dr. Steffen Burkhardt  
(Program Coordinator)

Kerstin Grüniger  
(Program Assistant)



**Publisher:**

Coordination Offices Neurosciences & Molecular Biology,  
Georg August University Göttingen

**Text:**

Prof. Dr. Michael Hörner,

Dr. Steffen Burkhardt

**Cover Design and Page Layout:**

bioGrafik (M. Nolte)

**Photography:**

Medienservice MPI for Biophysical Chemistry (P. Goldmann)

Ingo Bulla Fotografie (Cover)



Georg-August-Universität  
Göttingen



Max Planck Institutes for  
• Biophysical Chemistry  
• Experimental Medicine  
• Dynamics and Self-Organization



Deutsches Primatenzentrum  
Leibniz-Institut für Primatenforschung  
German Primate Center



European  
Neuroscience Institutes  
Göttingen

[www.gpneuro.uni-goettingen.de](http://www.gpneuro.uni-goettingen.de)